

BONOMI
NORTH AMERICA

2021



PRICE LIST
EFFECTIVE AUGUST 1st 2021

**PNEUMATIC AND ELECTRIC
ACTUATED VALVE PACKAGES**



VALPRES


VALBIA

FRABO



BONOMI

NORTH AMERICA




Only excellence
allows Bonomi Group
to compete
in the international market.
The challenge can be met
thanks to the
passion and the
energy of the researchers,
who plan and
manufacture avante-garde
quality and technology,
a team which is perfectly
integrated for providing
total customer satisfaction;
we are ready!




BONOMI GROUP



- **1901** **Rubinetterie Bresciane Bonomi** was initially founded in Lumezzane simply as a valve manufacturer for the winery industry.
- **1967** Thanks to a commitment to research and development through investments, the group has been affirmed as the **first** leading international player in **manufacturing two-piece ball valves**.
- **1978** **Valpres** was founded as a specialized manufacturer of steel and cast iron ball valves with a focus on industrial applications.
- **1980** Bonomi Group acquires **Univers**, a producer of non ferrous metal items, turned and machined, according to customer drawings, turned parts.
- **1995** **Valbia** was founded for the production and distribution of electric and pneumatic actuators on a global scale.
- **1998** **Bonomi Deutschland** was founded.
- **1999** **Bonomi UK** was founded.
- **2000** **Bonomi India** was founded.
Bonomi Group acquires Bossini Stampaggio, active hot forging manufacturer.
- **2003** **Bonomi North America** was founded.
- **2012** **Bonomi Brasil** was founded for the production and distribution of pneumatic actuators for the domestic market.
- **2013** **Bonomi-GPK** Russia was founded.
- **2014** Opened a **new production facility of Rubinetterie Bresciane**: 1.2 million sq. ft., 460,000 of which is covered by with state-of-the-art technologies granting the plant the A+ energy certification.
- **2018** **Bonomi China** (Bonomi Valves Automation Shenzhen) was founded.
- **2019** Bonomi Group has completed the acquisition of **Fra.Bo**, Italian leading manufacturer of fittings for plumbing installations.
- **2020** Bonomi Group acquires the 70% of the capital of **Quam**, company specialized in designing and producing choke valves, special valves and control systems for Oil&Gas industry and all the assets of the innovative startup **Loclain**.



Today and tomorrow Grow to compete on international markets.



Brass ball valves, gas cocks, brass butterfly valves, check valves, back flow prevention devices, pressure reducers and self cleaning filters. Multilayers pipe and press brass fittings, press systems and valves for copper, coppernickel, stainless and carbon steel pipes. Accesories for the water and heating distribution.

Stainless steel and carbon steel, cast iron ball valves, butterfly valves, trunnion, cryogenic and control ball valves.


Production of rack and pinion double acting and spring return pneumatic actuators. Production of electric actuators. Supply and automation of ball and butterfly valves and accessories.

Copper and bronze, carbon and stainless steel pressfittings, copper and bronze solder fittings, bronze and brass threaded fittings.

Choke valves, special valves and control systems for Oil&Gas industry.


IMPORTANT NUMBERS

- **230 Million \$** 2020 turnover of Bonomi Group (producing companies).
- **602** Employees in Italy.
- **6** Production facilities.
- **2.4 Million** sq. ft. production plant area.
- **900,000+** sq. ft. covered area production plant.
- **114** Approvals.
- **96** Patents.
- **52** Main alloys machined.
- **6** Foreign sales units.
- **+100** Countries that we deal with.
- **+25.000** Sold items.










KEY POINTS





- The Bonomi Group mission is based on **integrated group synergies**, with **passion as the essential element of our work**.
- We work every day aiming at **total quality**, which depends on the quality of the individual operations in the production process.
- Very high **level of automation**: in the production lines, the control system and production management (MES) with the real time data collection, in logistics, that permit traceability from raw material to delivery.
- Constant investment in product, in process and method innovation, aimed at **maximum customer satisfaction**.
- The companies of the group are engaged in the **digital transformation**, from R&D to production, to sales and marketing, to the relationship with the consumer through CRM, with a fundamental presence of high specialized human capital.
- Bonomi has always deemed it important to adapt its company management system to the international reference standards:
 - **ISO 9001**, products' quality management system, since 1994, first company in Italy in our market segment (previously EN 29002 certified);
 - **ISO 14001**, environmental management system, since 2001;
 - **OHSAS 18001**, occupational health and safety management system, since 2004;
 - **ISO 50001**, energy management system, since 2015;
 - **API6D**, specification for pipeline valves, since 2013;
 - **API6A**, specification for wellhead and Christmas Tree Equipment, since 2015;
 - **AEO/AEOF**, Authorized Economic Operator Full (internal management of customs procedures relating to import and exports of goods), since 2014.
- Bonomi Group has a **social corporate responsibility**, with motivation and HR management, promotes career advancements, benefit plans and services, such as a company gym and courses, with the aim of increasing employees' welfare and well-being.
- **Environmental commitment and sustainable production**: the electricity needed is produced mainly from the photovoltaic panels (1,8MW); the heat is obtained mainly through an internal geothermal plant; architectural solutions, like shed roofs, maximize the zenithal light and minimize the solar radiation during summertime; low environmental impact products used in production processes; wastes recycles processes (oils, waters, materials, etc.) eliminate pollution or disposal hazards.



ISO 9001 - ISO 14001 - OHSAS 18001 - ISO 50001



RUBINETTERIE BRESCIANE



8

		Master Contract No. 100706	
		Draw Dates	February 17, 2013
Coordinator: 173743	Project: 70000039		
TEAM LIST: VAC/REHABILITATION, Application Committee 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794			

	CENED Certificazione ENergetica degli Edifici Azienda certificata classe "A" - "A+" con certificato n.17081 - 000459/12 e 000460/12	
	AEOF Authorized Economic Operator (AEOF)	
	TÜV Süddeutschland Bau und Betrieb GmbH Pressure Equipment Directive 2014/68/EU	
	TÜV Süddeutschland Bau und Betrieb GmbH Equipment for use in potentially explosive atmospheres 2014/34/EU	
	BSI British Standards Institute Construction Products Directive Regulation (EU) n. 305/2011	
	TÜV Süddeutschland Bau und Betrieb GmbH Safety Integrity Level	
	MINISTERO DELL'INTERNO	
	RINA Registro Italiano Navale	
	RINA Registro Italiano Navale Marine Equipment Directive 2014/90/EU	
	A2A Reti Gas ITALGAS Iren 2i Rete Gas	
	Deutscher Verein des Gas- und Wasserfaches DVGW W 534 - W 531 - VP 614 DVGW GW 335-B4 - DVGW G 5600-I	
	TÜV Süddeutschland Bau und Betrieb GmbH T.A. LUFT	
	TÜV Bayern Hessen Sachsen Südwest E.V. FIRE SAFE BS 6755 Part.2, API Specification 6FA und ISO 10497	
	DBI GTI Gastechnologisches Institut	
	VdS	
	Schweizerischer Verein des Gas- und Wasserfaches Europäische Vorschrift EN 331: 2015	
	Schweizerischer Verein des Gas- und Wasserfaches DVGW VP 614	
	ÖSTERREICHISCHE VEREINIGUNG FÜR DAS GAS- UND WASSERFACH	
	ARGB	
	GDV: GODKENDT TIL DRIKKEVAND	
	VA	
	DNV GL	

	Factory Mutual Research	
	Underwriters Laboratories Inc.	
	Underwriters Laboratories Inc. ANSI/NSF 61-372 Drinking Water System Components and Lead Content Verification	
	American Petroleum Institute API 6A License number 6A-1741	
	American Petroleum Institute API 6D License number 6D-1428	
	Technical Standards and Safety Authority	
	CSA International	
	Water Regulation Advisory Scheme (By WRC Evaluation & Testing Centre)	
	Lloyd's Register Marine	
	Bureau Veritas Industry and Marine Division	
	Laboratoire Santé Environnement Hygiène de Lyon ACS: Attestation de Conformité Sanitaire	
	Centre scientifique et technique du bâtiment	
	NF	
	Certification body 3 - Zds "Tisk"	
	Declaration of conformity TP-TC 010/2011 Declaration of conformity TP-TC 032/2013	
	CCS	
	INIG	
	ITB	
	IZV	
	SZU	
	KIWA SWEDCERT	

INDEX

HOW TO ORDER PNEUMATIC & ELECTRIC VALVE PACKAGES		page 14
VALBIA ACTUATORS		
	PNEUMATIC ACTUATORS SERIES 82-83-84	page 16
	ELECTRIC ACTUATORS SERIES 85-86	page 20
2-WAY THREADED BRASS BALL VALVE PACKAGES		
	DIRECT MOUNT 2-WAY BALL VALVE SERIES 250N	page 24
2-WAY THREADED CARBON STEEL BALL VALVE PACKAGES		
	CARBON STEEL BALL VALVE - 2PC & SEAL WELD SERIES 600LL - 6600LL	page 30
	CARBON STEEL 2-WAY 3000-2000 PSI BALL VALVE SERIES 3000	page 32
	3 PC CARBON STEEL BALL VALVE SERIES 710003 - 714000 - 715000	page 33
	3 PC CARBON STEEL BALL VALVE SERIES 620LL - 621LL - 622LL	page 34
2-WAY THREADED STAINLESS STEEL BALL VALVE PACKAGES		
	STAINLESS STEEL DIRECT MOUNT BALL VALVE SERIES 700076	page 36
	STAINLESS STEEL BALL VALVE - 2PC & SEAL WELD SERIES 700LL-7700LL	page 38
	STAINLESS STEEL 2-WAY 3000 PSI BALL VALVE SERIES 3100	page 40
	3 PC STAINLESS STEEL BALL VALVE SERIES 710190 - 710061 - 710062	page 41
2-WAY SANITARY STAINLESS STEEL BALL VALVE PACKAGES		
	3 PC DIRECT MOUNT NON-CAVITY & CAVITY FILLED SANITARY SERIES 770	page 48
2-WAY COMPRESSED END STAINLESS STEEL BALL VALVE PACKAGES		
	3 PC INSTRUMENTATION BALL VALVE SERIES 1300	page 50
2-WAY PVC/CPVC BALL VALVE PACKAGES		
	DIRECT MOUNT 2-WAY BALL VALVE SERIES PVC-BV2 & CPVC-BV2	page 51
3-WAY THREADED BRASS BALL VALVE PACKAGES		
	DIRECT MOUNT 3-WAY BALL VALVE SERIES 355N (T) - 365N (L)	page 52
3-WAY PVC /CPVC BALL VALVE PACKAGES		
	DIRECT MOUNT 3-WAY BALL VALVE SERIES PVC-BV3T & PVC-BV3L	page 57
3-WAY THREADED STAINLESS STEEL BALL VALVE PACKAGES		
	DIRECT MOUNT 3-WAY STANDARD PORT BALL VALVE SERIES 955N (T) - 965N (L)	page 59
	DIRECT MOUNT 3-WAY BALL VALVE SERIES 97L	page 63
2-WAY WAFER FLANGED CARBON STEEL BALL VALVE PACKAGES		
	ANSI 150 DIRECT MOUNT CARBON STEEL WAFER VALVE SERIES 724101	page 68
	ANSI 150 CARBON STEEL 2-WAY WAFER VALVE SERIES 720017	page 69

2-WAY WAFER FLANGED STAINLESS STEEL BALL VALVE PACKAGES



**ANSI 150 STAINLESS STEEL 2-WAY
'TRUE' WAFER VALVE**
SERIES **725002**

page 74



**ANSI 150 DIRECT MOUNT STAINLESS STEEL
WAFER VALVE**
SERIES **723101**

page 75

2-WAY SPLIT BODY FLANGED CARBON STEEL BALL VALVE PACKAGES



**ANSI 150 DIRECT MOUNT
CARBON STEEL VALVE**
SERIES **766001**

page 80



ANSI 150 CARBON STEEL 2-WAY VALVE
SERIES **762000**

page 81

API 608 SPLIT BODY FLANGED CARBON STEEL BALL VALVE PACKAGES



**ANSI 150 2-WAY
CARBON STEEL FLANGED VALVE**
SERIES **68F000**

page 83

2-WAY SPLIT BODY FLANGED STAINLESS STEEL BALL VALVE PACKAGES



**ANSI 150 DIRECT MOUNT
STAINLESS STEEL VALVE**
SERIES **766000**

page 87



ANSI 150 STAINLESS STEEL 2-WAY VALVE
SERIES **760005**

page 88

API 608 SPLIT BODY FLANGED STAINLESS STEEL BALL VALVE PACKAGES



**ANSI 150 2-WAY
STAINLESS STEEL FLANGED VALVE**
SERIES **68J000**

page 90

3-WAY FLANGED CARBON STEEL BALL VALVE PACKAGES



ANSI 150 3-WAY L-PORT CARBON STEEL VALVE
SERIES **776032**

page 94

3-WAY FLANGED STAINLESS STEEL BALL VALVE PACKAGES



**ANSI 150 3-WAY L-PORT
STAINLESS STEEL VALVE**
SERIES **776018**

page 95



ANSI 150 3-WAY L-PORT STAINLESS STEEL VALVE **NEW**
SERIES **97L150** page 96

RUBBER-LINE & HIGH PERFORMANCE BUTTERFLY VALVE PACKAGES



**WAFER STYLE BUTTERFLY VALVE
WITH FKM/EPDM SEATS - PVC DISC** **NEW**
SERIES **PVCBFVE & PVCBFVV** page 98



**WAFER STYLE BUTTERFLY VALVE
WITH EPDM SEATS**
SERIES **N500N & N500S** page 100



**LUG STYLE BUTTERFLY VALVE
WITH EPDM SEATS**
SERIES **N501N AND N501S** page 104



GROOVED END BUTTERFLY VALVE
SERIES **L700** page 108



**ANSI 150/300 WAFER STYLE
CARBON STEEL VALVE**
SERIES **8100 - 8300 & 9100 - 9300** page 109



**ANSI 150/300 WAFER STYLE
CARBON STEEL VALVE**
SERIES **8101 - 8301 & 9101 - 9301** page 110



3-WAY TANDEM BUTTERFLY VALVE PACKAGES
SERIES **N501S-T*** page 113

STAINLESS STEEL V-BALL VALVE PACKAGES



2 PC STAINLESS STEEL BALL V-BALL VALVE **NEW**
SERIES **700076V36-V6-V9** page 114



3 PC STAINLESS STEEL BALL V-BALL VALVE
SERIES **710190V36-V6-V9** page 116



**ANSI 150 STAINLESS STEEL
WAFER V-BALL VALVE** **NEW**
SERIES **723102V36-V6-V9** page 117



**ANSI 150 STAINLESS STEEL
WAFER V-BALL VALVE**
SERIES **720370V36-V6-V9** page 119



**ANSI 150 STAINLESS STEEL
SPLIT-BODY V-BALL VALVE**
SERIES **760021V36-V6-V9** page 120



**ANSI 150 STAINLESS STEEL
V-BALL VALVE** **NEW**
SERIES **VF300 - VF600 - VF900** page 122

MANUAL VALVES WITH LIMIT SWITCHES

NEW page 124

AUTOMATION ACCESSORIES

page 127

PRESSURE/TEMPERATURE CHARTS AND STEAM TEMPERATURE/PRESSURE TABLE

pages 167-168

INDEX

Index by package

PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE
600LL-LS2	124	8E710085	33	8P0183	94	8P1302	50	DA530S	102	EPVF*00SR	122
600LL-LS2-EX	124	8E710190	41	8P0184	94	8P2DACPVC	51	DA531S	106	EVF300	122
630LL-LS2	124	8E720288	78	8P0195	41	8P2DAPVC	51	DA540S	103	EVF600	122
630LL-LS2-EX	124	8E720289	72	8P0196	41	8P2SRCPVC	51	DA541S	107	EVF900	122
700LL-LS2	124	8E723101	75	8P0197	33	8P2SRPVC	51	DA700B	108	EXM8E0620	34
700LL-LS2-EX	124	8E724101	68	8P0198	33	8P3000	32	DA700E	108	EXM8E0621	34
730LL-LS2	124	8E725002	74	8P0199	41	8P3002	32	DA8100	109	EXM8E0622	34
730LL-LS2-EX	124	8E761030	91	8P0200	41	8P3100	40	DA8101	110	EXM8E0630	35
8E0126	38	8E761031	84	8P0201	33	8P3102	40	DA8300	109	EXM8E0631	35
8E0127	30	8E761032	91	8P0202	33	8P3LDAPVC	58	DA8301	110	EXM8E0632	35
8E0226	39	8E766000	87	8P0203	41	8P3LSRPVC	58	DA9100	111	EXM8E0640LL	45
8E0227	31	8E766001	80	8P0204	41	8P3TDAPVC	57	DA9101	112	EXM8E0641LL NEW	45
8E0620	34	8E864	24	8P0205	33	8P3TSRPVC	57	DA9300	111	EXM8E0642LL NEW	45
8E0621	34	8E864LF	25	8P0206	33	8P68F000	83	DA9301	112	EXM8E068	27
8E0622	34	8E865	52	8P0224	31	8P68F002	83	DA97L	63	EXM8E068LF NEW	29
8E0630	35	8E865LF	53	8P0225	31	8P68F100	85	DA97L-STC	66	EXM8E069	59
8E0631	35	8E866	54	8P0226	39	8P68F102	85	DA97L150 NEW	96	EXM8E070	61
8E0632	35	8E866LF	55	8P0227	39	8P68F400	86	DA97T	64	EXM8E071	60
8E064	24	8E867	37	8P0620	34	8P68F402	86	DA97T-STC NEW	65	EXM8E072	62
8E0640LL NEW	45	8E868	26	8P0621	34	8P68J000	90	DA97T150 NEW	97	EXM8E0720	42
8E0641LL NEW	45	8E868LF NEW	28	8P0622	34	8P68J002	90	DA97X	67	EXM8E0721	42
8E0642LL NEW	45	8ECPVCBV2	51	8P0623	34	8P68J100	92	DABFVSTCE NEW	47	EXM8E0722	42
8E064LF	25	8EPVCBV2	51	8P0624	34	8P68J102	92	DAN500N	100	EXM8E0730	43
8E065	52	8P0026	38	8P0625	34	8P68J401	93	DAN500S	101	EXM8E0731	43
8E065LF	53	8P0027	38	8P0630	35	8P68J403	93	DAN501N	104	EXM8E0732	43
8E066	54	8P0080	24	8P0631	35	8P720288	78	DAN501S	105	EXM8E0740H NEW	44
8E066LF	55	8P0080LF	25	8P0632	35	8P720289	72	DAN501S-T	113	EXM8E0740LL NEW	46
8E067	37	8P0082	24	8P0633	35	8P720290	78	DAPVCBFVE NEW	98	EXM8E0741H NEW	44
8E068	27	8P0082LF	25	8P0634	35	8P720291	72	DAPVCBFV NEW	99	EXM8E0741LL NEW	46
8E068LF NEW	29	8P0124	30	8P0635	35	8P720741	79	E530S	102	EXM8E0742H NEW	44
8E069	59	8P0125	30	8P0640LL NEW	45	8P720743	79	E531S	106	EXM8E0742LL NEW	46
8E070	61	8P0129	52	8P0641LL NEW	45	8P720744	73	E540S	103	EXM8E0770	48
8E071	60	8P0129LF	53	8P0642LL NEW	45	8P720746	73	E541S	107	EXM8E0771	49
8E072	62	8P0130	54	8P0643LL NEW	45	8P720791	71	E700B	108	EXM8E079	88
8E0720	42	8P0130LF	55	8P0644LL NEW	45	8P720793	71	E700E	108	EXM8E085	81
8E0721	42	8P0131	52	8P0645LL NEW	45	8P721V16 NEW	77	E97L	63	EXM8E3000	32
8E0722	42	8P0131LF	53	8P0720	42	8P721V18 NEW	77	E97L-STC NEW	66	EXM8E3100	40
8E0730	43	8P0132	54	8P0721	42	8P722V17 NEW	70	E97T	64	EXM8E68F000	83
8E0731	43	8P0132LF	55	8P0722	42	8P722V19 NEW	70	E97T-STC NEW	65	EXM8E68F100	85
8E0732	43	8P0133	36	8P0723	42	8P723101	75	E97X	67	EXM8E68F400	86
8E0740H NEW	44	8P0133SS	36	8P0724	42	8P723103	75	EBFVSTCE NEW	47	EXM8E68J000	90
8E0740LL NEW	46	8P0134	36	8P0725	43	8P724101	68	EME97X	67	EXM8E68J100	92
8E0741H NEW	44	8P0134SS	36	8P0730	43	8P724103	68	EN500N	100	EXM8E68J401	93
8E0741LL NEW	46	8P0135	26	8P0731	43	8P725002	74	EN500S	101	EXM8E720741	79
8E0742H NEW	44	8P0135LF NEW	28	8P0732	43	8P725003	74	EN501N	104	EXM8E720744	73
8E0742LL NEW	46	8P0136	28	8P0733	43	8P760021	89	EN501S	105	EXM8E721V16 NEW	77
8E076	76	8P0136LF	28	8P0734	43	8P760023	89	EP700076V*DA NEW	114	EXM8E725002	74
8E077	95	8P0139	59	8P0735	43	8P760137	82	EP700076V*SR NEW	114	EXM8E761030	91
8E0770	48	8P0140	61	8P0740H NEW	44	8P760139	82	EP710061V*DA NEW	116	EXM8E761031	84
8E0771	49	8P0141	59	8P0740LL NEW	46	8P761030	91	EP710061V*SR NEW	116	EXM8E766000	87
8E079	88	8P0142	61	8P0741H NEW	44	8P761031	84	EP710190V*DA NEW	116	EXM8E766001	80
8E082	69	8P0143	60	8P0741LL NEW	46	8P761032	91	EP710190V*SR NEW	116	EXME530S	102
8E085	81	8P0144	62	8P0742H NEW	44	8P761033	84	EP720370V*DA	119	EXME531S	106
8E086	94	8P0145	60	8P0742LL NEW	46	8P766000	87	EP720370V*SR	119	EXME540S	103
8E1300	50	8P0146	62	8P0743H NEW	44	8P766001	80	EP723102V*DA NEW	117	EXME541S	107
8E3000	32	8P0173	76	8P0743LL NEW	46	8P766002	87	EP723102V*SR NEW	117	EXME722V17 NEW	70
8E3100	40	8P0174	76	8P0744H NEW	44	8P766003	80	EP724102V*DA NEW	118	EXME8100	109
8E3210 NEW	56	8P0175	69	8P0744LL NEW	46	955N-LS2 NEW	125	EP724102V*SR NEW	118	EXME8101	110
8E3LPVC	58	8P0176	69	8P0745H NEW	44	955N-LS2-EX NEW	125	EP760021V*DA	120	EXME8300	109
8E3TPVC	57	8P0177	88	8P0745LL NEW	46	956N-LS2 NEW	125	EP760021V*SR	120	EXME8301	110
8E700076V* NEW	115	8P0178	88	8P0770	48	956N-LS2-EX NEW	125	EP760195V*DA	121	EXME9100	111
8E710061	41	8P0179 NEW	81	8P0771	49	965N-LS2 NEW	125	EP760195V*SR	121	EXME9101	112
8E710062	41	8P0180	81	8P0772	48	965N-LS2-EX NEW	125	EPVCBFVE NEW	98	EXME9300	111
8E710064	33	8P0181	95	8P0773	49	966N-LS2 NEW	125	EPVCBFV NEW	99	EXME9301	112
8E710065	33	8P0182	95	8P1300	50	966N-LS2-EX NEW	125	EPVF*00DA	122	EXME97L	63

PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE
EXME97L-STC NEW	66	M8E068LF	29	M8E68F400	86	M8E761031	84	MEVF600	122	SR700E	108
EXME97L150 NEW	96	M8E069	59	M8E68J000	90	M8E766000	87	MEVF900	122	SR8100	109
EXME97T	64	M8E070	61	M8E68J100	92	M8E766001	80	N500N-LS NEW	126	SR8101	110
EXME97T-STC NEW	65	M8E071	60	M8E68J401	93	ME530S	102	N500N-LS2 -EX NEW	126	SR8300	109
EXME97T150 NEW	97	M8E072	62	M8E700076V* NEW	115	ME531S	106	N500S-LS2 NEW	126	SR8301	110
EXMEBFVSTCE NEW	47	M8E0720	42	M8E710061	41	ME540S	103	N500S-LS2 -EX NEW	126	SR9100	111
EXMEN500N	100	M8E0721	42	M8E710061V*	116	ME541S	107	N501N-LS2 NEW	126	SR9101	112
EXMEN500S	101	M8E0722	42	M8E710062	41	ME700B	108	N501N-LS2-EX NEW	126	SR9300	111
EXMEN501N	104	M8E0730	43	M8E710064	33	ME700E	108	N501S-LS2 NEW	126	SR9301	112
EXMEN501S	104	M8E0731	43	M8E710065	33	ME8100	109	N501S-LS2 -EX NEW	126	SR97L	63
M8E0126	38	M8E0732	43	M8E710085	33	ME8101	110	PP700076V*DA NEW	114	SR97L-STC NEW	66
M8E0127	30	M8E0740H NEW	44	M8E710190	41	ME8300	109	PP700076V*SR NEW	114	SR97L150 NEW	96
M8E0226	39	M8E0740LL NEW	46	M8E710190V* NEW	116	ME8301	110	PP710190V*DA NEW	116	SR97T	64
M8E0227	31	M8E0741H NEW	44	M8E720288	78	ME9100	111	PP710190V*SR NEW	116	SR97T-STC NEW	65
M8E0620	34	M8E0741LL NEW	46	M8E720289	72	ME9101	112	PP720370V*DA	119	SR97T150 NEW	97
M8E0621	34	M8E0742H NEW	44	M8E720370V*	119	ME9300	111	PP720370V*SR	119	SR97X	67
M8E0622	34	M8E0742LL NEW	46	M8E720741	79	ME9301	112	PP723102V*DA NEW	117	SRBFVSTCE NEW	47
M8E0630	35	M8E076	76	M8E720744	73	ME97L	63	PP723102V*SR NEW	117	SRN500N	100
M8E0631	35	M8E077	95	M8E720791	71	ME97L-STC NEW	66	PP724102V*DA	118	SRN500S	101
M8E0632	35	M8E0770	48	M8E721V16 NEW	77	ME97L150 NEW	96	PP724102V*SR	118	SRN501N	104
M8E064	24	M8E0771	49	M8E722V17 NEW	70	ME97T	64	PP760021V*DA	120	SRN501S	105
M8E0640LL NEW	45	M8E079	88	M8E723101	75	ME97T-STC NEW	65	PP760021V*SR	120	SRN501S-T	113
M8E0641LL NEW	45	M8E082	69	M8E723102V* NEW	117	ME97T150 NEW	97	PP760195V*DA	121	SRPVCBFVE NEW	98
M8E0642LL NEW	45	M8E085	81	M8E724101	68	ME97X	67	PP760195V*SR	121	SRPVCBFVV NEW	99
M8E064LF	25	M8E086	94	M8E724102V*	118	MEBFVSTCE NEW	47	PPVF*00DA	122		
M8E065	52	M8E1300	50	M8E725002	74	MEN500N	100	PPVF*00SR	122		
M8E065LF	53	M8E3000	32	M8E760021	89	MEN500S	101	SR530S	102		
M8E066	54	M8E3100	40	M8E760021V	120	MEN501N	104	SR531S	106		
M8E066LF NEW	55	M8E3210 NEW	56	M8E760137	82	MEN501S	105	SR540S	103		
M8E067	37	M8E68F000	83	M8E760195V	121	MEN501S-T	113	SR541S	107		
M8E068	27	M8E68F100	85	M8E761030	91	MEVF300	122	SR700B	108		

Index by valve

PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE	PACKAGE	PAGE
BFVSTCE NEW	47	720289	72	530S	102	710061V36	116	740H	44	N500S	101
770	48	720741	79	531S	106	710061V6	116	741H	44	N501N	104
771	49	720744	73	540S	103	710061V9	116	742H	44	N501S	105
1300	50	720791	71	541S	107	710190V36 NEW	116	760021V36	120	PVC-BV2	51
3000	32	723101	75	600LL	124	710190V6 NEW	116	760021V9	120	PVC-BV3L	58
3100	40	724101	68	620LL	34	710190V9 NEW	116	760195V36	120	PVC-BV3T	57
3210 NEW	56	725002	74	621LL	34	720370V36	119	760195V36	121	PVCBFVE NEW	98
8100	109	760005	88	622LL	34	720370V6	119	760195V6	121	PVCBFVV NEW	99
8101	110	760021	89	630LL	135	720370V9	119	760195V9	121	VF300	123
8300	109	760137	82	631LL	135	720LL	42	7700LL	39	VF600	123
8301	110	761030	91	632LL	135	721LL	42	955N	59	VF900	123
9100	111	761031	84	640LL	45	721V16 NEW	77	956N	60	722V17 NEW	70
9101	112	762000	81	641LL	45	722LL	42	965N	61		
9300	110	766000	87	642LL	45	723102V36 NEW	117	966N	62		
9301	112	766001	80	6600LL	31	723102V6 NEW	117	97L	63		
700076	114	776018	95	68F000	83	723102V9 NEW	117	97L-STC NEW	66		
710061	41	776032	95	68F100	85	724102V36 NEW	118	97L150 NEW	96		
710062	41	250N	25	68F400	86	724102V6 NEW	118	97T	64		
710064	33	250NLF	25	68J000 NEW	90	724102V9 NEW	118	97T-STC NEW	65		
710065	33	253N	26	68J100 NEW	92	730LL	43	97T150 NEW	97		
710085	33	253NLF NEW	28	68J401 NEW	93	731LL	43	97X	67		
710190	41	355N	52	700076V36	114	732LL	43	BFVSTCE	47		
720016	76	355NLF	53	700076V6 NEW	114	740LL NEW	46	CPVC-BV2	51		
720017	69	365N	54	700076V9 NEW	114	741LL NEW	46	L700	108		
720288	78	365NLF	55	700LL NEW	38	742LL NEW	46	N500N	100		

PNEUMATIC PACKAGES (how to order)

Base Model	Size	Limit Switch/positioners *	Solenoid *	Accessories *	Position
8P0080	3	LS2	C1	SBM	FO
Insert base model here (some base models not available in all sizes)	1/4"	LS2 = LS2-B		AW20 = BON-AW20-N02E-2Z	FO = fail open All units are shipped fail closed unless this suffix is added
	3/8"	LS2EXM = LS2-B-EXM		AW30 = BON-AW30-N02E-2Z	
	1/2"	LS2EXN = LS2-B-EXM		AW303 = BON-AW30-N03E-2Z	
	3/4"	LS = 03900000171		AW40 = BON-AW40-N04E-2Z	
	1"	FM51 = MON-FMYB-5120		SSFR = SS-FR-25-1/4	
	1 1/4"	FM52 = MON-FMYB-5220		AMG = AMG150C-N02C	
	1 1/2"	AM51 = MON-AMYB-5120		KQ = KQ2L07-35S	
	2"	AM52 = MON-AMYB-5220		BV = BV-2	
	2 1/2"	F25E = NBN4-F25-E8-V1		SBM = SBM-2	
	3"	40N = MON-40N-S1N-SF		SCM = SCM-2	
	4"	41N = MON-41N-E1N-SF		AS = ASN2-N02	
	5"	41T = MON-41N-E1T-SF		AS21 = AS2201F-N01-07S	
	6"	PNP = PNP-B		AS22 = AS2201F-N02-07S	
	8"	ENP = ENP-B		MOA = De-clutchable Manual override	
	10"	ENPBF = ENP-B-F		NRB = Namur Rotation Block	
	12"	PMI360 = PMI360DV-F130-IU-V15		R45 = Position Indicator Kit	
		5500S = YT-3300RDA5500S		MKISO = ISO Mounting Kit	
		5501S = YT-3300RDA5501S		LOCK = Valve Lockout Device	
		5520S = YT-3300RDA5520S			
	5521S = YT-3300RDA5521S				
	5500S = YT-3300RSA5500S				
	5501S = YT-3300RSA5501S				
	5520S = YT-3300RSA5520S				
	5521S = YT-3300RSA5521S				
	X5500S = YT-3400RDA5500S				
	X5501S = YT-3400RDA5501S				
	X5520S = YT-3400RDA5520S				
	X5521S = YT-3400RDA5521S				
	X5500S = YT-3400RSA5500S				
	X5501S = YT-3400RSA5501S				
	X5520S = YT-3400RSA5520S				
	X5521S = YT-3400RSA5521S				
5/2 - SINGLE SOLENOID *				DOUBLE SOLENOID *	
C1 = NMR1-C1 (5/2 120VAC Conduit)				DC1 = DNMR-C1 (5/2 120VAC Conduit)	
C2 = NMR1-C2 (5/2 24VDC Conduit)				DC2 = DNMR-C2 (5/2 24VDC Conduit)	
D1 = NMR1-D1 (5/2 120VAC Din)				DD1 = DNMR-D1 (5/2 120VAC Din)	
D2 = NMR1-D2 (5/2 24VDC Din)			DD2 = DNMR-D2 (5/2 24VDC Din)		
EX1 = NMR1-EX1 (5/2 120VAC Conduit)			DEX1 = DNMR-EX1 (5/2 120VAC Conduit)		
EX2 = NMR1-EX2 (5/2 24VDC Conduit)			DEX2 = DNMR-EX2 (5/2 24VDC Conduit)		
3/2 - SINGLE SOLENOID *					
3C1 = NMR3-C1 (3/2 120VAC Conduit)					
3C2 = NMR3-C2 (3/2 24VDC Conduit)					
3D1 = NMR3-D1 (3/2 120VAC Din)					
3D2 = NMR3-D2 (3/2 24VDC Din)					
3EX1 = NMR3-EX1 (3/2 120VAC Conduit)					
3EX2 = NMR3-EX2 (3/2 24VDC Conduit)					

* For solenoids or accessories not listed on this page, consult "SUFFIX" in accessories & control device section on pages 125-166.

ELECTRIC PACKAGES (how to order)

Model	Voltage	Size	Option
8E064	003	3	RLY24
Insert base model here (some base models not available in all sizes)	on/off models 001 = 12 VDC 002 = 24 V AC/DC 003 = 100-240 VAC on/off models W/battery backup 012 = 24 V AC/DC (fail closed) 013 = 100-240 V AC/DC (fail closed) 112 = 24 V AC/DC (fail open) 113 = 100-240 VAC (fail open) modulating model 022 = 24 V AC/DC 023 = 100-240 VAC modulating models W/battery backup 042 = 24 V AC/DC (fail closed) 043 = 100-240 VAC (fail closed) 142 = 24 V AC/DC (fail open) 143 = 100-240 VAC (fail open) middle position model 062 = 24 V AC/DC 063 = 100-240 VAC middle position model w/ battery backup 082 = 24 V AC/DC (fail closed) 083 = 100-240 VAC (fail closed) 182 = 24 V AC/DC (fail open) 183 = 100-240 VAC (fail open)	1 1/4" 3/8" 1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 5" 6" 8" 10" 12"	MK = stand off mounting kit RLY12 = 12V DC SPDT relay installed RLY24 = 24V DC SPDT relay installed RLY120 = 120V AC SPDT relay installed (VB060 and up only) (These are optional only and are not required for standard actuator operation)

RELAY





VALBIA DOUBLE ACTING PNEUMATIC ACTUATORS “DA” – VITON Seals Standard

MODEL	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA140V	DA160V	DA180V	DA200V	DA230V	DA270V	DA330V
FKM/VITON SEALS	82DA1307	82DA1310	82DA1312	82DA1375	82DA1314	82DA1318	82DA1370	82DA1319	82DA1320	82DA1379	82DA1380	82DA1321	82DA1323	82DA1377	82DA1333
US\$	115.00	178.00	203.00	277.00	308.00	395.00	514.00	596.00	843.00	1,223.00	1,401.00	1,693.00	2,907.00	4,277.00	10,121.00
Pkg. weight	1.08	2.47	3.66	6.13	8.60	12.12	19.51	23.81	35.93	47.95	63.93	81.57	128.97	182.25	370.38

VALBIA SPRING RETURN PNEUMATIC ACTUATORS “SR” – VITON Seals Standard

MODEL	SR52V	SR63V	SR75V	SR85V	SR100V	SR115V	SR125V	SR140V	SR160V	SR180V	SR200V	SR230V	SR270V	SR330V
FKM/VITON SEALS	82SR1310	82SR1312	82SR1375	82SR1314	82SR1318	82SR1370	82SR1319	82SR1320	82SR1379	82SR1380	82SR1321	82SR1323	82SR1377	82SR1333
US\$	188.00	222.00	302.00	343.00	450.00	600.00	683.00	1,008.00	1,380.00	1,842.00	2,195.00	3,720.00	4,592.00	12,263.00
Pkg. weight	2.87	4.34	7.47	10.58	15.43	25.24	31.04	48.06	65.04	87.96	121.25	156.53	221.06	460.77



VALBIA ACTUATOR 0° – 180° (METRIC ONLY)

MODEL	DA52V-180	DA63V-180	DA75V-180	DA85V-180	DA100V-180	DA115V-180	DA125V-180	DA140V-180	DA160V-180
CODE	83DA0710	83DA0712	83DA0775	83DA0714	83DA0718	83DA0770	83DA0719	83DA0720	83DA0779
US\$	420.00	485.00	512.00	614.00	745.00	1,010.00	1,154.00	1,658.00	2,016.00
Pkg. weight	3.75	5.51	9.26	13.18	18.81	30.09	38.25	55.12	68.78



VALBIA STAINLESS STEEL ACTUATOR 0° - 90°

MODEL	SSDA52V SSDA63V SSDA75V SSDA85V SSDA100V				
CODE	84DA1310	84DA1312	84DA1375	84DA1314	84DA1318
US\$	793.00	898.00	1,236.00	1,413.00	1,743.00
Weight (Lbs)	5.00	6.90	10.90	16.60	22.50

MODEL	SSSR52V SSSR63V SSSR75V SSSR85V SSSR100V				
CODE	84SR1310	84SR1312	84SR1375	84SR1314	84SR1318
US\$	816.00	926.00	1,274.00	1,461.00	1,797.00
Weight (Lbs)	5.40	7.60	12.30	18.50	25.90



VALBIA PTFE – COATED PNEUMATIC ACTUATORS – VITON Seals Standard

MODEL	DA32VP	DA52VP	DA63VP	DA75VP	DA85VP	DA100VP	DA115VP	DA125VP	DA140VP	DA160VP	DA180VP	DA200VP	DA230VP	DA270VP	DA330VP
CODE	82DAH807	82DAH810	82DAH812	82DAH875	82DAH814	82DAH818	82DAH870	82DAH819	82DAH820	82DAH879	82DAH880	82DAH821	82DAH823	82DAH877	82DAH833
US\$	181.00	247.00	292.00	384.00	434.00	580.00	726.00	866.00	1,205.00	1,729.00	2,068.00	2,507.00	3,905.00	5,417.00	12,007.00
Weight (Lbs)	1.08	2.47	3.66	6.13	8.60	12.12	19.51	23.81	35.93	47.95	63.93	81.57	128.97	182.25	370.38

MODEL	SR52VP	SR63VP	SR75VP	SR85VP	SR100VP	SR115VP	SR125VP	SR140VP	SR160VP	SR180VP	SR200VP	SR230VP	SR270VP	SR330VP
CODE	82SRH810	82SRH812	82SRH875	82SRH814	82SRH818	82SRH870	82SRH819	82SRH820	82SRH879	82SRH880	82SRH821	82SRH823	82SRH877	82SRH833
US\$	257.00	308.00	401.00	469.00	623.00	800.00	944.00	1,331.00	1,932.00	2,432.00	3,011.00	4,731.00	6,180.00	14,265.00
Weight (Lbs)	2.87	4.34	7.47	10.58	15.43	25.24	31.04	48.06	65.04	87.96	121.25	156.53	221.06	460.77

PRICE LIST PNEUMATIC ACTUATOR SPARE PARTS

SET OF SPRINGS FOR SPRING RETURN ACTUATORS

*screws not included.

	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET 05	SET 06	SET 06	SET 06	N° 1 screw*	N° 1 screw*	N° 1 screw*
SIZE	52	63	75	85	100	115	125	140	160	180	200	230	270	330	
CODE	RI3385	RI3386	RI3387	RI3388	RI3389	RI3390	RI3391	RI4048	RI4738	RI4600	RI4746	RI4601	RI3531	RI4602	
US\$	29.00	36.00	53.00	59.00	84.00	120.00	155.00	204.00	531.00	629.00	766.00	104.00	100.00	279.00	

SET OF SEALS O-RING (NBR70 -4 F + 185 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3101	RI4603	RI4604	RI4605	RI4606	RI4607	RI4608	RI4609	RI4610	RI4611	RI4612	RI4613	RI4614	RI4615	RI4616
US\$	16.00	16.00	17.00	18.00	20.00	21.00	25.00	25.00	23.00	76.00	82.00	82.00	90.00	74.00	97.00

SET OF SEALS O-RING (VITON -4 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3326	RI4617	RI4618	RI4619	RI4620	RI4621	RI4622	RI4623	RI4624	RI4625	RI4626	RI4627	RI4628	RI4629	RI4630
US\$	28.00	25.00	32.00	42.00	62.00	72.00	79.00	81.00	71.00	112.00	128.00	135.00	187.00	207.00	500.00

SET OF SEALS O-RING (SILICON -40 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4631	RI4632	RI4633	RI4634	RI4635	RI4636	RI4637	RI4638	RI4639	RI4640	RI4641	RI4642	RI4643	RI4644
US\$	-	24.00	29.00	32.00	57.00	59.00	75.00	82.00	55.00	101.00	108.00	119.00	124.00	175.00	204.00

SET GUIDES FOR ACTUATORS (TEMPERATURE -4 F + 185 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4645	RI4646	RI4647	RI4648	RI4649	RI4650	RI4651	RI4652	RI4653	RI4654	RI4655	RI4656	RI4657	RI4658
US\$	-	21.00	21.00	21.00	21.00	21.00	24.00	24.00	109.00	150.00	187.00	157.00	162.00	407.00	459.00

SET GUIDES FOR ACTUATORS (TEMPERATURE -4 F + 302 F)

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	-	RI4659	RI4660	RI4661	RI4662	RI4663	RI4664	RI4665	RI4666	RI4667	RI4668	RI4669	RI4670	RI4671	RI4672
US\$	-	21.00	23.00	24.00	33.00	34.00	30.00	31.00	112.00	156.00	173.00	132.00	87.00	407.00	459.00

PINION NAMUR

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
CODE	RI3156	RI4673	RI4674	RI4675	RI4676	RI4677	RI4678	RI4679	RI4680	RI4681	RI4682	RI4683	RI4684	RI4685	RI4686
US\$	54.00	65.00	71.00	87.00	90.00	140.00	186.00	202.00	213.00	254.00	319.00	402.00	645.00	1,079.00	2,669.00

END CAP

SIZE	32	52	63	75	85	100	115	125	140	160	180	200	230	270	330
RIGHT	RI3401	RI4690	RI4692	RI4694	RI4696	RI4698	RI4700	RI4702	RI4704	RI4706	RI4708	RI4710	RI4712	RI4714	RI4715
US\$	30.00	31.00	32.00	33.00	37.00	45.00	73.00	73.00	99.00	131.00	140.00	155.00	199.00	325.00	929.00
LEFT	RI3401	RI4691	RI4693	RI4695	RI4697	RI4699	RI4701	RI4703	RI4705	RI4707	RI4709	RI4711	RI4713	RI4714	RI4716
US\$	30.00	31.00	32.00	33.00	37.00	45.00	73.00	73.00	99.00	131.00	140.00	155.00	199.00	325.00	929.00

FOR STAINLESS STEEL ACTUATOR SPARE PARTS, PLEASE CONTACT OUR SALES DEPARTMENT.





STANDARD VERSION 0° - 90° - Standard Suffix - 00*

MODEL	VB010	VB015	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	100-240V AC (-003)							
CODE	85H0C410	85H00101	85H00103	85H00106	85H00111	85H00119	85H00127	85H00135
US\$	256.00	315.00	485.00	577.00	675.00	716.00	782.00	877.00
VOLTAGE	24V AC/DC (-002)							
CODE	85L00010	85L00101	85L00103	85L00106	85L00111	85L00119	85L00127	85L00135
US\$	238.00	262.00	440.00	506.00	592.00	620.00	671.00	810.00
VOLTAGE	12V AC/DC (-001)							
CODE	NOT AVAILABLE	85L10101	85L10103	85L10106	85L10111	85L10119	85L10127	85L10135
US\$	-	315.00	485.00	577.00	675.00	716.00	782.00	877.00
WEIGHT	1.65	3.09	5.05	7.28	10.80	10.80	13.23	13.23



VERSION WITH BATTERY BACKUP *01 (OPERATING NORMALLY CLOSED) - Standard Suffix - 01*

MODEL	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	100-240V AC (-013)					
CODE	85H00903	85H00906	85H00911	85H00919	85H00927	85H00935
US\$	1,011.00	1,085.00	1,196.00	1,296.00	1,361.00	1,458.00
VOLTAGE	24V AC/DC (-012)					
CODE	85L00903	85L00906	85L00911	85L00919	85L00927	85L00935
US\$	942.00	1,022.00	1,145.00	1,227.00	1,291.00	1,380.00
WEIGHT	5.05	7.28	10.80	10.80	13.23	13.23



VERSION WITH POSITIONER *02 - 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard Suffix - 02*

MODEL	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	100-240V AC (-023)					
CODE	85H01003	85H01006	85H01011	85H01019	85H01027	85H01035
US\$	972.00	1,027.00	1,089.00	1,205.00	1,270.00	1,334.00
VOLTAGE	24V AC/DC (-022)					
CODE	85L01003	85L01006	85L01011	85L01019	85L01027	85L01035
US\$	880.00	937.00	1,001.00	1,086.00	1,175.00	1,258.00
VOLTAGE	12V AC/DC (-021)					
CODE	85L11003	85L11006	85L11011	85L11019	85L11027	85L11035
US\$	972.00	1,027.00	1,089.00	1,205.00	1,270.00	1,334.00
WEIGHT	5.05	7.28	10.80	10.80	13.23	13.23

VERSION WITH POSITIONER AND BATTERY BACKUP *04 - 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard Suffix - 04*

MODEL	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	110V AC (-043)					
CODE	85H0CD03	85H0CD06	85H0CD11	85H0CD19	85H0CD27	85H0CD35
US\$	1,132.00	1,204.00	1,379.00	1,461.00	1,557.00	1,646.00
VOLTAGE	24V AC/DC (-042)					
CODE	85L0CD03	85L0CD06	85L0CD11	85L0CD19	85L0CD27	85L0CD35
US\$	1,057.00	1,144.00	1,292.00	1,383.00	1,477.00	1,581.00
WEIGHT	5.05	7.28	10.80	10.80	13.23	13.23

VERSION WITH THREE POSITIONS *06 - Standard Suffix - 06*

MODEL	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	100-240V AC (-063)					
CODE	85H0CN03	85H0CN06	85H0CN11	85H0CN19	85H0CN27	85H0CN35
US\$	684.00	794.00	897.00	976.00	1,045.00	1,146.00
VOLTAGE	24V AC/DC (-062)					
CODE	85L0CN03	85L0CN06	85L0CN11	85L0CN19	85L0CN27	85L0CN35
US\$	619.00	723.00	824.00	895.00	965.00	1,058.00
WEIGHT	5.05	7.28	10.80	10.80	13.23	13.23

VERSION WITH THREE POSITIONS AND BATTERY BACKUP *08 - Standard Suffix - 08*

MODEL	VB030	VB060	VB110	VB190	VB270	VB350
VOLTAGE	100-240V AC (-083)					
CODE	85H0D403	85H0D406	85H0D411	85H0D419	85H0D427	85H0D435
US\$	911.00	1,012.00	1,110.00	1,203.00	1,328.00	1,468.00
VOLTAGE	24V AC/DC (-082)					
CODE	85L0D403	85L0D406	85L0D411	85L0D419	85L0D427	85L0D435
US\$	847.00	945.00	1,050.00	1,138.00	1,262.00	1,396.00
WEIGHT	5.05	7.28	10.80	10.80	13.23	13.23

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110V AC

APPROVALS

MODEL VB010



MODEL VB015

MODEL FROM
VB030 TO VB350

* CSA approved for indoor use only.



APPROVALS

MODEL FROM
VB030M TO VB350M



STANDARD VERSION 0° - 90° - Standard Suffix - 00*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC					
CODE	86H00103	86H00106	86H00111	86H00119	86H00127	86H00135
US\$	590.00	676.00	1,100.00	1,154.00	1,351.00	1,461.00
VOLTAGE	24V AC/DC					
CODE	86L00103	86L00106	86L00111	86L00119	86L00127	86L00135
US\$	545.00	630.00	1,036.00	1,085.00	1,304.00	1,394.00
VOLTAGE	12V AC/DC					
CODE	86L10103	86L10106	86L10111	86L10119	86L10127	86L10135
US\$	590.00	676.00	1,100.00	1,154.00	1,351.00	1,461.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

VERSION WITH BATTERY BACKUP *01 (OPERATING NORMALLY CLOSED) - Standard Suffix - 01*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC (-013)					
CODE	86H00903	86H00906	86H00911	86H00919	86H00927	86H00935
US\$	1,378.00	1,443.00	1,882.00	2,077.00	2,166.00	2,358.00
VOLTAGE	24V AC/DC (-012)					
CODE	86L00903	86L00906	86L00911	86L00919	86L00927	86L00935
US\$	1,296.00	1,361.00	1,816.00	1,962.00	2,050.00	2,230.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

VERSION WITH POSITIONER *02 - 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard Suffix - 02*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC (-023)					
CODE	86H01003	86H01006	86H01011	86H01019	86H01027	86H01035
US\$	1,291.00	1,433.00	1,834.00	1,983.00	2,110.00	2,217.00
VOLTAGE	24V DC (-022)					
CODE	86L01003	86L01006	86L01011	86L01019	86L01027	86L01035
US\$	1,194.00	1,332.00	1,752.00	1,894.00	2,021.00	2,124.00
VOLTAGE	12V AC/DC (-021)					
CODE	86L11003	86L11006	86L11011	86L11019	86L11027	86L11035
US\$	1,291.00	1,433.00	1,834.00	1,983.00	2,110.00	2,217.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

VERSION WITH POSITIONER AND BATTERY BACKUP *04 - 4-20 mA or 0-10V DC - or REVERSE 20-4 mA or 10-0V DC - Standard Suffix - 04*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC (-043)					
CODE	86H0CD03	86H0CD06	86H0CD11	86H0CD19	86H0CD27	86H0CD35
US\$	1,489.00	1,638.00	2,047.00	2,316.00	2,351.00	2,618.00
VOLTAGE	24V AC/DC (-042)					
CODE	86L0CD03	86L0CD06	86L0CD11	86L0CD19	86L0CD27	86L0CD35
US\$	1,427.00	1,486.00	1,839.00	2,056.00	2,150.00	2,337.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

VERSION WITH THREE POSITIONS *06 - Standard Suffix - 06*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC (-063)					
CODE	86H0CN03	86H0CN06	86H0CN11	86H0CN19	86H0CN27	86H0CN35
US\$	1,193.00	1,286.00	1,659.00	1,844.00	1,890.00	2,043.00
VOLTAGE	24V AC/DC (-062)					
CODE	86L0CN03	86L0CN06	86L0CN11	86L0CN19	86L0CN27	86L0CN35
US\$	1,089.00	1,170.00	1,581.00	1,778.00	1,827.00	1,976.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

VERSION WITH THREE POSITIONS AND BATTERY BACKUP *08 - Standard Suffix - 08*

MODEL	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
VOLTAGE	100-240V AC (-083)					
CODE	86H0D403	86H0D406	86H0D411	86H0D419	86H0D427	86H0D435
US\$	1,577.00	1,827.00	2,224.00	2,485.00	2,504.00	2,722.00
VOLTAGE	24V AC/DC (-082)					
CODE	86L0D403	86L0D406	86L0D411	86L0D419	86L0D427	86L0D435
US\$	1,487.00	1,732.00	2,148.00	2,401.00	2,423.00	2,634.00
WEIGHT	7.30	9.90	18.70	18.70	20.90	20.90

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110V AC

**SPRING RETURN ELECTRIC ACTUATORS (NO MANUAL OVERRIDE)**

Standard suffix - 05*



MODEL	EA045	EA120	EA180	EA230
VOLTAGE	24 AC/DC, 110VAC or 220VAC			
WEIGHT	62.0	130.0	214.0	214.0
US\$	5,499.00	8,001.00	13,122.00	13,892.00

SPRING RETURN ELECTRIC ACTUATORS (WITH MANUAL OVERRIDE)

Standard suffix - 05*

MODEL	EA045-M	EA120-M	EA180-M	EA230-M
VOLTAGE	24 AC/DC, 110VAC or 220VAC			
WEIGHT	84.0	168.0	302.0	302.0
US\$	7,020.00	10,004.00	15,316.00	16,086.00

*VOLTAGE: 052 = 24V AC/DC / 053 = 120V AC

**EXPLOSION PROOF ELECTRIC ACTUATORS - Standard Suffix - 00***NEMA 4x, 7, 8, 9
IP68

MODEL	EAX035	EAX045
VOLTAGE	24 AC/DC, 110VAC OR 220VAC	
ON-OFF (US\$) -00*	1,538.00	1,758.00
POSITIONER (US\$) -02*	2,388.00	2,610.00
WEIGHT	4.41	6.61

**EXPLOSION PROOF ELECTRIC ACTUATORS (with Handwheel) - Standard Suffix - 00***NEMA 4x, 7, 8, 9
IP68

MODEL	EAX080	EAX130	EAX360	EAX450
VOLTAGE	24 AC/DC, 110VAC OR 220VAC			
ON-OFF (US\$) -00*	3,638.00	3,987.00	4,503.00	4,890.00
POSITIONER (US\$) -02*	4,488.00	4,839.00	5,354.00	5,741.00
WEIGHT	24.25	24.25	44.09	44.09

**SPRING RETURN EXPLOSION PROOF ELECTRIC ACTUATORS**NEMA 4x, 7,8,9
IP68

MODEL	EAX045	EAX120	EAX180	EAX230
VOLTAGE	24 AC/DC, 110VAC OR 220VAC			
ON-OFF (US\$) -05*	8,307.00	12,623.00	19,100.00	20,307.00
POSITIONER (US\$) -07*	9,145.00	13,460.00	20,031.00	21,239.00
WEIGHT	62.00	130.00	214.00	214.00

SPRING RETURN EXPLOSION PROOF ELECTRIC ACTUATORS (with Handwheel)NEMA 4x, 7,8,9
IP68

MODEL	EAX045-M	EAX120-M	EAX180-M	EAX230-M
VOLTAGE	24 AC/DC, 110VAC OR 220VAC			
ON-OFF (US\$) -05*	9,716.00	14,763.00	21,505.00	22,611.00
POSITIONER (US\$) -07*	10,695.00	15,743.00	22,486.00	23,590.00
WEIGHT	84.00	168.00	302.00	302.00

VOLTAGE SUFFIX							
ON/OFF		POSITIONER		SPRING RETURN ON/OFF		SPRING RETURN POSITIONER	
-002	24V AC/DC	-022	24V AC/DC	-052	24V AC/DC	-072	24V AC/DC
-003	110V AC	-023	110V AC	-053	110V AC	-073	110V AC
-004	220V AC	-024	220V AC	-054	220V AC	-074	220V AC



RB 250N 2-way direct mount brass, 600 WOG 150 WSP, full port ball valve.



8P0080

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA63V	DA85V
Weight (Lbs)	1.89	1.87	1.76	1.96	2.67	3.31	6.17	6.42	13.23	17.04	29.76
US\$	205.00	205.00	205.00	210.00	234.00	271.00	378.00	460.00	674.00	846.00	1,354.00

8P0082

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR85V	SR85V	SR100V
Weight (Lbs)	3.73	3.71	3.60	3.80	4.51	5.15	8.09	8.34	20.20	24.01	36.59
US\$	283.00	283.00	283.00	288.00	312.00	349.00	430.00	512.00	823.00	995.00	1,496.00



8E864-00*

With standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)	2.46	2.44	2.33	2.53	2.53	2.53	2.53	2.53	2.53	2.53	2.53
24V AC/DC	US\$ 291.00	291.00	291.00	296.00	320.00	357.00					
110V AC	US\$ 309.00	309.00	309.00	314.00	338.00	375.00					



8E064-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 357.00	357.00	357.00	362.00	386.00	423.00	640.00	722.00	977.00	1,149.00	1,638.00
12V AC/DC, 100-240 VAC	US\$ 410.00	410.00	410.00	415.00	439.00	476.00	685.00	767.00	1,048.00	1,220.00	1,721.00

8E064-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 1,037.00	1,037.00	1,037.00	1,042.00	1,066.00	1,103.00	1,142.00	1,224.00	1,493.00	1,665.00	2,191.00
100-240 VAC	US\$ 1,106.00	1,106.00	1,106.00	1,111.00	1,135.00	1,172.00	1,211.00	1,293.00	1,556.00	1,728.00	2,242.00

8E064-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$ 975.00	975.00	975.00	980.00	1,004.00	1,041.00	1,080.00	1,162.00	1,408.00	1,580.00	2,047.00
100-240 VAC	US\$ 1,067.00	1,067.00	1,067.00	1,072.00	1,096.00	1,133.00	1,172.00	1,254.00	1,498.00	1,670.00	2,135.00

8E064-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$ 1,152.00	1,152.00	1,152.00	1,157.00	1,181.00	1,218.00	1,257.00	1,339.00	1,615.00	1,787.00	2,338.00
100-240 VAC	US\$ 1,227.00	1,227.00	1,227.00	1,232.00	1,256.00	1,293.00	1,332.00	1,414.00	1,675.00	1,847.00	2,425.00
Weight (Lbs)	5.91	5.89	5.78	5.98	6.69	7.33	8.75	9.00	16.85	20.66	31.96



M8E064-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$ 640.00	640.00	640.00	645.00	669.00	706.00	745.00	827.00	1,101.00	1,273.00	2,082.00
12V AC/DC, 100-240 VAC	US\$ 685.00	685.00	685.00	690.00	714.00	751.00	790.00	872.00	1,147.00	1,319.00	2,146.00

M8E064-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$ 1,391.00	1,391.00	1,391.00	1,396.00	1,420.00	1,457.00	1,496.00	1,578.00	1,832.00	2,004.00	2,862.00
100-240 VAC	US\$ 1,473.00	1,473.00	1,473.00	1,478.00	1,502.00	1,539.00	1,578.00	1,660.00	1,914.00	2,086.00	2,928.00

M8E064-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$ 1,289.00	1,289.00	1,289.00	1,294.00	1,318.00	1,355.00	1,394.00	1,476.00	1,803.00	1,975.00	2,798.00
100-240 VAC	US\$ 1,386.00	1,386.00	1,386.00	1,391.00	1,415.00	1,452.00	1,491.00	1,573.00	1,904.00	2,076.00	2,880.00

M8E064-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$ 1,522.00	1,522.00	1,522.00	1,527.00	1,551.00	1,588.00	1,627.00	1,709.00	1,957.00	2,129.00	2,885.00
100-240 VAC	US\$ 1,584.00	1,584.00	1,584.00	1,589.00	1,613.00	1,650.00	1,689.00	1,771.00	2,109.00	2,281.00	3,093.00
Weight (Lbs)	8.16	8.14	8.03	8.23	8.94	9.58	11.00	11.25	19.47	23.28	39.86

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



LEAD FREE
NSF/ANSI
372.61

RB 250NLF 2-way direct mount lead free brass, 600 WOG 150 WSP, full port ball valve.



8P0080LF

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA63V	DA85V
Weight (Lbs)	1.54	1.51	1.58	1.82	2.29	2.92	5.67	7.96	14.48	19.91	36.13
US\$	208.00	208.00	208.00	215.00	236.00	283.00	402.00	499.00	681.00	857.00	1,381.00

8P0082LF

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR85V	SR85V	SR100V
Weight (Lbs)	3.38	3.35	3.42	3.66	4.13	4.76	7.59	9.88	21.45	26.88	42.96
US\$	286.00	286.00	286.00	293.00	314.00	361.00	454.00	551.00	830.00	1,006.00	1,523.00



8E864LF-00*

With standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)	2.11	2.08	2.15	2.15	2.15	2.39	2.39	2.86	3.49	3.49	3.49
24V AC/DC	US\$ 294.00	294.00	294.00	301.00	322.00	369.00					
110V AC	US\$ 312.00	312.00	312.00	319.00	340.00	387.00					



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 360.00	360.00	360.00	367.00	388.00	435.00	664.00	761.00	984.00	1,160.00	1,665.00
12V AC/DC, 100-240 VAC	US\$ 413.00	413.00	413.00	420.00	441.00	488.00	709.00	806.00	1,055.00	1,231.00	1,748.00
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 1,040.00	1,040.00	1,040.00	1,047.00	1,068.00	1,115.00	1,166.00	1,263.00	1,500.00	1,676.00	2,218.00
100-240 VAC	US\$ 1,109.00	1,109.00	1,109.00	1,116.00	1,137.00	1,184.00	1,235.00	1,332.00	1,563.00	1,739.00	2,269.00
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 978.00	978.00	978.00	985.00	1,006.00	1,053.00	1,104.00	1,201.00	1,415.00	1,591.00	2,074.00
12V AC/DC, 100-240 VAC	US\$ 1,070.00	1,070.00	1,070.00	1,077.00	1,098.00	1,145.00	1,196.00	1,293.00	1,505.00	1,681.00	2,162.00
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$ 1,155.00	1,155.00	1,155.00	1,162.00	1,183.00	1,230.00	1,281.00	1,378.00	1,622.00	1,798.00	2,365.00
100-240 VAC	US\$ 1,230.00	1,230.00	1,230.00	1,237.00	1,258.00	1,305.00	1,356.00	1,453.00	1,682.00	1,858.00	2,452.00
Weight (Lbs)	5.56	5.53	5.60	5.84	6.31	6.94	8.25	10.54	18.10	23.53	38.33



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$ 643.00	643.00	643.00	650.00	671.00	718.00	769.00	866.00	1,108.00	1,284.00	2,109.00
12V AC/DC, 100-240 VAC	US\$ 688.00	688.00	688.00	695.00	716.00	763.00	814.00	911.00	1,154.00	1,330.00	2,173.00
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$ 1,394.00	1,394.00	1,394.00	1,401.00	1,422.00	1,469.00	1,520.00	1,617.00	1,839.00	2,015.00	2,889.00
100-240 VAC	US\$ 1,476.00	1,476.00	1,476.00	1,483.00	1,504.00	1,551.00	1,602.00	1,699.00	1,921.00	2,097.00	2,955.00
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$ 1,292.00	1,292.00	1,292.00	1,299.00	1,320.00	1,367.00	1,418.00	1,515.00	1,810.00	1,986.00	2,825.00
12V AC/DC, 100-240 VAC	US\$ 1,389.00	1,389.00	1,389.00	1,396.00	1,417.00	1,464.00	1,515.00	1,612.00	1,911.00	2,087.00	2,907.00
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$ 1,525.00	1,525.00	1,525.00	1,532.00	1,553.00	1,600.00	1,651.00	1,748.00	1,984.00	2,140.00	2,912.00
100-240 VAC	US\$ 1,587.00	1,587.00	1,587.00	1,594.00	1,615.00	1,662.00	1,713.00	1,810.00	2,116.00	2,292.00	3,120.00
Weight (Lbs)	7.81	7.78	7.85	8.09	8.56	9.19	10.50	12.79	20.72	26.15	46.23

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

RB 253N 2-way direct mount brass (stainless steel ball/stem) 600 WOG 150 WSP, full port ball valve.



8P0135

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V
Weight (Lbs)	1.89	1.87	1.76	1.96	2.67	3.31	6.17	6.42
US\$	232.00	232.00	232.00	241.00	266.00	306.00	429.00	544.00



8E868-00*

With standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		2.46	2.44	2.33	2.53	3.24	3.88
24V AC/DC	US\$	318.00	318.00	318.00	327.00	352.00	392.00
110V AC	US\$	336.00	336.00	336.00	345.00	370.00	410.00

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC

RB 253N 2-way direct mount brass (stainless steel ball/stem) 600 WOG 150 WSP, full port ball valve.



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E068-00*		With UL approved standard on/off plastic Valbia electric actuator.							
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US\$	384.00	384.00	384.00	393.00	418.00	458.00	691.00	806.00
12V AC/DC, 100-240 VAC	US\$	437.00	437.00	437.00	446.00	471.00	511.00	736.00	851.00
8E068-01*		With fail-safe battery back-up plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US\$	1,064.00	1,064.00	1,064.00	1,073.00	1,098.00	1,138.00	1,193.00	1,308.00
100-240 VAC	US\$	1,133.00	1,133.00	1,133.00	1,142.00	1,167.00	1,207.00	1,262.00	1,377.00
8E068-02*		With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,002.00	1,002.00	1,002.00	1,011.00	1,036.00	1,076.00	1,131.00	1,246.00
12V AC/DC, 100-240 VAC	US\$	1,094.00	1,094.00	1,094.00	1,103.00	1,128.00	1,168.00	1,223.00	1,338.00
8E068-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,179.00	1,179.00	1,179.00	1,188.00	1,213.00	1,253.00	1,308.00	1,423.00
100-240 VAC	US\$	1,254.00	1,254.00	1,254.00	1,263.00	1,288.00	1,328.00	1,383.00	1,498.00
Weight (Lbs)		5.91	5.89	5.78	5.98	6.69	7.33	8.75	9.00



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E068-00*		With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030	VB030M
24V AC/DC	US\$	667.00	667.00	667.00	676.00	701.00	741.00	796.00	911.00
12V AC/DC, 100-240 VAC	US\$	708.00	708.00	708.00	718.00	741.00	780.00	834.00	945.00
M8E068-01*		With fail-safe battery back-up metal Valbia electric actuator.							
24V AC/DC	US\$	1,418.00	1,418.00	1,418.00	1,427.00	1,452.00	1,492.00	1,547.00	1,662.00
100-240 VAC	US\$	1,500.00	1,500.00	1,500.00	1,509.00	1,534.00	1,574.00	1,629.00	1,744.00
M8E068-02*		With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,316.00	1,316.00	1,316.00	1,325.00	1,350.00	1,390.00	1,445.00	1,560.00
12V AC/DC, 100-240 VAC	US\$	1,413.00	1,413.00	1,413.00	1,422.00	1,447.00	1,487.00	1,542.00	1,657.00
M8E068-04*		With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,549.00	1,549.00	1,549.00	1,558.00	1,583.00	1,623.00	1,678.00	1,793.00
100-240 VAC	US\$	1,611.00	1,611.00	1,611.00	1,620.00	1,645.00	1,685.00	1,740.00	1,855.00
Weight (Lbs)		8.16	8.14	8.03	8.23	8.94	9.58	11.00	11.25



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
EXM8E068-00*		With CSA approved explosion proof on/off metal electric actuator.							
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035
24V AC/DC, 110V AC, 220V AC	US\$	1,660.00	1,660.00	1,660.00	1,669.00	1,694.00	1,734.00	1,789.00	1,904.00
EXM8E068-02*		With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.							
24V AC/DC, 110V AC, 220V AC	US\$	2,510.00	2,510.00	2,510.00	2,519.00	2,544.00	2,584.00	2,639.00	2,754.00
Weight (Lbs)		5.27	5.25	5.14	5.34	6.05	6.69	8.11	8.36

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



LEAD FREE
NSF/ANSI
372. 61

NEW

RB 253NLF 2-way lead free direct mount brass (stainless steel ball/stem) 600 WOG 100 WSP, full port valve.



8P0135LF

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA63V	DA85V
Weight (Lbs)	1.54	1.51	1.58	1.82	2.29	2.92	5.67	7.96	14.48	19.91	36.13
US\$	235.00	235.00	235.00	245.00	271.00	311.00	439.00	554.00	817.00	1,051.00	1,704.00

8P0136LF

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR85V	SR85V	SR100V
Weight (Lbs)	3.38	3.35	3.42	3.66	4.13	4.76	7.59	9.88	21.45	26.88	42.96
US\$	313.00	313.00	313.00	323.00	349.00	389.00	491.00	606.00	966.00	1,200.00	1,846.00



8E868LF-00*

With standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		2.11	2.08	2.15	2.39	2.86	3.49
24V AC/DC	US\$	321.00	321.00	321.00	331.00	357.00	397.00
110V AC	US\$	339.00	339.00	339.00	349.00	375.00	415.00

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 =100-240V AC



LEAD FREE
NSF/ANSI
372.61

NEW

RB 253NLF 2-way lead free direct mount brass (stainless steel ball/stem) 600 WOG 100 WSP, full port valve.



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E068LF-00* With UL approved standard on/off plastic Valbia electric actuator.												
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$	387.00	387.00	387.00	397.00	423.00	463.00	701.00	816.00	1,120.00	1,354.00	1,988.00
12V AC/DC, 100-240 VAC	US\$	440.00	440.00	440.00	450.00	476.00	516.00	746.00	861.00	1,191.00	1,425.00	2,071.00
8E068LF-01* With fail-safe battery back-up plastic Valbia electric actuator.												
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$	1,067.00	1,067.00	1,067.00	1,077.00	1,103.00	1,143.00	1,203.00	1,318.00	1,636.00	1,870.00	2,541.00
100-240 VAC	US\$	1,136.00	1,136.00	1,136.00	1,146.00	1,172.00	1,212.00	1,272.00	1,387.00	1,699.00	1,933.00	2,592.00
8E068LF-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.												
24V AC/DC	US\$	1,005.00	1,005.00	1,005.00	1,015.00	1,041.00	1,081.00	1,141.00	1,256.00	1,551.00	1,785.00	2,397.00
12V AC/DC, 100-240 VAC	US\$	1,097.00	1,097.00	1,097.00	1,107.00	1,133.00	1,173.00	1,233.00	1,348.00	1,641.00	1,875.00	2,485.00
8E068LF-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.												
24V AC/DC	US\$	1,182.00	1,182.00	1,182.00	1,192.00	1,218.00	1,258.00	1,318.00	1,433.00	1,758.00	1,992.00	2,688.00
100-240 VAC	US\$	1,257.00	1,257.00	1,257.00	1,267.00	1,293.00	1,333.00	1,393.00	1,508.00	1,818.00	2,052.00	2,775.00
Weight (Lbs)		5.56	5.53	5.60	5.84	6.31	6.94	8.25	10.54	18.10	23.53	38.33



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E068LF-00* With UL approved standard on/off metal Valbia electric actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$	670.00	670.00	670.00	680.00	706.00	746.00	806.00	921.00	1,244.00	1,478.00	2,432.00
12V AC/DC, 100-240 VAC	US\$	715.00	715.00	715.00	725.00	751.00	791.00	851.00	966.00	1,290.00	1,524.00	2,496.00
M8E068LF-01* With fail-safe battery back-up metal Valbia electric actuator.												
24V AC/DC	US\$	1,421.00	1,421.00	1,421.00	1,431.00	1,457.00	1,497.00	1,557.00	1,672.00	1,975.00	2,209.00	3,212.00
100-240 VAC	US\$	1,503.00	1,503.00	1,503.00	1,513.00	1,539.00	1,579.00	1,639.00	1,754.00	2,057.00	2,291.00	3,278.00
M8E068LF-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.												
24V AC/DC	US\$	1,319.00	1,319.00	1,319.00	1,329.00	1,355.00	1,395.00	1,455.00	1,570.00	1,946.00	2,180.00	3,148.00
12V AC/DC, 100-240 VAC	US\$	1,416.00	1,416.00	1,416.00	1,426.00	1,452.00	1,492.00	1,552.00	1,667.00	2,047.00	2,281.00	3,230.00
M8E068LF-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.												
24V AC/DC	US\$	1,552.00	1,552.00	1,552.00	1,562.00	1,588.00	1,628.00	1,688.00	1,803.00	2,100.00	2,334.00	3,235.00
100-240 VAC	US\$	1,614.00	1,614.00	1,614.00	1,624.00	1,650.00	1,690.00	1,750.00	1,865.00	2,252.00	2,486.00	3,443.00
Weight (Lbs)		7.81	7.78	7.85	8.09	8.56	9.19	10.50	12.79	20.72	26.15	46.23



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E068LF-00* With CSA approved explosion proof on/off metal electric actuator.												
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080
24V AC/DC, 110V AC, 220V AC	US\$	1,663.00	1,663.00	1,663.00	1,673.00	1,699.00	1,739.00	1,799.00	1,914.00	2,152.00	2,606.00	5,034.00
EXM8E068LF-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.												
24V AC/DC, 110V AC, 220V AC	US\$	2,513.00	2,513.00	2,513.00	2,523.00	2,549.00	2,589.00	2,649.00	2,764.00	3,002.00	3,458.00	5,884.00
Weight (Lbs)		4.92	4.89	4.96	5.20	5.67	6.30	7.61	9.90	15.23	22.86	51.78

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

600LL 2-way 2-piece carbon steel, 2,000 psi full port ball valve.

**8P0124**

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs)	2.09	2.09	2.41	2.72	5.49	6.17	8.84	13.99
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US\$	282.00	282.00	287.00	295.00	382.00	393.00	458.00	575.00

**8P0125**

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs)	3.88	3.88	4.20	5.98	10.49	11.17	15.76	23.29
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US\$	355.00	355.00	360.00	402.00	506.00	517.00	598.00	748.00

**8E0127-00*** With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060
24V AC/DC	US\$	429.00	429.00	434.00	442.00	644.00	655.00	804.00
12V AC/DC. 100-240 VAC	US\$	482.00	482.00	487.00	495.00	689.00	700.00	875.00

8E0127-01* With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US\$	1,109.00	1,109.00	1,114.00	1,122.00	1,146.00	1,157.00	1,320.00
100-240 VAC	US\$	1,178.00	1,178.00	1,183.00	1,191.00	1,215.00	1,226.00	1,383.00

8E0127-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,047.00	1,047.00	1,052.00	1,060.00	1,084.00	1,095.00	1,135.00	1,235.00
12V AC/DC. 100-240 VAC	US\$	1,139.00	1,139.00	1,144.00	1,152.00	1,176.00	1,187.00	1,227.00	1,325.00

8E0127-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,224.00	1,224.00	1,229.00	1,237.00	1,261.00	1,272.00	1,312.00	1,442.00
100-240 VAC	US\$	1,299.00	1,299.00	1,304.00	1,312.00	1,336.00	1,347.00	1,387.00	1,502.00
Weight (Lbs)/Bracket kit		8.06/MK700LL-1/2	6.06/MK700LL-1/2	6.38/MK700LL-1/2	6.69/MK700LL-3/4	8.07/MK700LL-1	8.75/MK700LL-1 1/4	10.23/MK700LL-1 1/2	15.14/MK700LL-1 1/2

M8E0127-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US\$	712.00	712.00	717.00	725.00	749.00	760.00	800.00	928.00
12V AC/DC. 100-240 VAC	US\$	757.00	757.00	762.00	770.00	794.00	805.00	845.00	974.00

M8E0127-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,463.00	1,463.00	1,468.00	1,476.00	1,500.00	1,511.00	1,551.00	1,659.00
100-240 VAC	US\$	1,545.00	1,545.00	1,550.00	1,558.00	1,582.00	1,593.00	1,633.00	1,741.00

M8E0127-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,361.00	1,361.00	1,366.00	1,374.00	1,398.00	1,409.00	1,449.00	1,630.00
12V AC/DC. 100-240 VAC	US\$	1,458.00	1,458.00	1,463.00	1,471.00	1,495.00	1,506.00	1,546.00	1,731.00

M8E0127-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,594.00	1,594.00	1,599.00	1,607.00	1,631.00	1,642.00	1,682.00	1,784.00
100-240 VAC	US\$	1,656.00	1,656.00	1,661.00	1,669.00	1,693.00	1,704.00	1,744.00	1,936.00
Weight (Lbs)/Bracket kit		8.3/MK700LL-1/2	8.3/MK700LL-1/2	8.63/MK700LL-1/2	8.94/MK700LL-3/4	10.32/MK700LL-1	11.0/MK700LL-1 1/4	12.48/MK700LL-1 1/2	17.76/MK700LL-1 1/2

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

6600LL 2-way unibody carbon steel, 2,000 psi seal weld ball valve.



8P0224

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs)	2.09	2.09	2.41	2.72	5.49	6.17	9.34	14.49
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US\$	306.00	306.00	306.00	323.00	417.00	438.00	521.00	663.00



8P0225

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs)	3.88	3.88	4.20	5.98	10.49	11.17	16.26	23.79
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US\$	379.00	379.00	379.00	430.00	541.00	562.00	661.00	836.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	------	------	------	----	--------	--------	----

8E0227-00*

With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060
24V AC/DC	US\$	453.00	453.00	453.00	470.00	679.00	700.00	758.00	892.00
12V AC/DC. 100-240V AC	US\$	506.00	506.00	506.00	523.00	724.00	745.00	803.00	963.00

8E0227-01*

With fail-safe battery backup plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US\$	1,133.00	1,133.00	1,133.00	1,150.00	1,181.00	1,202.00	1,260.00	1,408.00
100-240V AC	US\$	1,202.00	1,202.00	1,202.00	1,219.00	1,250.00	1,271.00	1,329.00	1,471.00

8E0227-02*

With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,071.00	1,071.00	1,071.00	1,088.00	1,119.00	1,140.00	1,198.00	1,323.00
12V AC/DC. 100-240V AC	US\$	1,163.00	1,163.00	1,163.00	1,180.00	1,211.00	1,232.00	1,290.00	1,413.00

8E0227-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,248.00	1,248.00	1,248.00	1,265.00	1,296.00	1,317.00	1,375.00	1,530.00
100-240V AC	US\$	1,323.00	1,323.00	1,323.00	1,340.00	1,371.00	1,392.00	1,450.00	1,590.00
Weight (Lbs)		6.06/MK7700LL-1/2	6.06/MK7700LL-1/2	6.38/MK7700LL-1/2	6.69/MK7700LL-3/4	8.07/MK7700LL-1	8.75/MK7700LL-1-1/4	10.73/MK7700LL-1-1/2	15.64/MK7700LL-1-1/2

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	------	------	------	----	--------	--------	----

M8E0227-00*

With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US\$	736.00	736.00	736.00	753.00	784.00	805.00	863.00	1,016.00
12V AC/DC. 100-240V AC	US\$	781.00	781.00	781.00	798.00	829.00	850.00	908.00	1,062.00

M8E0227-01*

With fail-safe battery backup metal Valbia electric actuator.

24V AC/DC	US\$	1,487.00	1,487.00	1,487.00	1,504.00	1,535.00	1,556.00	1,614.00	1,747.00
100-240V AC	US\$	1,569.00	1,569.00	1,569.00	1,586.00	1,617.00	1,638.00	1,696.00	1,829.00

M8E0227-02*

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,385.00	1,385.00	1,385.00	1,402.00	1,433.00	1,454.00	1,512.00	1,718.00
12V AC/DC. 100-240V AC	US\$	1,482.00	1,482.00	1,482.00	1,499.00	1,530.00	1,551.00	1,609.00	1,819.00

M8E0227-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,618.00	1,618.00	1,618.00	1,635.00	1,666.00	1,687.00	1,745.00	1,872.00
100-240V AC	US\$	1,680.00	1,680.00	1,680.00	1,697.00	1,728.00	1,749.00	1,807.00	2,024.00
Weight (Lbs)		8.31/MK7700LL-1/2	8.31/MK7700LL-1/2	8.63/MK7700LL-1/2	8.94/MK7700LL-3/4	10.32/MK7700LL-1	11.0M/MK7700LL-1-1/4	12.98/MK7700LL-1-1/2	18.28/MK7700LL-1-1/2

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

3000 series direct mount, 2-way 2-piece carbon steel 3.000 psi, full port ball valve.



8P3000

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA75V
Weight (Lbs)	3.92	3.92	4.02	4.52	6.81	10.98	14.28	16.68
pad/stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14
US\$	321.00	321.00	321.00	334.00	400.00	536.00	639.00	690.00



8P3002

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63V	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs)	5.79	5.79	5.89	10.07	10.62	15.43	23.58	35.84
Pad/stem	F04/9	F04/9	F04/9	*Bracket	F05/11	F05/11	F07/14	F07/14
US\$	365.00	365.00	365.00	580.00	501.00	602.00	812.00	1,023.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	------	------	------	----	--------	--------	----

8E3000-00* With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$	405.00	405.00	583.00	596.00	629.00	763.00	859.00	910.00
12V AC/DC. 100-240 VAC	US\$	458.00	458.00	628.00	641.00	674.00	834.00	930.00	981.00

8E3000-01* With fail-safe battery back-up plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$	1,085.00	1,085.00	1,085.00	1,098.00	1,131.00	1,279.00	1,375.00	1,426.00
100-240 VAC	US\$	1,154.00	1,154.00	1,154.00	1,167.00	1,200.00	1,342.00	1,438.00	1,489.00

8E3000-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,023.00	1,023.00	1,023.00	1,036.00	1,069.00	1,194.00	1,290.00	1,341.00
12V AC/DC. 100-240 VAC	US\$	1,115.00	1,115.00	1,115.00	1,128.00	1,161.00	1,284.00	1,380.00	1,431.00

8E3000-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,200.00	1,200.00	1,200.00	1,213.00	1,246.00	1,401.00	1,497.00	1,548.00
100-240 VAC	US\$	1,275.00	1,275.00	1,275.00	1,288.00	1,321.00	1,461.00	1,557.00	1,608.00
Weight (Lbs)		6.50	6.50	6.60	7.10	8.15	12.13	15.38	17.78



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	------	------	------	----	--------	--------	----

M8E3000-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$	688.00	688.00	688.00	701.00	734.00	887.00	983.00	1,034.00
12V AC/DC. 100-240 VAC	US\$	733.00	733.00	733.00	746.00	779.00	933.00	1,029.00	1,080.00

M8E3000-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,439.00	1,439.00	1,439.00	1,452.00	1,485.00	1,618.00	1,714.00	1,765.00
100-240 VAC	US\$	1,521.00	1,521.00	1,521.00	1,534.00	1,567.00	1,700.00	1,796.00	1,847.00

M8E3000-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,271.00	1,271.00	1,271.00	1,284.00	1,316.00	1,510.00	1,603.00	1,652.00
12V AC/DC. 100-240 VAC	US\$	1,434.00	1,434.00	1,434.00	1,447.00	1,480.00	1,690.00	1,786.00	1,837.00

M8E3000-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,570.00	1,570.00	1,570.00	1,583.00	1,616.00	1,743.00	1,839.00	1,890.00
100-240 VAC	US\$	1,632.00	1,632.00	1,632.00	1,645.00	1,678.00	1,895.00	1,991.00	2,042.00
Weight (Lbs)		8.75	8.75	8.85	9.35	10.40	14.75	18.00	20.40

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
------	------	------	------	------	----	--------	--------	----

EXM8E3000-00* With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX045
24V AC/DC. 110V AC. 220VAC	US\$	1,681.00	1,681.00	1,681.00	1,694.00	1,727.00	2,015.00	2,111.00	2,162.00

EXM8E3000-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC. 110V AC. 220VAC	US\$	2,531.00	2,531.00	2,531.00	2,544.00	2,577.00	2,867.00	2,963.00	3,014.00
Weight (Lbs)		5.86	5.86	5.96	6.46	7.51	11.46	14.71	17.11

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 710085 (NPT) - 710064 (SW) - 710065 (BW) 2-way, 3 piece carbon steel, 1000 WOG 250 WSP full port ball valve.



8P0197 (NPT) - 8P0201 (SW) - 8P0205 (BW)

With **double acting** pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Est.Wgt. (Lbs)	2.19	2.19	2.96	4.79	6.39	7.33	10.27	15.16	30.00	41.05	63.91
Bracket Kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US\$	322.00	322.00	306.00	400.00	442.00	493.00	586.00	747.00	1,072.00	1,313.00	2,016.00

Note: 710064, 1/4" not available in socket weld and 710065, 1/4" not available in butt weld.

8P0198 (NPT) - 8P0202 (SW) - 8P0206 (BW)

With **spring return** pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Est.Wgt. (Lbs)	3.98	3.98	4.75	6.66	8.26	9.20	17.19	24.46	46.64	63.49	82.83
Bracket Kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US\$	399.00	399.00	380.00	444.00	507.00	558.00	736.00	920.00	1,372.00	1,696.00	2,307.00



SIZE		1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	--	--------	------	------	------	----	--------	--------	----	--------	----	----

8E710085-00* (NPT) - 8E710064-00* (SW) - 8E710065-00* (BW)

With UL approved standard on/off **plastic electric** actuator.

ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$	473.00	473.00	454.00	484.00	704.00	755.00	889.00	966.00	1,356.00	1,597.00	2,241.00
12V AC/DC. 100-240VAC	US\$	526.00	526.00	507.00	537.00	749.00	800.00	960.00	1,037.00	1,439.00	1,680.00	2,337.00

8E710085-01* (NPT) - 8E710064-01* (SW) - 8E710065-01* (BW)

With fail-safe battery back-up **plastic electric** actuator.

ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$	1,153.00	1,153.00	1,134.00	1,164.00	1,206.00	1,257.00	1,405.00	1,482.00	1,909.00	2,150.00	2,848.00
100-240 VAC	US\$	1,222.00	1,222.00	1,203.00	1,233.00	1,275.00	1,326.00	1,468.00	1,545.00	1,960.00	2,201.00	2,917.00

8E710085-02* (NPT) - 8E710064-02* (SW) - 8E710065-02* (BW)

With 0-10VDC or 4-20mA positioning **plastic electric** actuator.

24V AC/DC	US\$	1,091.00	1,091.00	1,072.00	1,102.00	1,144.00	1,195.00	1,320.00	1,397.00	1,765.00	2,006.00	2,707.00
12V AC/DC. 100-240VAC	US\$	1,183.00	1,183.00	1,164.00	1,194.00	1,236.00	1,287.00	1,410.00	1,487.00	1,853.00	2,094.00	2,826.00

8E710085-04* (NPT) - 8E710064-04* (SW) - 8E710065-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic electric** actuator.

24V AC/DC	US\$	1,268.00	1,268.00	1,249.00	1,279.00	1,321.00	1,372.00	1,527.00	1,604.00	2,056.00	2,297.00	3,004.00
100-240 VAC	US\$	1,343.00	1,343.00	1,324.00	1,354.00	1,396.00	1,447.00	1,587.00	1,664.00	2,143.00	2,384.00	3,082.00
Weight (Lbs)/Bracket Kit		6.16/RI3021	6.16/RI3021	6.93/RI3790	7.37/RI3781	8.97/RI3030	9.91/RI3030	13.89/RI3031	16.31/RI3031	32.20/RI3003	43.25/RI3003	62.59/RI3004

* Not available in 8E710064 - 8E710065.



SIZE		1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	--	--------	------	------	------	----	--------	--------	----	--------	----	----

M8E710085-00* (NPT) - M8E710064-00* (SW) - M8E710065-00* (BW)

With UL approved standard on/off **metal electric** actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	756.00	756.00	737.00	767.00	809.00	860.00	1,013.00	1,090.00	1,800.00	2,041.00	2,706.00
12V AC/DC. 100-240VAC	US\$	801.00	801.00	782.00	812.00	854.00	905.00	1,059.00	1,136.00	1,864.00	2,105.00	2,775.00

M8E710085-01* (NPT) - M8E710064-01* (SW) - M8E710065-01* (BW)

With fail-safe battery back-up **metal electric** actuator.

24V AC/DC	US\$	1,507.00	1,507.00	1,488.00	1,518.00	1,560.00	1,611.00	1,744.00	1,821.00	2,580.00	2,821.00	3,583.00
100-240 VAC	US\$	1,589.00	1,589.00	1,570.00	1,600.00	1,642.00	1,693.00	1,826.00	1,903.00	2,646.00	2,887.00	3,698.00

M8E710085-02* (NPT) - M8E710064-02* (SW) - M8E710065-02* (BW)

With 0-10VDC or 4-20mA positioning **metal electric** actuator.

24V AC/DC	US\$	1,405.00	1,405.00	1,386.00	1,416.00	1,458.00	1,509.00	1,715.00	1,792.00	2,516.00	2,757.00	3,515.00
12V AC/DC. 100-240VAC	US\$	1,502.00	1,502.00	1,483.00	1,513.00	1,555.00	1,606.00	1,816.00	1,893.00	2,598.00	2,839.00	3,604.00

M8E710085-04* (NPT) - M8E710064-04* (SW) - M8E710065-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal electric** actuator.

24V AC/DC	US\$	1,638.00	1,638.00	1,619.00	1,649.00	1,691.00	1,742.00	1,869.00	1,946.00	2,603.00	2,844.00	3,677.00
100-240 VAC	US\$	1,700.00	1,700.00	1,681.00	1,711.00	1,753.00	1,804.00	2,021.00	2,098.00	2,811.00	3,052.00	3,937.00
Weight (Lbs)/Bracket Kit		8.41/RI3021	8.41/RI3021	9.18/RI3790	9.62/RI3781	11.22/RI3030	12.16/RI3030	16.51/RI3031	18.93/RI3031	40.10/RI3003	51.15/RI3003	70.49/RI3004

* Not available in M8E710064 - M8E710065.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

620LL (NPT) - 621LL (SW) - 622LL (BW) direct mount 2-way, 3 piece carbon steel, 1.000 psi full port ball valve.



8P0620 (NPT) - 8P0622 (SW) - 8P0624 (BW)

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V
Weight (Lbs)	2.48	2.48	2.68	2.88	5.47	8.47	10.16	15.98	27.13	36.60	60.02
Pad/Stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US\$	233.00	233.00	235.00	245.00	342.00	385.00	479.00	658.00	976.00	1,166.00	1,843.00

8P0621 (NPT) - 8P0623 (SW) - 8P0625 (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V/04	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR140V
Weight (Lbs)	4.32	4.32	4.52	6.24	10.52	13.52	17.13	25.28	46.29	59.09	96.01
Pad/Stem	F03/9	F03/9	F03/9	F04/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US\$	311.00	311.00	313.00	364.00	476.00	519.00	628.00	831.00	1,310.00	1,552.00	2,479.00



8E0620-00* (NPT) - 8E0621-00* (SW) - 8E0622-00* (BW)

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$ 385.00	385.00	387.00	397.00	604.00	647.00	782.00	878.00	1,291.00	1,450.00	2,068.00
12V AC/DC, 100-240 VAC	US\$ 438.00	438.00	440.00	450.00	649.00	692.00	853.00	949.00	1,374.00	1,533.00	2,164.00

8E0620-01* (NPT) - 8E0621-01* (SW) - 8E0622-01* (BW)

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB030*	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$ 1,065.00	1,065.00	1,067.00	1,077.00	1,106.00	1,149.00	1,298.00	1,394.00	1,844.00	2,003.00	2,675.00
100-240 VAC	US\$ 1,134.00	1,134.00	1,136.00	1,146.00	1,175.00	1,218.00	1,361.00	1,457.00	1,895.00	2,054.00	2,744.00

8E0620-02* (NPT) - 8E0621-02* (SW) - 8E0622-02* (BW)

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$ 1,003.00	1,003.00	1,005.00	1,015.00	1,044.00	1,087.00	1,213.00	1,309.00	1,700.00	1,859.00	2,534.00
12V AC/DC, 100-240 VAC	US\$ 1,095.00	1,095.00	1,097.00	1,107.00	1,136.00	1,179.00	1,303.00	1,399.00	1,788.00	1,947.00	2,653.00

8E0620-04* (NPT) - 8E0621-04* (SW) - 8E0622-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$ 1,180.00	1,180.00	1,182.00	1,192.00	1,221.00	1,264.00	1,420.00	1,516.00	1,991.00	2,150.00	2,831.00
100-240 VAC	US\$ 1,255.00	1,255.00	1,257.00	1,267.00	1,296.00	1,339.00	1,480.00	1,576.00	2,078.00	2,237.00	2,909.00
Weight (Lbs)	6.50	6.50	6.70	6.90	8.05	11.05	13.78	17.08	31.80	38.80	58.70

* not available for 8E0621-8E0622



M8E0620-00* (NPT) - M8E0621-00* (SW) - M8E0622-00* (BW)

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$ 668.00	668.00	670.00	680.00	709.00	752.00	906.00	1,002.00	1,735.00	1,894.00	2,533.00
12V AC/DC, 100-240 VAC	US\$ 713.00	713.00	715.00	725.00	754.00	797.00	952.00	1,048.00	1,799.00	1,958.00	2,602.00

M8E0620-01* (NPT) - M8E0621-01* (SW) - M8E0622-01* (BW)

With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$ 1,419.00	1,419.00	1,421.00	1,431.00	1,460.00	1,503.00	1,637.00	1,733.00	2,515.00	2,674.00	3,410.00
100-240 VAC	US\$ 1,501.00	1,501.00	1,503.00	1,513.00	1,542.00	1,585.00	1,719.00	1,815.00	2,581.00	2,740.00	3,525.00

M8E0620-02* (NPT) - M8E0621-02* (SW) - M8E0622-02* (BW)

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$ 1,317.00	1,317.00	1,319.00	1,329.00	1,358.00	1,401.00	1,608.00	1,704.00	2,451.00	2,610.00	3,342.00
12V AC/DC, 100-240 VAC	US\$ 1,414.00	1,414.00	1,416.00	1,426.00	1,455.00	1,498.00	1,709.00	1,805.00	2,533.00	2,692.00	3,431.00

M8E0620-04* (NPT) - M8E0621-04* (SW) - M8E0622-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$ 1,550.00	1,550.00	1,552.00	1,562.00	1,591.00	1,634.00	1,762.00	1,858.00	2,538.00	2,697.00	3,504.00
100-240 VAC	US\$ 1,612.00	1,612.00	1,614.00	1,624.00	1,653.00	1,696.00	1,914.00	2,010.00	2,746.00	2,905.00	3,764.00
Weight (Lbs)	8.75	8.75	8.95	9.15	10.30	13.30	16.40	19.70	39.70	46.70	66.60

* not available for M8E0621-M8E0622



EXM8E0620-00* (NPT) - EXM8E0621-00* (SW) - EXM8E0622-00* (BW)

With CSA approved explosion proof on/off metal electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130
24V AC/DC, 110 VAC, 220 VAC	US\$ 1,661.00	1,661.00	1,663.00	1,673.00	1,702.00	1,745.00	2,034.00	2,130.00	4,337.00	4,496.00	5,435.00

EXM8E0620-02* (NPT) - EXM8E0621-02* (SW) - EXM8E0622-02* (BW)

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110 VAC, 220 VAC	US\$ 2,511.00	2,511.00	2,513.00	2,523.00	2,552.00	2,595.00	2,886.00	2,982.00	5,187.00	5,346.00	6,287.00
Weight (Lbs)	5.86	5.86	6.06	6.26	7.41	10.41	13.11	16.41	45.25	52.25	72.15

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

630LL (NPT) - 631LL (SW) - 632LL (BW) encapsulated bolts direct mount, 2-way 3 piece carbon steel, 2.220 psi (1/4"-2"), 1.500 psi (2 1/2" - 3") full port ball valve.



8P0630 (NPT) - 8P0632 (SW) - 8P0634 (BW)

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA125V	DA140V
Weight (Lbs)	3.92	3.92	4.12	4.27	6.71	9.66	12.68	18.40	40.56	51.81	122.98
US\$	312.00	312.00	319.00	341.00	405.00	463.00	603.00	894.00	1,573.00	2,053.00	3,595.00

8P0631 (NPT) - 8P0633 (SW) - 8P0635 (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR63V	SR63V	SR75V	SR75V	SR85V	SR115V	SR125V	SR160V	SR180V	SR180V
Weight (Lbs)	5.79	5.79	5.99	9.32	10.52	16.63	31.84	40.89	86.09	116.06	175.06
US\$	361.00	361.00	368.00	475.00	506.00	612.00	936.00	1,280.00	2,439.00	3,333.00	4,615.00



8E0630-00* (NPT) - 8E0631-00* (SW) - 8E0632-00* (BW)

With UL approved standard on/off plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 396.00	396.00	403.00	603.00	634.00	766.00	823.00	1,178.00	1,656.00	2,128.00	4,716.00
12V AC/DC, 100-240 VAC	US\$ 449.00	449.00	456.00	648.00	679.00	837.00	894.00	1,261.00	1,752.00	2,239.00	4,716.00

8E0630-01* (NPT) - 8E0631-01* (SW) - 8E0632-01* (BW)

With fail-safe battery back-up plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US\$ 1,076.00	1,076.00	1,083.00	1,105.00	1,136.00	1,282.00	1,339.00	1,731.00	2,263.00	2,748.00	-
100-240 VAC	US\$ 1,145.00	1,145.00	1,152.00	1,174.00	1,205.00	1,345.00	1,402.00	1,782.00	2,332.00	2,818.00	-

8E0630-02* (NPT) - 8E0631-02* (SW) - 8E0632-02* (BW)

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 1,014.00	1,014.00	1,021.00	1,043.00	1,074.00	1,197.00	1,254.00	1,587.00	2,122.00	2,632.00	5,737.00
12V AC/DC, 100-240 VAC	US\$ 1,106.00	1,106.00	1,113.00	1,135.00	1,166.00	1,287.00	1,344.00	1,675.00	2,241.00	2,727.00	5,737.00

8E0630-04* (NPT) - 8E0631-04* (SW) - 8E0632-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US\$ 1,191.00	1,191.00	1,198.00	1,220.00	1,251.00	1,404.00	1,461.00	1,878.00	2,419.00	2,934.00	-
100-240 VAC	US\$ 1,266.00	1,266.00	1,273.00	1,295.00	1,326.00	1,464.00	1,521.00	1,965.00	2,497.00	3,014.00	-
Weight (Lbs)	6.50	6.50	6.70	6.85	8.05	13.28	13.78	20.60	31.80	41.23	132.10



M8E0630-00* (NPT) - M8E0631-00* (SW) - M8E0632-00* (BW)

With UL approved standard on/off metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 679.00	679.00	686.00	713.00	739.00	890.00	947.00	1,622.00	2,121.00	2,761.00	4,716.00
12V AC/DC, 100-240 VAC	US\$ 724.00	724.00	731.00	758.00	784.00	936.00	993.00	1,686.00	2,190.00	2,808.00	4,716.00

M8E0630-01* (NPT) - M8E0631-01* (SW) - M8E0632-01* (BW)

With fail-safe battery back-up metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
24V AC/DC	US\$ 1,430.00	1,430.00	1,437.00	1,464.00	1,490.00	1,621.00	1,678.00	2,402.00	2,998.00	3,507.00	-
100-240 VAC	US\$ 1,512.00	1,512.00	1,519.00	1,546.00	1,572.00	1,703.00	1,760.00	2,468.00	3,113.00	3,623.00	-

M8E0630-02* (NPT) - M8E0631-02* (SW) - M8E0632-02* (BW)

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 1,328.00	1,328.00	1,335.00	1,362.00	1,388.00	1,592.00	1,649.00	2,338.00	2,930.00	3,478.00	5,737.00
12V AC/DC, 100-240 VAC	US\$ 1,425.00	1,425.00	1,432.00	1,459.00	1,485.00	1,693.00	1,750.00	2,420.00	3,019.00	3,567.00	5,737.00

M8E0630-04* (NPT) - M8E0631-04* (SW) - M8E0632-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
24V AC/DC	US\$ 1,561.00	1,561.00	1,568.00	1,595.00	1,621.00	1,746.00	1,803.00	2,425.00	3,092.00	3,607.00	-
100-240 VAC	US\$ 1,623.00	1,623.00	1,630.00	1,657.00	1,683.00	1,898.00	1,955.00	2,633.00	3,352.00	3,808.00	-
Weight (Lbs)	8.75	8.75	8.95	9.15	10.30	15.90	16.40	28.50	39.70	48.90	132.10



EXM8E0630-00* (NPT) - EXM8E0631-00* (SW) - EXM8E0632-00* (BW)

With CSA approved explosion proof on/off metal Valbia electric actuator.

ACT.	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	EAX360
24V AC/DC, 110V AC, 220V AC	US\$ 1,672.00	1,672.00	1,679.00	1,706.00	1,732.00	1,798.00	2,075.00	4,224.00	5,539.00	5,960.00	7,276.00

EXM8E0630-02* (NPT) - EXM8E0631-02* (SW) - EXM8E0632-02* (BW)

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$ 2,522.00	2,522.00	2,529.00	2,556.00	2,582.00	2,648.00	2,927.00	5,074.00	6,390.00	6,811.00	8,127.00
-----------------------------	---------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Weight (Lbs)	5.86	5.86	6.06	6.26	7.41	10.41	13.11	34.05	65.09	72.09	131.19
--------------	------	------	------	------	------	-------	-------	-------	-------	-------	--------

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110VAC (EX)

4 = 220VAC

Valpres 700076 direct mount, 2-way 2 piece stainless steel, 1000 WOG 150 WSP, full port ball valve.



8P0133

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA63V
Weight (Lbs)	4.77	7.57	1.76	1.99	2.43	3.30	6.16	8.96	22.51	28.95
US\$	224.00	224.00	266.00	277.00	306.00	365.00	474.00	586.00	803.00	990.00

8P0134

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR85V	SR85V
Weight (Lbs)	6.61	9.41	3.60	3.83	4.27	5.14	8.08	10.88	41.67	38.25
US\$	302.00	302.00	344.00	355.00	384.00	443.00	526.00	638.00	954.00	1,130.00



8P0133SS

With double acting stainless steel pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA52	SSDA63	SSDA63
Weight (Lbs)	8.74	11.54	5.73	5.96	6.40	7.27	8.69	11.49	27.28	33.72
US\$	907.00	907.00	949.00	960.00	989.00	1,048.00	1,089.00	1,201.00	1,498.00	1,685.00

8P0134SS

With spring return stainless steel pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SSSR52	SSSR52	SSSR52	SSSR52	SSSR52	SSSR52	SSSR52	SSSR63
Weight (Lbs)	9.14	11.94	6.13	6.36	6.80	7.67	11.34	14.14
US\$	930.00	930.00	972.00	983.00	1,012.00	1,071.00	1,230.00	1,342.00

Valpres 700076 direct mount, 2-way 2 piece stainless steel, 1000 WOG 150 WSP, full port ball valve.



8E867-00*

With standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"
ACT.		VB010	VB010	VB010	VB010	VB010	VB010
Weight (Lbs)		5.34	8.14	2.33	2.56	3.00	3.87
24V AC/DC	US\$	310.00	310.00	352.00	363.00	392.00	451.00
110V AC	US\$	328.00	328.00	370.00	381.00	410.00	469.00



8E067-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB015	VB015	VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060
24V AC/DC	US\$	376.00	376.00	418.00	429.00	458.00	517.00	736.00	848.00	1,106.00	1,302.00
12V AC/DC, 100-240 VAC	US\$	429.00	429.00	471.00	482.00	511.00	570.00	781.00	893.00	1,177.00	1,373.00

8E067-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	1,056.00	1,056.00	1,098.00	1,109.00	1,138.00	1,197.00	1,238.00	1,350.00	1,622.00	1,818.00
100-240 VAC	US\$	1,125.00	1,125.00	1,167.00	1,178.00	1,207.00	1,266.00	1,307.00	1,419.00	1,685.00	1,881.00

8E067-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	994.00	994.00	1,036.00	1,047.00	1,076.00	1,135.00	1,176.00	1,288.00	1,537.00	1,733.00
12V AC/DC, 100-240 VAC	US\$	1,086.00	1,086.00	1,128.00	1,139.00	1,168.00	1,227.00	1,268.00	1,380.00	1,627.00	1,823.00

8E067-04*

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	659.00	659.00	701.00	712.00	741.00	800.00	841.00	953.00	1,230.00	1,426.00
12V AC/DC, 100-240 VAC	US\$	704.00	704.00	746.00	757.00	786.00	845.00	886.00	998.00	1,276.00	1,472.00
Weight (Lbs)		8.79	11.59	5.78	6.01	6.45	7.32	8.74	11.54	27.18	33.67



M8E067-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	659.00	659.00	701.00	712.00	741.00	800.00	841.00	953.00	1,230.00	1,426.00
12V AC/DC, 100-240 VAC	US\$	704.00	704.00	746.00	757.00	786.00	845.00	886.00	998.00	1,276.00	1,472.00

M8E067-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,410.00	1,410.00	1,452.00	1,463.00	1,492.00	1,551.00	1,592.00	1,704.00	1,961.00	2,157.00
100-240 VAC	US\$	1,492.00	1,492.00	1,534.00	1,545.00	1,574.00	1,633.00	1,674.00	1,786.00	2,043.00	2,239.00

M8E067-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,308.00	1,308.00	1,350.00	1,361.00	1,390.00	1,449.00	1,490.00	1,602.00	1,932.00	2,128.00
12V AC/DC, 100-240 VAC	US\$	1,405.00	1,405.00	1,447.00	1,458.00	1,487.00	1,546.00	1,587.00	1,699.00	2,033.00	2,229.00

M8E067-04*

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,541.00	1,541.00	1,583.00	1,594.00	1,623.00	1,682.00	1,723.00	1,835.00	2,086.00	2,282.00
100-240 VAC	US\$	1,603.00	1,603.00	1,645.00	1,656.00	1,685.00	1,744.00	1,785.00	1,897.00	2,238.00	2,434.00
Weight (Lbs)		11.04	13.84	8.03	8.26	8.70	9.57	10.99	13.79	35.08	41.57

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

700LL 2-way 2 piece stainless steel 2.000 psi 1/4"-1", 1.500 psi 1 1/4"-2", full port ball valve.



8P0026

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs)	2.09	2.09	2.41	2.72	5.49	6.17	8.84	13.99
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US\$	284.00	284.00	290.00	299.00	386.00	398.00	472.00	594.00



8P0027

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs)	3.88	3.88	4.20	5.98	10.49	11.17	15.76	23.29
Bracket kit	MK700LL-1/4	MK700LL-1/4	MK700LL-1/2	MK700LL-3/4	MK700LL-1	MK700LL-1-1/4	MK700LL-1-1/2	MK700LL-2
US\$	357.00	357.00	363.00	406.00	510.00	522.00	612.00	767.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0126-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060
24V AC/DC	US\$	431.00	431.00	437.00	446.00	648.00	660.00	823.00
12V AC/DC, 100-240 VAC	US\$	484.00	484.00	490.00	499.00	693.00	705.00	894.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0126-01* With fail-safe battery back-up plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060
24V AC/DC	US\$	1,111.00	1,111.00	1,117.00	1,126.00	1,150.00	1,162.00	1,339.00
100-240 VAC	US\$	1,180.00	1,180.00	1,186.00	1,195.00	1,219.00	1,231.00	1,402.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0126-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,049.00	1,049.00	1,055.00	1,064.00	1,088.00	1,100.00	1,254.00
12V AC/DC, 100-240 VAC	US\$	1,141.00	1,141.00	1,147.00	1,156.00	1,180.00	1,192.00	1,344.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0126-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,226.00	1,226.00	1,232.00	1,241.00	1,265.00	1,277.00	1,461.00
100-240 VAC	US\$	1,301.00	1,301.00	1,307.00	1,316.00	1,340.00	1,352.00	1,521.00
Weight (Lbs)/Bracket kit		6.06/MK700LL-1/2	6.06/MK700LL-1/2	6.38/MK700LL-1/2	6.69/MK700LL-3/4	8.07/MK700LL-1	8.75/MK700LL-11/4	10.23/MK700LL-11/2

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0126-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M
24V AC/DC	US\$	714.00	714.00	720.00	729.00	753.00	765.00	947.00
12V AC/DC, 100-240 VAC	US\$	759.00	759.00	765.00	774.00	798.00	810.00	993.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0126-01* With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,465.00	1,465.00	1,471.00	1,480.00	1,504.00	1,516.00	1,678.00
100-240 VAC	US\$	1,547.00	1,547.00	1,553.00	1,562.00	1,586.00	1,598.00	1,760.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0126-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,363.00	1,363.00	1,369.00	1,378.00	1,402.00	1,414.00	1,649.00
12V AC/DC, 100-240 VAC	US\$	1,460.00	1,460.00	1,466.00	1,475.00	1,499.00	1,511.00	1,750.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0126-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,596.00	1,596.00	1,602.00	1,611.00	1,635.00	1,647.00	1,803.00
100-240 VAC	US\$	1,658.00	1,658.00	1,664.00	1,673.00	1,697.00	1,709.00	1,955.00
Weight (Lbs)/Bracket kit		8.31/MK700LL-1/2	8.31/MK700LL-1/2	8.63/MK700LL-1/2	8.94/MK700LL-3/4	10.32/MK700LL-1	11.00/MK700LL-11/4	12.48/MK700LL-11/2

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

7700LL API 607 2-way, unibody stainless steel 2.000 psi, seal weld ball valve.



8P0226

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V
Weight (Lbs)	2.09	2.09	2.41	2.72	5.49	6.17	9.34	14.49
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US\$	311.00	311.00	311.00	329.00	426.00	451.00	549.00	701.00



8P0227

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V	SR100V
Weight (Lbs)	3.88	3.88	4.20	5.98	10.49	11.17	16.26	23.79
Bracket Kit	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-1/2	MK7700LL-3/4	MK7700LL-1	MK7700LL-1-1/4	MK7700LL-1-1/2	MK7700LL-1-1/2
US\$	384.00	384.00	384.00	436.00	550.00	575.00	689.00	874.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0226-00*	With UL approved standard on/off plastic Valbia electric actuator.							
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030
24V AC/DC	US\$	458.00	458.00	458.00	476.00	688.00	713.00	786.00
12V AC/DC, 100-240V AC	US\$	511.00	511.00	511.00	529.00	733.00	758.00	831.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0226-01*	With fail-safe battery backup plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US\$	1,138.00	1,138.00	1,138.00	1,156.00	1,190.00	1,215.00	1,288.00
100-240V AC	US\$	1,207.00	1,207.00	1,207.00	1,225.00	1,259.00	1,284.00	1,357.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0226-02*	With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,076.00	1,076.00	1,076.00	1,094.00	1,128.00	1,153.00	1,226.00
12V AC/DC, 100-240V AC	US\$	1,168.00	1,168.00	1,168.00	1,186.00	1,220.00	1,245.00	1,318.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E0226-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,253.00	1,253.00	1,253.00	1,271.00	1,305.00	1,330.00	1,403.00
100-240V AC	US\$	1,328.00	1,328.00	1,328.00	1,346.00	1,380.00	1,405.00	1,478.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Weight (Lbs)		6.06/MK7700LL-1/2	6.06/MK7700LL-1/2	6.38/MK7700LL-1/2	6.69/MK7700LL-3/4	8.07/MK7700LL-1	8.75/MK7700LL-11/4	10.73/MK7700LL-11/2

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0226-00*	With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M
24V AC/DC	US\$	741.00	741.00	741.00	759.00	793.00	818.00	891.00
12V AC/DC, 100-240V AC	US\$	786.00	786.00	786.00	804.00	838.00	863.00	936.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0226-01*	With fail-safe battery backup metal Valbia electric actuator.							
24V AC/DC	US\$	1,492.00	1,492.00	1,492.00	1,510.00	1,544.00	1,569.00	1,642.00
100-240V AC	US\$	1,574.00	1,574.00	1,574.00	1,592.00	1,626.00	1,651.00	1,724.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0226-02*	With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,390.00	1,390.00	1,390.00	1,408.00	1,442.00	1,467.00	1,540.00
12V AC/DC, 100-240V AC	US\$	1,487.00	1,487.00	1,487.00	1,505.00	1,539.00	1,564.00	1,637.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E0226-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,623.00	1,623.00	1,623.00	1,641.00	1,675.00	1,700.00	1,773.00
100-240V AC	US\$	1,685.00	1,685.00	1,685.00	1,703.00	1,737.00	1,762.00	1,835.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Weight (Lbs)		8.31/MK7700LL-1/2	8.31/MK7700LL-1/2	8.63/MK7700LL-1/2	8.94/MK7700LL-3/4	10.32/MK7700LL-1	11.0/MK7700LL-11/4	12.98/MK7700LL-11/2

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

3100 series direct mount 2-way 2 piece stainless steel, 3,000 psi full port ball valve.



8P3100

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA75V
Weight (Lbs)	3.92	3.92	4.02	4.52	6.81	10.98	14.28	16.68
Pad/stem	F03/9	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14
US\$	341.00	341.00	341.00	360.00	429.00	587.00	701.00	782.00



8P3102

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63V	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs)	5.79	5.79	5.89	10.07	10.62	15.43	23.58	35.84
Pad/stem	F04/9	F04/9	F04/9	Bracket	F05/11	F05/11	F07/14	F07/14
US\$	385.00	385.00	385.00	606.00	530.00	653.00	874.00	1,115.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3100-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB015	VB015	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	425.00	425.00	603.00	622.00	658.00	814.00	921.00
12V AC/DC, 100-240 VAC	US\$	478.00	478.00	648.00	667.00	703.00	885.00	992.00

8E3100-01* With fail-safe battery back-up plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	1,105.00	1,105.00	1,105.00	1,124.00	1,160.00	1,330.00	1,437.00
100-240 VAC	US\$	1,174.00	1,174.00	1,174.00	1,193.00	1,229.00	1,393.00	1,500.00

8E3100-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,043.00	1,043.00	1,043.00	1,062.00	1,098.00	1,245.00	1,352.00
12V AC/DC, 100-240 VAC	US\$	1,135.00	1,135.00	1,135.00	1,154.00	1,190.00	1,335.00	1,442.00

8E3100-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,220.00	1,220.00	1,220.00	1,239.00	1,275.00	1,452.00	1,559.00
100-240 VAC	US\$	1,295.00	1,295.00	1,295.00	1,314.00	1,350.00	1,512.00	1,619.00
Weight (Lbs)		6.50	6.50	6.60	7.10	8.15	12.13	15.38



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E3100-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	708.00	708.00	708.00	727.00	763.00	938.00	1,045.00
12V AC/DC, 100-240 VAC	US\$	753.00	753.00	753.00	772.00	808.00	984.00	1,091.00

M8E3100-01* With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,459.00	1,459.00	1,459.00	1,478.00	1,514.00	1,669.00	1,776.00
100-240 VAC	US\$	1,541.00	1,541.00	1,541.00	1,560.00	1,596.00	1,751.00	1,858.00

M8E3100-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,271.00	1,271.00	1,271.00	1,284.00	1,316.00	1,510.00	1,603.00
12V AC/DC, 100-240 VAC	US\$	1,454.00	1,454.00	1,454.00	1,473.00	1,509.00	1,741.00	1,848.00

M8E3100-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,590.00	1,590.00	1,590.00	1,609.00	1,645.00	1,794.00	1,901.00
100-240 VAC	US\$	1,652.00	1,652.00	1,652.00	1,671.00	1,707.00	1,946.00	2,053.00
Weight (Lbs)		8.75	8.75	8.85	9.35	10.40	14.75	18.00

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
EXM8E3100-00* With CSA approved explosion proof on/off metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX045
24V AC/DC, 110V AC, 220 VAC	US\$	1,701.00	1,701.00	1,701.00	1,720.00	1,756.00	2,066.00	2,173.00
EXM8E3100-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220 VAC	US\$	2,551.00	2,551.00	2,551.00	2,570.00	2,606.00	2,918.00	3,025.00
Weight (Lbs)		5.86	5.86	5.96	6.46	7.51	11.46	14.71

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 710190 (NPT) - 710061 (SW) - 710062 (BW) 2-way, 3 piece stainless steel, 1000 WOG 250 WSP full port ball valve.



8P0195 (NPT) - 8P0199 (SW) - 8P0203 (BW)

With **double acting** pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Est.Wgt. (Lbs)	2.19	2.19	2.96	4.79	6.39	7.33	10.27	15.16	30.00	41.05	63.91
Bracket Kit	RI3015	RI3015	RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3003	RI3004
US\$	329.00	329.00	326.00	429.00	485.00	541.00	645.00	827.00	1,291.00	1,580.00	2,478.00

Note: 710064. 1/4" not available in socket weld and 710065. 1/4" not available in butt weld.

8P0196 (NPT) - 8P0200 (SW) - 8P0204 (BW)

With **spring return** pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Est.Wgt. (Lbs)	3.98	3.98	4.75	6.66	8.26	9.20	17.19	24.46	46.64	63.49	82.83
Bracket Kit	RI3021	RI3021	RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3010	RI3005
US\$	406.00	406.00	400.00	473.00	550.00	606.00	795.00	1,000.00	1,591.00	1,963.00	2,769.00



8E710190-00* (NPT) - 8E710061-00* (SW) - 8E710062-00* (BW)

With UL approved standard on/off **plastic electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	480.00	480.00	474.00	513.00	747.00	803.00	948.00	1,046.00	1,575.00	2,703.00
12V AC/DC. 100-240VAC	US\$	533.00	533.00	527.00	566.00	792.00	848.00	1,019.00	1,117.00	1,658.00	2,799.00

8E710190-01* (NPT) - 8E710061-01* (SW) - 8E710062-01* (BW)

With fail-safe battery back-up **plastic electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,160.00	1,160.00	1,154.00	1,193.00	1,249.00	1,305.00	1,464.00	1,562.00	2,128.00	3,310.00
100-240 VAC	US\$	1,229.00	1,229.00	1,223.00	1,262.00	1,318.00	1,374.00	1,527.00	1,625.00	2,179.00	3,379.00

8E710190-02* (NPT) - 8E710061-02* (SW) - 8E710062-02* (BW)

With 0-10VDC or 4-20mA positioning **plastic electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	763.00	763.00	757.00	796.00	852.00	908.00	1,072.00	1,170.00	2,019.00	3,168.00
12V AC/DC. 100-240VAC	US\$	808.00	808.00	802.00	841.00	897.00	953.00	1,118.00	1,216.00	2,083.00	3,237.00

8E710190-04* (NPT) - 8E710061-04* (SW) - 8E710062-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **plastic electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,275.00	1,275.00	1,269.00	1,308.00	1,364.00	1,420.00	1,586.00	1,684.00	2,275.00	3,466.00
100-240 VAC	US\$	1,350.00	1,350.00	1,344.00	1,383.00	1,439.00	1,495.00	1,646.00	1,744.00	2,362.00	3,651.00
Weight (Lbs)/Bracket Kit		4.20/RI3021	4.20/RI3021	4.97/RI3790	5.41/RI3781	8.97/RI3030	9.91/RI3030	13.89/RI3031	16.31/RI3031	32.20/RI3003	62.59/RI3004

* Not available in 8E710061 - 8E710062.



M8E710190-00* (NPT) - M8E710061-00* (SW) - M8E710062-00* (BW)

With UL approved standard on/off **metal electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	763.00	763.00	757.00	796.00	852.00	908.00	1,072.00	1,170.00	2,019.00	3,168.00
12V AC/DC. 100-240VAC	US\$	808.00	808.00	802.00	841.00	897.00	953.00	1,118.00	1,216.00	2,083.00	3,237.00

M8E710190-01* (NPT) - M8E710061-01* (SW) - M8E710062-01* (BW)

With fail-safe battery back-up **metal electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,514.00	1,514.00	1,508.00	1,547.00	1,603.00	1,659.00	1,803.00	1,901.00	2,799.00	4,045.00
100-240 VAC	US\$	1,596.00	1,596.00	1,590.00	1,629.00	1,685.00	1,741.00	1,885.00	1,983.00	2,865.00	4,160.00

M8E710190-02* (NPT) - M8E710061-02* (SW) - M8E710062-02* (BW)

With 0-10VDC or 4-20mA positioning **metal electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,412.00	1,412.00	1,406.00	1,445.00	1,501.00	1,557.00	1,774.00	1,872.00	2,735.00	3,977.00
12V AC/DC. 100-240VAC	US\$	1,509.00	1,509.00	1,503.00	1,542.00	1,598.00	1,654.00	1,875.00	1,973.00	2,817.00	4,066.00

M8E710190-04* (NPT) - M8E710061-04* (SW) - M8E710062-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning **metal electric** actuator.

SIZE	1/4" *	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,645.00	1,645.00	1,639.00	1,678.00	1,734.00	1,790.00	1,928.00	2,026.00	2,822.00	4,139.00
100-240 VAC	US\$	1,707.00	1,707.00	1,701.00	1,740.00	1,796.00	1,852.00	2,080.00	2,178.00	3,030.00	4,399.00
Weight (Lbs)/Bracket Kit		8.41/RI3021	8.41/RI3021	9.18/RI3790	9.62/RI3781	11.22/RI3030	12.16/RI3030	16.51/RI3031	18.93/RI3031	40.10/RI3003	70.49/RI3004

* Not available in M8E710061 - 8E710062.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110VAC (EX)	4 = 220VAC
---------------	---------------	--------------------------------	------------

720LL (NPT) - 721LL (SW) - 722LL (BW) direct mount, 2-way 3 piece stainless steel 1.000 psi, full port ball valve.



8P0720 (NPT) - 8P0722 (SW) - 8P0724 (BW)

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V
Weight (Lbs)	2.48	2.48	2.68	2.88	5.47	8.47	10.16	15.98	27.13	36.60	60.02
Pad/Stem	F03/9	F03/9	F03/9	F03/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US\$	242.00	242.00	244.00	256.00	359.00	408.00	526.00	702.00	1,090.00	1,302.00	2,076.00

8P0721 (NPT) - 8P0723 (SW) - 8P0725 (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V/04	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR140V
Weight (Lbs)	4.32	4.32	4.52	6.24	10.52	13.52	17.13	25.28	46.29	59.09	96.01
Pad/Stem	F03/9	F03/9	F03/9	F04/9	F05/11	F05/11	F05/14	F05/14	F07/17	F07/17	F07/17
US\$	320.00	320.00	322.00	375.00	493.00	542.00	675.00	875.00	1,424.00	1,688.00	2,712.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0720-00* (NPT) - 8E0721-00* (SW) - 8E0722-00* (BW) With UL approved standard on/off plastic Valbia electric actuator.											
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	394.00	394.00	396.00	408.00	621.00	670.00	829.00	922.00	1,405.00	2,301.00
12V AC/DC. 100-240 VAC	US\$	447.00	447.00	449.00	461.00	666.00	715.00	900.00	993.00	1,488.00	2,397.00

8E0720-01* (NPT) - 8E0721-01* (SW) - 8E0722-01* (BW) With fail-safe battery back-up plastic Valbia electric actuator.											
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,074.00	1,074.00	1,076.00	1,088.00	1,123.00	1,172.00	1,345.00	1,438.00	1,958.00	2,908.00
100-240 VAC	US\$	1,143.00	1,143.00	1,145.00	1,157.00	1,192.00	1,241.00	1,408.00	1,501.00	2,009.00	2,977.00

8E0720-02* (NPT) - 8E0721-02* (SW) - 8E0722-02* (BW) With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$	1,012.00	1,012.00	1,014.00	1,026.00	1,061.00	1,110.00	1,260.00	1,353.00	1,814.00	2,767.00
12V AC/DC. 100-240 VAC	US\$	1,104.00	1,104.00	1,106.00	1,118.00	1,153.00	1,202.00	1,350.00	1,443.00	1,902.00	2,886.00

8E0720-04* (NPT) - 8E0721-04* (SW) - 8E0722-04* (BW) With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$	1,189.00	1,189.00	1,191.00	1,203.00	1,238.00	1,287.00	1,467.00	1,560.00	2,105.00	3,064.00
100-240 VAC	US\$	1,264.00	1,264.00	1,266.00	1,278.00	1,313.00	1,362.00	1,527.00	1,620.00	2,192.00	3,142.00
Weight (Lbs)		6.50	6.50	6.70	6.90	8.05	11.05	13.78	17.08	31.80	58.70



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0720-00* (FNPT) - M8E0721-00* (SW) - M8E0722-00* (BW) With UL approved standard on/off metal Valbia electric actuator.											
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	677.00	677.00	679.00	691.00	726.00	775.00	953.00	1,046.00	1,849.00	2,766.00
12V AC/DC. 100-240 VAC	US\$	722.00	722.00	724.00	736.00	771.00	820.00	999.00	1,092.00	1,913.00	2,835.00

M8E0720-01* (FNPT) - M8E0721-01* (SW) - M8E0722-01* (BW) With fail-safe battery back-up metal Valbia electric actuator.											
24V AC/DC	US\$	1,428.00	1,428.00	1,430.00	1,442.00	1,477.00	1,526.00	1,684.00	1,777.00	2,629.00	3,643.00
100-240 VAC	US\$	1,510.00	1,510.00	1,512.00	1,524.00	1,559.00	1,608.00	1,766.00	1,859.00	2,695.00	3,758.00

M8E0720-02* (FNPT) - M8E0721-02* (SW) - M8E0722-02* (BW) With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$	1,326.00	1,326.00	1,328.00	1,340.00	1,375.00	1,424.00	1,655.00	1,748.00	2,565.00	3,575.00
12V AC/DC. 100-240 VAC	US\$	1,423.00	1,423.00	1,425.00	1,437.00	1,472.00	1,521.00	1,756.00	1,849.00	2,647.00	3,664.00

M8E0720-04* (FNPT) - M8E0721-04* (SW) - M8E0722-04* (BW) With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$	1,559.00	1,559.00	1,561.00	1,573.00	1,608.00	1,657.00	1,809.00	1,902.00	2,652.00	3,737.00
100-240 VAC	US\$	1,621.00	1,621.00	1,623.00	1,635.00	1,670.00	1,719.00	1,961.00	2,054.00	2,860.00	3,997.00
Weight (Lbs)		8.75	8.75	8.95	9.15	10.30	13.30	16.40	19.70	39.70	66.60



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E0720-00* (NPT) - EXM8E0721-00* (SW) - EXM8E0722-00* (BW) With CSA approved explosion proof on/off metal Valbia electric actuator.											
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC. 110V AC. 220 VAC	US\$	1,670.00	1,670.00	1,672.00	1,684.00	1,719.00	1,768.00	2,081.00	2,174.00	4,451.00	5,668.00
EXM8E0720-02* (NPT) - EXM8E0721-02* (SW) - EXM8E0722-02* (BW) With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal Valbia electric actuator.											
24V AC/DC. 110V AC. 220 VAC	US\$	2,520.00	2,520.00	2,522.00	2,534.00	2,569.00	2,618.00	2,933.00	3,026.00	5,301.00	6,520.00
Weight (Lbs)		5.86	5.86	6.06	6.26	7.41	10.41	13.11	16.41	45.25	72.15

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

730LL (NPT) - 731LL (SW) - 732LL (BW) encapsulated bolts direct mount 2-way 3 piece, stainless steel 2.160 psi (1/4"-2") 1.500 psi (2 1/2"-3") full port ball valve.



8P0730 (NPT) - 8P0732 (SW) - 8P0734 (BW)

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA125V	DA140V
Weight (Lbs)	3.92	3.92	4.12	4.27	6.71	9.66	12.68	18.40	40.56	51.81	122.98
US\$	322.00	322.00	331.00	364.00	438.00	510.00	661.00	1,021.00	1,745.00	2,386.00	4,297.00



8P0731 (NPT) - 8P0733 (SW) - 8P0735 (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR63V	SR63V	SR75V	SR75V	SR85V	SR115V	SR125V	SR160V	SR180V	SR180V
Weight (Lbs)	5.79	5.79	5.99	9.32	10.52	16.63	31.84	40.89	86.09	116.06	175.06
US\$	371.00	371.00	380.00	498.00	539.00	659.00	994.00	1,407.00	2,611.00	3,666.00	5,317.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	------	------	------	------	----	--------	--------	----	--------	----	----

8E0730-00* (NPT) - 8E0731-00* (SW) - 8E0732-00* (BW)

With UL approved standard on/off plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 406.00	406.00	415.00	626.00	667.00	813.00	881.00	1,305.00	1,828.00	2,461.00	5,418.00
12V AC/DC, 100-240 VAC	US\$ 459.00	459.00	468.00	671.00	712.00	884.00	952.00	1,388.00	1,924.00	2,572.00	5,418.00

8E0730-01* (NPT) - 8E0731-01* (SW) - 8E0732-01* (BW)

With fail-safe battery back-up plastic Valbia electric actuator.

ACT.	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US\$ 1,086.00	1,086.00	1,095.00	1,128.00	1,169.00	1,329.00	1,397.00	1,858.00	2,435.00	3,081.00	-
100-240 VAC	US\$ 1,155.00	1,155.00	1,164.00	1,197.00	1,238.00	1,392.00	1,460.00	1,909.00	2,504.00	3,151.00	-

8E0730-02* (NPT) - 8E0731-02* (SW) - 8E0732-02* (BW)

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 1,024.00	1,024.00	1,033.00	1,066.00	1,107.00	1,244.00	1,312.00	1,714.00	2,294.00	2,965.00	6,439.00
12V AC/DC, 100-240 VAC	US\$ 1,116.00	1,116.00	1,125.00	1,158.00	1,199.00	1,334.00	1,402.00	1,802.00	2,413.00	3,060.00	6,439.00

8E0730-04* (NPT) - 8E0731-04* (SW) - 8E0732-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

ACT.	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	-
24V AC/DC	US\$ 1,201.00	1,201.00	1,210.00	1,243.00	1,284.00	1,451.00	1,519.00	2,005.00	2,591.00	3,267.00	-
100-240 VAC	US\$ 1,276.00	1,276.00	1,285.00	1,318.00	1,359.00	1,511.00	1,579.00	2,092.00	2,669.00	3,347.00	-
Weight (Lbs)	6.50	6.50	6.70	6.85	8.05	13.28	13.78	20.60	31.80	41.23	132.10



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	------	------	------	------	----	--------	--------	----	--------	----	----

M8E0730-00* (FNPT) - M8E0731-00* (SW) - M8E0732-00* (BW)

With UL approved standard on/off metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 689.00	689.00	698.00	736.00	772.00	937.00	1,005.00	1,749.00	2,293.00	3,094.00	5,418.00
12V AC/DC, 100-240 VAC	US\$ 734.00	734.00	743.00	781.00	817.00	983.00	1,051.00	1,813.00	2,362.00	3,141.00	5,418.00

M8E0730-01* (FNPT) - M8E0731-01* (SW) - M8E0732-01* (BW)

With fail-safe battery back-up metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-
24V AC/DC	US\$ 1,440.00	1,440.00	1,449.00	1,487.00	1,523.00	1,668.00	1,736.00	2,529.00	3,170.00	3,840.00	-
100-240 VAC	US\$ 1,522.00	1,522.00	1,531.00	1,569.00	1,605.00	1,750.00	1,818.00	2,595.00	3,285.00	3,956.00	-

M8E0730-02* (FNPT) - M8E0731-02* (SW) - M8E0732-02* (BW)

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 1,338.00	1,338.00	1,347.00	1,385.00	1,421.00	1,639.00	1,707.00	2,465.00	3,102.00	3,811.00	6,439.00
12V AC/DC, 100-240 VAC	US\$ 1,435.00	1,435.00	1,444.00	1,482.00	1,518.00	1,740.00	1,808.00	2,547.00	3,191.00	3,900.00	6,439.00

M8E0730-04* (FNPT) - M8E0731-04* (SW) - M8E0732-04* (BW)

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 1,571.00	1,571.00	1,580.00	1,618.00	1,654.00	1,793.00	1,861.00	2,552.00	3,264.00	3,940.00	-
100-240 VAC	US\$ 1,633.00	1,633.00	1,642.00	1,680.00	1,716.00	1,945.00	2,013.00	2,760.00	3,524.00	4,141.00	-
Weight (Lbs)	8.75	8.75	8.95	9.15	10.30	15.90	16.40	28.50	39.70	48.90	132.10



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	------	------	------	------	----	--------	--------	----	--------	----	----

EXM8E0730-00* (NPT) - EXM8E0731-00* (SW) - EXM8E0732-00* (BW)

With CSA approved explosion proof on/off metal electric actuator.

ACT.	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	EAX360
24V AC/DC, 110V AC, 220V AC	US\$ 1,682.00	1,682.00	1,691.00	1,729.00	1,765.00	1,845.00	2,133.00	4,351.00	5,711.00	6,293.00	7,978.00

EXM8E0730-02* (NPT) - EXM8E0731-02* (SW) - EXM8E0732-02* (BW)

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$ 2,532.00	2,532.00	2,541.00	2,579.00	2,615.00	2,695.00	2,985.00	5,201.00	6,562.00	7,144.00	8,829.00
-----------------------------	---------------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------

Weight (Lbs)	5.86	5.86	6.06	6.26	7.41	10.41	13.11	34.05	65.09	72.09	131.19
--------------	------	------	------	------	------	-------	-------	-------	-------	-------	--------

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110VAC (EX)

4 = 220VAC

NEW

740H (NPT) - 741H (SW) - 742H (BW) encapsulated bolts, direct mount, 2-way, high pressure to 3600 psi and high temperature to 500°F 3 piece stainless steel to 3600 psi, full port ball valve.

**8P0740H (NPT) - 8P0742H (SW) - 8P0744H (BW)**

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V
Weight (Lbs.)	4.02	4.02	4.72	6.27	9.31
US\$	383.00	383.00	383.00	460.00	585.00

8P0741H (NPT) - 8P0743H (SW) - 8P0745H (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	SR63V/F04	SR63V/F04	SR63V/F04	SR75V	SR85V
Weight (Lbs.)	5.89	5.89	6.59	11.32	13.12
US\$	432.00	432.00	432.00	594.00	686.00

**8E0740H-00* (NPT) - 8E0741H-00* (SW) - 8E0742H-00* (BW)**

With CSA approved standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US\$ 467.00	467.00	467.00	722.00	814.00
12V AC/DC, 100-240V AC	US\$ 520.00	520.00	520.00	767.00	859.00

8E0740H-01* (NPT) - 8E0741H-01* (SW) - 8E0742H-01* (BW)

With CSA approved fail-safe battery backup plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US\$ 1,147.00	1,147.00	1,147.00	1,224.00	1,316.00
100-240V AC	US\$ 1,216.00	1,216.00	1,216.00	1,293.00	1,385.00

8E0740H-02* (NPT) - 8E0741H-02* (SW) - 8E0742H-02* (BW)

With CSA approved 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC	US\$ 1,085.00	1,085.00	1,085.00	1,162.00	1,254.00
12V AC/DC, 100-240V AC	US\$ 1,177.00	1,177.00	1,177.00	1,254.00	1,346.00

8E0740H-02* (NPT) - 8E0741H-02* (SW) - 8E0742H-02* (BW)

With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC	US\$ 1,262.00	1,262.00	1,262.00	1,339.00	1,431.00
100-240V AC	US\$ 1,337.00	1,337.00	1,337.00	1,414.00	1,506.00
Weight (Lbs.)	6.60	6.60	7.30	8.85	10.65

**M8E0740H-00* (NPT) - M8E0741H-00* (SW) - M8E0742H-00* (BW)**

With CSA approved standard on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M
24V AC/DC	US\$ 750.00	750.00	750.00	832.00	919.00
12V AC/DC, 100-240V AC	US\$ 795.00	795.00	795.00	877.00	964.00

M8E0740H-01* (NPT) - M8E0741H-01* (SW) - M8E0742H-01* (BW)

With CSA approved fail-safe battery backup metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC	US\$ 1,501.00	1,501.00	1,501.00	1,583.00	1,670.00
100-240V AC	US\$ 1,583.00	1,583.00	1,583.00	1,665.00	1,752.00

M8E0740H-02* (NPT) - M8E0741H-02* (SW) - M8E0742H-02* (BW)

With CSA approved 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC	US\$ 1,399.00	1,399.00	1,399.00	1,481.00	1,568.00
12V AC/DC, 100-240V AC	US\$ 1,496.00	1,496.00	1,496.00	1,578.00	1,665.00

M8E0740H-04* (NPT) - M8E0741H-04* (SW) - M8E0742H-04* (BW)

With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC	US\$ 1,632.00	1,632.00	1,632.00	1,714.00	1,801.00
100-240V AC	US\$ 1,694.00	1,694.00	1,694.00	1,776.00	1,863.00
Weight (Lbs.)	8.85	8.85	9.55	11.15	12.90

**EXM8E0740H-00* (NPT) - EXM8E0741H-00* (SW) - EXM8E0742H-00* (BW)**

With explosion proof on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
ACT.	EAX035	EAX035	EAX035	EAX035	EAX035
24V AC/DC, 110V AC, 220V AC	US\$ 1,743.00	1,743.00	1,743.00	1,825.00	1,912.00

EXM8E0740H-02* (NPT) - EXM8E0741H-02* (SW) - EXM8E0742H-02* (BW)

With CSA approved explosion proof 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"
24V AC/DC, 110V AC, 220V AC	US\$ 2,593.00	2,593.00	2,593.00	2,675.00	2,762.00
Weight (Lbs.)	5.96	5.96	6.66	8.26	10.01

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110VAC (EX)

4 = 220VAC

NEW

640LL (NPT) - 641LL (SW) - 642LL (BW) encapsulated bolts, direct mount, 2-way 3-piece, carbon steel, 2.220 psi (1/4" to 2"), 1.480 psi (2 1/2" to 3"), with PEEK seats (+150°F to 500°F) full port ball valve.

**8P0640LL (NPT) - 8P0642LL (SW) - 8P0644LL (BW)**

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA125V	DA140V
Weight (Lbs.)	3.92	3.92	4.12	4.27	6.71	9.66	12.68	18.40	40.56	51.81	122.98
US\$	367.00	367.00	373.00	441.00	556.00	715.00	858.00	1,413.00	2,166.00	3,197.00	5,602.00

8P0641LL (NPT) - 8P0643LL (SW) - 8P0645LL (BW)

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V/F04	SR63V/F04	SR63V/F04	SR75V	SR75V	SR85V	SR115V	SR125V	SR160V	SR180V	SR180V
Weight (Lbs.)	5.79	5.79	5.99	9.32	10.52	16.63	31.84	40.89	86.09	116.06	175.06
US\$	416.00	416.00	422.00	575.00	657.00	864.00	1,191.00	1,799.00	3,032.00	4,477.00	6,622.00



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0640LL-00* (NPT) - 8E0641LL-00* (SW) - 8E0642LL-00* (BW) With CSA approved standard on/off plastic Valbia electric actuator.												
ACT.		VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$	451.00	451.00	457.00	703.00	785.00	1,018.00	1,078.00	1,697.00	2,249.00	3,272.00	6,723.00
12V AC/DC, 100-240V AC	US\$	504.00	504.00	510.00	748.00	830.00	1,089.00	1,149.00	1,780.00	2,345.00	3,383.00	6,723.00
8E0640LL-01* (NPT) - 8E0641LL-01* (SW) - 8E0642LL-01* (BW) With CSA approved fail-safe battery backup plastic Valbia electric actuator.												
ACT.		VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$	1,131.00	1,131.00	1,137.00	1,205.00	1,287.00	1,534.00	1,594.00	2,250.00	2,856.00	3,892.00	-
100-240V AC	US\$	1,200.00	1,200.00	1,206.00	1,274.00	1,356.00	1,597.00	1,657.00	2,301.00	2,925.00	3,962.00	-
8E0640LL-02* (NPT) - 8E0641LL-02* (SW) - 8E0642LL-02* (BW) With CSA approved 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.												
24V AC/DC	US\$	1,069.00	1,069.00	1,075.00	1,143.00	1,225.00	1,449.00	1,509.00	2,106.00	2,715.00	3,776.00	7,744.00
12V AC/DC, 100-240V AC	US\$	1,161.00	1,161.00	1,167.00	1,235.00	1,317.00	1,539.00	1,599.00	2,194.00	2,834.00	3,871.00	7,744.00
8E0640LL-04* (NPT) - 8E0641LL-04* (SW) - 8E0642LL-04* (BW) With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.												
24V AC/DC	US\$	1,246.00	1,246.00	1,252.00	1,320.00	1,402.00	1,656.00	1,716.00	2,397.00	3,012.00	4,078.00	-
100-240V AC	US\$	1,321.00	1,321.00	1,327.00	1,395.00	1,477.00	1,716.00	1,776.00	2,484.00	3,090.00	4,158.00	-
Weight (Lbs.)		6.50	6.50	6.70	6.85	8.05	13.28	13.78	20.60	31.80	41.23	132.10



SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0640LL-00* (NPT) - M8E0641LL-00* (SW) - M8E0642LL-00* (BW) With CSA approved standard on/off metal Valbia electric actuator.												
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$	734.00	734.00	740.00	813.00	890.00	1,142.00	1,202.00	2,141.00	2,714.00	3,905.00	6,723.00
12V AC/DC, 100-240V AC	US\$	779.00	779.00	785.00	858.00	935.00	1,188.00	1,248.00	2,205.00	2,783.00	3,952.00	6,723.00
M8E0640LL-01* (NPT) - M8E0641LL-01* (SW) - M8E0642LL-01* (BW) With CSA approved fail-safe battery backup metal Valbia electric actuator.												
24V AC/DC	US\$	1,485.00	1,485.00	1,491.00	1,564.00	1,641.00	1,873.00	1,933.00	2,921.00	3,591.00	4,651.00	-
100-240V AC	US\$	1,567.00	1,567.00	1,573.00	1,646.00	1,723.00	1,955.00	2,015.00	2,987.00	3,706.00	4,767.00	-
M8E0640LL-02* (NPT) - M8E0641LL-02* (SW) - M8E0642LL-02* (BW) With CSA approved 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.												
24V AC/DC	US\$	1,383.00	1,383.00	1,389.00	1,462.00	1,539.00	1,844.00	1,904.00	2,857.00	3,523.00	4,622.00	7,744.00
12V AC/DC, 100-240V AC	US\$	1,480.00	1,480.00	1,486.00	1,559.00	1,636.00	1,945.00	2,005.00	2,939.00	3,612.00	4,711.00	7,744.00
M8E0640LL-04* (NPT) - M8E0641LL-04* (SW) - M8E0642LL-04* (BW) With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.												
24V AC/DC	US\$	1,616.00	1,616.00	1,622.00	1,695.00	1,772.00	1,998.00	2,058.00	2,944.00	3,685.00	4,751.00	-
100-240V AC	US\$	1,678.00	1,678.00	1,684.00	1,757.00	1,834.00	2,150.00	2,210.00	3,152.00	3,945.00	4,952.00	-
Weight (Lbs.)		8.75	8.75	8.95	9.15	10.30	15.90	16.40	28.50	39.70	48.90	132.10



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	
EXM8E0640LL-00* (NPT) - EXM8E0641LL-00* (SW) - EXM8E0642LL-00* (BW) With explosion proof on/off metal Valbia electric actuator.												
ACT.	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	EAX360	
24V AC/DC, 110V AC, 220V AC	US\$	1,727.00	1,727.00	1,733.00	1,806.00	1,883.00	2,050.00	2,330.00	4,743.00	6,132.00	7,104.00	9,283.00
EXM8E0640LL-02* (NPT) - EXM8E0641LL-02* (SW) - EXM8E0642LL-02* (BW) With CSA approved explosion proof 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.												
24V AC/DC, 110V AC, 220V AC	US\$	2,577.00	2,577.00	2,583.00	2,656.00	2,733.00	2,900.00	3,182.00	5,593.00	6,983.00	7,955.00	10,134.00
Weight (Lbs)		5.86	5.86	6.06	6.26	7.41	10.41	13.11	34.05	65.09	72.09	131.19

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110VAC (EX)

4 = 220VAC

NEW

740LL (NPT) - 741LL (SW) - 742LL (BW) encapsulated bolts, direct mount, 2-way 3-piece, stainless steel, 2.160 psi (1/4" to 2"), 1.440 psi (2 1/2" to 3"), with PEEK seats (+150°F to 500°F) full port ball valve.

**8P0740LL (NPT) - 8P0742LL (SW) - 8P0744LL (BW)**

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA115V	DA125V	DA140V
Weight (Lbs.)	3.92	3.92	4.12	4.27	6.71	9.66	12.68	18.40	40.56	51.81	122.98
US\$	376.00	376.00	386.00	464.00	588.00	761.00	917.00	1,540.00	2,337.00	3,530.00	6,302.00

**8P0741LL (NPT) - 8P0743LL (SW) - 8P0745LL (BW)**

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V/F04	SR63V/F04	SR63V/F04	SR75V	SR75V	SR85V	SR115V	SR125V	SR160V	SR180V	SR180V
Weight (Lbs.)	5.79	5.79	5.99	9.32	10.52	16.63	31.84	40.89	86.09	116.06	175.06
US\$	425.00	425.00	435.00	598.00	689.00	910.00	1,250.00	1,926.00	3,203.00	4,810.00	7,322.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E0740LL-00* (NPT) - 8E0741LL-00* (SW) - 8E0742LL-00* (BW) With CSA approved standard on/off plastic Valbia electric actuator.											
ACT.	VB015	VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 460.00	460.00	470.00	726.00	817.00	1,064.00	1,137.00	1,824.00	2,420.00	3,605.00	7,423.00
12V AC/DC, 100-240V AC	US\$ 513.00	513.00	523.00	771.00	862.00	1,135.00	1,208.00	1,907.00	2,516.00	3,716.00	7,423.00
8E0740LL-01* (NPT) - 8E0741LL-01* (SW) - 8E0742LL-01* (BW) With CSA approved fail-safe battery backup plastic Valbia electric actuator.											
ACT.	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	EA360
24V AC/DC	US\$ 1,140.00	1,140.00	1,150.00	1,228.00	1,319.00	1,580.00	1,653.00	2,377.00	3,027.00	4,225.00	-
100-240V AC	US\$ 1,209.00	1,209.00	1,219.00	1,297.00	1,388.00	1,643.00	1,716.00	2,428.00	3,096.00	4,295.00	-
8E0740LL-02* (NPT) - 8E0741LL-02* (SW) - 8E0742LL-02* (BW) With CSA approved 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$ 1,078.00	1,078.00	1,088.00	1,166.00	1,257.00	1,495.00	1,568.00	2,233.00	2,886.00	4,109.00	8,444.00
12V AC/DC, 100-240V AC	US\$ 1,170.00	1,170.00	1,180.00	1,258.00	1,349.00	1,585.00	1,658.00	2,321.00	3,005.00	4,204.00	8,444.00
8E0740LL-02* (NPT) - 8E0741LL-02* (SW) - 8E0742LL-02* (BW) With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$ 1,255.00	1,255.00	1,265.00	1,343.00	1,434.00	1,702.00	1,775.00	2,524.00	3,183.00	4,411.00	-
100-240V AC	US\$ 1,330.00	1,330.00	1,340.00	1,418.00	1,509.00	1,762.00	1,835.00	2,611.00	3,261.00	4,491.00	-
Weight (Lbs.)	6.50	6.50	6.70	6.85	8.05	13.28	13.78	20.60	31.80	41.23	132.10



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E0740LL-00* (NPT) - M8E0741LL-00* (SW) - M8E0742LL-00* (BW) With CSA approved standard on/off metal Valbia electric actuator.											
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	EA360
24V AC/DC	US\$ 743.00	743.00	753.00	836.00	922.00	1,188.00	1,261.00	2,268.00	2,885.00	4,238.00	7,423.00
12V AC/DC, 100-240V AC	US\$ 788.00	788.00	798.00	881.00	967.00	1,234.00	1,307.00	2,332.00	2,954.00	4,285.00	7,423.00
M8E0740LL-01* (NPT) - M8E0741LL-01* (SW) - M8E0742LL-01* (BW) With CSA approved fail-safe battery backup metal Valbia electric actuator.											
24V AC/DC	US\$ 1,494.00	1,494.00	1,504.00	1,587.00	1,673.00	1,919.00	1,992.00	3,048.00	3,762.00	4,984.00	-
100-240V AC	US\$ 1,576.00	1,576.00	1,586.00	1,669.00	1,755.00	2,001.00	2,074.00	3,114.00	3,877.00	5,100.00	-
M8E0740LL-02* (NPT) - M8E0741LL-02* (SW) - M8E0742LL-02* (BW) With CSA approved 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$ 1,392.00	1,392.00	1,402.00	1,485.00	1,571.00	1,890.00	1,963.00	2,984.00	3,694.00	4,955.00	8,444.00
12V AC/DC, 100-240V AC	US\$ 1,489.00	1,489.00	1,499.00	1,582.00	1,668.00	1,991.00	2,064.00	3,066.00	3,783.00	5,044.00	8,444.00
M8E0740LL-04* (NPT) - M8E0741LL-04* (SW) - M8E0742LL-04* (BW) With CSA approved fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$ 1,625.00	1,625.00	1,635.00	1,718.00	1,804.00	2,044.00	2,117.00	3,071.00	3,856.00	5,084.00	-
100-240V AC	US\$ 1,687.00	1,687.00	1,697.00	1,780.00	1,866.00	2,196.00	2,269.00	3,279.00	4,116.00	5,285.00	-
Weight (Lbs.)	8.75	8.75	8.95	9.15	10.30	15.90	16.40	28.50	39.70	48.90	132.10

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E0740LL-00* (NPT) - EXM8E0741LL-00* (SW) - EXM8E0742LL-00* (BW) With explosion proof on/off metal Valbia electric actuator.											
ACT.	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX360	EAX360	EAX360
24V AC/DC, 110V AC, 220V AC	US\$ 1,736.00	1,736.00	1,746.00	1,829.00	1,915.00	2,096.00	2,389.00	4,870.00	6,303.00	7,437.00	9,983.00
EXM8E0740LL-02* (NPT) - EXM8E0741LL-02* (SW) - EXM8E0742LL-02* (BW) With CSA approved explosion proof 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.											
24V AC/DC, 110V AC, 220V AC	US\$ 2,586.00	2,586.00	2,596.00	2,679.00	2,765.00	2,946.00	3,241.00	5,720.00	7,154.00	8,288.00	10,834.00
Weight (Lbs.)	5.86	5.86	6.06	6.26	7.41	10.41	13.11	34.05	65.09	72.09	131.19

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC or 110VAC (EX)

4 = 220VAC

NEW**BFVSTCE** 2-way stainless steel sanitary tri-clamp butterfly valve with EPDM seats.**DABFVSTCE**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA75V	DA75V	DA100V	DA100V
Bracket	MK-BFVSTC-1/2	MK-BFVSTC-3/4	MK-BFVSTC-1	MK-BFVSTC-1-1/2	MK-BFVSTC-2	MK-BFVSTC-2-1/2	MK-BFVSTC-3	MK-BFVSTC-4	MK-BFVSTC-6	MK-BFVSTC-8
Weight (Lbs.)	6.35	6.35	6.85	7.91	11.47	12.47	13.92	16.09	25.07	27.55
US\$	885.00	885.00	745.00	787.00	916.00	1,013.00	1,066.00	1,320.00	2,885.00	5,538.00

SRBFVSTCE

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
ACT.	SR63V	SR63V	SR75V	SR75V	SR85V	SR85V	SR100V	SR115V	SR140V	SR140V
Bracket	MK-BFVSTC-1/2	MK-BFVSTC-3/4	MK-BFVSTC-1	MK-BFVSTC-1-1/2	MK-BFVSTC-2	MK-BFVSTC-2-1/2	MK-BFVSTC-3	MK-BFVSTC-4	MK-BFVSTC-6	MK-BFVSTC-8
Weight (Lbs.)	8.22	8.22	11.85	11.72	15.92	16.92	23.22	35.20	61.01	63.49
US\$	929.00	929.00	869.00	886.00	982.00	1,079.00	1,239.00	1,643.00	3,498.00	6,151.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
------	------	------	----	--------	----	--------	----	----	----	----

EBFVSTCE-00*

With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110
24V AC/DC	US\$	1,147.00	1,147.00	1,007.00	1,024.00	1,079.00	1,176.00	1,295.00	1,549.00	3,082.00	5,735.00
12V AC/DC, 100-240V AC	US\$	1,192.00	1,192.00	1,052.00	1,069.00	1,124.00	1,221.00	1,366.00	1,620.00	3,165.00	5,818.00

EBFVSTCE-01*

With fail-safe battery backup plastic Valbia electric actuator.

24V AC/DC	US\$	1,649.00	1,649.00	1,509.00	1,526.00	1,581.00	1,678.00	1,811.00	2,065.00	3,635.00	6,288.00
100-240V AC	US\$	1,718.00	1,718.00	1,578.00	1,595.00	1,650.00	1,747.00	1,874.00	2,128.00	3,686.00	6,339.00

EBFVSTCE-02*

With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,587.00	1,587.00	1,447.00	1,464.00	1,519.00	1,616.00	1,726.00	1,980.00	3,491.00	6,144.00
12V AC/DC, 100-240V AC	US\$	1,679.00	1,679.00	1,539.00	1,556.00	1,611.00	1,708.00	1,816.00	2,070.00	3,579.00	6,232.00

EBFVSTCE-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,764.00	1,764.00	1,624.00	1,641.00	1,696.00	1,793.00	1,933.00	2,187.00	3,782.00	6,435.00
100-240V AC	US\$	1,839.00	1,839.00	1,699.00	1,716.00	1,771.00	1,868.00	1,993.00	2,247.00	3,869.00	6,522.00
Bracket		MK-BFVSTC-1/2	MK-BFVSTC-3/4	MK-BFVSTC-1	MK-BFVSTC-1-1/2	MK-BFVSTC-2	MK-BFVSTC-2-1/2	MK-BFVSTC-3	MK-BFVSTC-4	MK-BFVSTC-6	MK-BFVSTC-8
Weight (Lbs.)		8.93	8.93	9.43	9.30	10.39	11.39	15.07	17.24	23.75	26.23



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
------	------	------	----	--------	----	--------	----	----	----	----

MEBFVSTCE-00*

With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M
24V AC/DC	US\$	1,252.00	1,252.00	1,112.00	1,129.00	1,184.00	1,281.00	1,419.00	1,673.00	3,526.00	6,179.00
12V AC/DC, 100-240V AC	US\$	1,297.00	1,297.00	1,157.00	1,174.00	1,229.00	1,326.00	1,465.00	1,719.00	3,590.00	6,243.00

MEBFVSTCE-01*

With fail-safe battery backup metal Valbia electric actuator.

24V AC/DC	US\$	2,003.00	2,003.00	1,863.00	1,880.00	1,935.00	2,032.00	2,150.00	2,404.00	4,306.00	6,959.00
100-240V AC	US\$	2,085.00	2,085.00	1,945.00	1,962.00	2,017.00	2,114.00	2,232.00	2,486.00	4,372.00	7,025.00

MEBFVSTCE-02*

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,901.00	1,901.00	1,761.00	1,778.00	1,833.00	1,930.00	2,121.00	2,375.00	4,242.00	6,895.00
12V AC/DC, 100-240V AC	US\$	1,998.00	1,998.00	1,858.00	1,875.00	1,930.00	2,027.00	2,222.00	2,476.00	4,324.00	6,977.00

MEBFVSTCE-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal electric actuator

24V AC/DC	US\$	2,134.00	2,134.00	1,994.00	2,011.00	2,066.00	2,163.00	2,275.00	2,529.00	4,329.00	6,982.00
100-240V AC	US\$	2,196.00	2,196.00	2,056.00	2,073.00	2,128.00	2,225.00	2,427.00	2,681.00	4,537.00	7,190.00
Bracket		MK-BFVSTC-1/2	MK-BFVSTC-3/4	MK-BFVSTC-1	MK-BFVSTC-1-1/2	MK-BFVSTC-2	MK-BFVSTC-2-1/2	MK-BFVSTC-3	MK-BFVSTC-4	MK-BFVSTC-6	MK-BFVSTC-8
Weight (Lbs.)		11.18	11.18	11.68	11.55	12.64	13.64	17.69	19.86	31.65	34.13



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
------	------	------	----	--------	----	--------	----	----	----	----

EXMEBFVSTCE-00*

With CSA approved explosion proof standard on/off metal Valbia electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX035	EAX045	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC		2,245.00	2,245.00	2,105.00	2,122.00	2,177.00	2,274.00	2,327.00	2,801.00	6,477.00	9,130.00

EXMEBFVSTCE-02*

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal Valbia electric actuator.

24V AC/DC, 110V AC, 220V AC		3,095.00	3,095.00	2,955.00	2,972.00	3,027.00	3,124.00	3,177.00	3,653.00	7,329.00	9,982.00
Bracket		MK-BFVSTC-1/2	MK-BFVSTC-3/4	MK-BFVSTC-1	MK-BFVSTC-1-1/2	MK-BFVSTC-2	MK-BFVSTC-2-1/2	MK-BFVSTC-3	MK-BFVSTC-4	MK-BFVSTC-6	MK-BFVSTC-8
Weight (Lbs.)		8.29	8.29	8.79	8.66	9.75	10.75	12.20	16.57	37.20	39.68

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 =100-240V AC

770 2-way 3 piece direct mount, stainless steel sanitary connection, non-cavity filled, full port ball valve.



8P0770

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V
Weight (Lbs)	2.80	4.43	5.64	10.90	16.28	27.98	37.60	58.62
US\$	286.00	352.00	382.00	566.00	745.00	1,175.00	1,441.00	2,237.00



8P0772

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V/04	SR63V/04	SR75V	SR85V	SR100V	SR115V	SR125V	SR125V
Weight (Lbs)	4.59	6.35	10.69	17.87	25.58	47.09	60.09	77.59
US\$	391.00	435.00	516.00	715.00	918.00	1,500.00	1,827.00	2,536.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0770-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB015	VB015	VB030	VB030	VB060	VB110	VB190
24V AC/DC	US\$	428.00	431.00	466.00	869.00	965.00	1,481.00	2,462.00
12V AC/DC. 100-240 VAC	US\$	481.00	484.00	519.00	940.00	1,036.00	1,564.00	2,558.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0770-01* With fail-safe battery back-up plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB190
24V AC/DC	US\$	1,108.00	1,111.00	1,146.00	1,385.00	1,481.00	2,034.00	3,069.00
100-240 VAC	US\$	1,177.00	1,180.00	1,215.00	1,448.00	1,544.00	2,085.00	3,138.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0770-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,046.00	1,049.00	1,084.00	1,300.00	1,396.00	1,890.00	2,928.00
12V AC/DC. 100-240 VAC	US\$	1,138.00	1,141.00	1,176.00	1,390.00	1,486.00	1,978.00	3,047.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0770-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,223.00	1,226.00	1,261.00	1,507.00	1,603.00	2,181.00	3,225.00
100-240 VAC	US\$	1,298.00	1,301.00	1,336.00	1,567.00	1,663.00	2,268.00	3,303.00
Weight (Lbs)		6.72	6.96	8.22	14.52	17.38	32.60	57.30



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0770-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	711.00	714.00	749.00	993.00	1,089.00	1,925.00	2,927.00
12V AC/DC. 100-240 VAC	US\$	756.00	759.00	794.00	1,039.00	1,135.00	1,989.00	2,996.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0770-01* With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,462.00	1,465.00	1,500.00	1,724.00	1,820.00	2,705.00	3,804.00
100-240 VAC	US\$	1,544.00	1,547.00	1,582.00	1,806.00	1,902.00	2,771.00	3,919.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0770-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,360.00	1,363.00	1,398.00	1,695.00	1,791.00	2,641.00	3,736.00
12V AC/DC. 100-240 VAC	US\$	1,457.00	1,460.00	1,495.00	1,796.00	1,892.00	2,723.00	3,825.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0770-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,593.00	1,596.00	1,631.00	1,849.00	1,945.00	2,728.00	3,898.00
100-240 VAC	US\$	1,655.00	1,658.00	1,693.00	2,001.00	2,097.00	2,936.00	4,158.00
Weight (Lbs)		8.97	9.21	10.47	17.14	20.00	40.50	65.20

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E0770-00* With CSA approved explosion proof on/off metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX035	EAX080	EAX080	EAX130
24V AC/DC. 110V AC. 220V AC	US\$	1,704.00	1,707.00	1,742.00	1,901.00	1,997.00	4,527.00	5,829.00
EXM8E0770-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC. 110V AC. 220V AC	US\$	2,554.00	2,557.00	2,592.00	2,751.00	2,847.00	5,377.00	6,681.00
Weight (Lbs)		6.08	6.32	7.58	11.65	14.51	46.05	53.25

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

771 2-way 3 piece direct mount, stainless steel sanitary connection, cavity filled, full port ball valve.

**8P0771**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA75V	DA75V	DA85V	DA100V	DA115V
Weight (Lbs)	4.19	4.43	5.64	13.42	16.28	30.40	41.12	66.06
US\$	373.00	376.00	418.00	735.00	886.00	1,426.00	1,923.00	2,900.00

**8P0773**

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V/04	SR63V/04	SR75V	SR100V	SR115V	SR125V	SR125V	SR125V
Weight (Lbs)	6.11	6.35	10.69	22.72	35.44	52.89	60.09	77.59
US\$	456.00	459.00	552.00	908.00	1,219.00	1,812.00	2,222.00	3,069.00



SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
8E0771-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB015	VB015	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US\$	452.00	455.00	502.00	955.00	1,106.00	1,710.00	2,120.00	2,995.00
12V AC/DC, 100-240 VAC	US\$	505.00	508.00	555.00	1,026.00	1,177.00	1,793.00	2,203.00	3,091.00
8E0771-01* With fail-safe battery back-up plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB110	VB190
24V AC/DC	US\$	1,132.00	1,135.00	1,182.00	1,471.00	1,622.00	2,263.00	2,673.00	3,602.00
100-240 VAC	US\$	1,201.00	1,204.00	1,251.00	1,534.00	1,685.00	2,314.00	2,724.00	3,671.00
8E0771-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,070.00	1,073.00	1,120.00	1,386.00	1,537.00	2,119.00	2,529.00	3,461.00
12V AC/DC, 100-240 VAC	US\$	1,162.00	1,165.00	1,212.00	1,476.00	1,627.00	2,207.00	2,617.00	3,580.00
8E0771-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,247.00	1,250.00	1,297.00	1,593.00	1,744.00	2,410.00	2,820.00	3,758.00
100-240 VAC	US\$	1,322.00	1,325.00	1,372.00	1,653.00	1,804.00	2,497.00	2,907.00	3,836.00
Weight (Lbs)		6.72	6.96	8.22	14.52	17.38	32.60	39.80	57.30



SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
M8E0771-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	735.00	738.00	785.00	1,079.00	1,230.00	2,154.00	2,564.00	3,411.00
12V AC/DC, 100-240 VAC	US\$	780.00	783.00	830.00	1,125.00	1,276.00	2,218.00	2,628.00	3,475.00
M8E0771-01* With fail-safe battery back-up metal Valbia electric actuator.									
24V AC/DC	US\$	1,486.00	1,489.00	1,536.00	1,810.00	1,961.00	2,934.00	3,344.00	4,191.00
100-240 VAC	US\$	1,568.00	1,571.00	1,618.00	1,892.00	2,043.00	3,000.00	3,410.00	4,257.00
M8E0771-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,384.00	1,387.00	1,434.00	1,781.00	1,932.00	2,870.00	3,280.00	4,127.00
12V AC/DC, 100-240 VAC	US\$	1,481.00	1,484.00	1,531.00	1,882.00	2,033.00	2,952.00	3,362.00	4,209.00
M8E0771-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,617.00	1,620.00	1,667.00	1,935.00	2,086.00	2,957.00	3,367.00	4,214.00
100-240 VAC	US\$	1,679.00	1,682.00	1,729.00	2,087.00	2,238.00	3,165.00	3,575.00	4,422.00
Weight (Lbs)		8.97	9.21	10.47	17.14	20.00	40.50	47.70	65.20

SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E0771-00* With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX035	EAX035	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	1,728.00	1,731.00	1,778.00	1,987.00	2,138.00	4,756.00	5,166.00	6,362.00
EXM8E0771-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,578.00	2,581.00	2,628.00	2,837.00	2,988.00	5,608.00	6,016.00	7,214.00
Weight (Lbs)		6.08	6.32	7.58	11.65	14.51	46.05	53.25	70.75

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

1300 2-way 3 piece stainless steel, 2,000 psi compression end full port ball valve.

**8P1300**

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	DA32V	DA32V	DA32V	DA32V
Weight (Lbs)	1.88	1.98	1.98	2.28
Pad/Stem	F03/9	F03/9	F03/9	F03/9
US\$	318.00	327.00	341.00	388.00

8P1302

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	SR52V	SR52V	SR52V	SR63V/F04
Weight (Lbs)	3.72	3.82	3.82	5.64
Pad/Stem	F03/9	F03/9	F03/9	F04/9
US\$	396.00	405.00	419.00	507.00



SIZE	1/4"	3/8"	1/2"	3/4"
8E1300-00* With UL approved standard on/off plastic Valbia electric actuator.				
ACT.		VB015	VB015	VB015
24V AC/DC	US\$	470.00	479.00	493.00
12V AC/DC. 100-240 VAC	US\$	523.00	532.00	546.00

SIZE	1/4"	3/8"	1/2"	3/4"
8E1300-01* With fail-safe battery back-up plastic Valbia electric actuator.				
ACT.		VB030	VB030	VB030
24V AC/DC	US\$	1,150.00	1,159.00	1,173.00
100-240 VAC	US\$	1,219.00	1,228.00	1,242.00

SIZE	1/4"	3/8"	1/2"	3/4"
8E1300-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$	1,088.00	1,097.00	1,111.00
12V AC/DC. 100-240 VAC	US\$	1,180.00	1,189.00	1,203.00

SIZE	1/4"	3/8"	1/2"	3/4"
8E1300-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$	1,265.00	1,274.00	1,288.00
100-240 VAC	US\$	1,340.00	1,349.00	1,363.00
Weight (Lbs)		5.90	6.00	6.30



SIZE	1/4"	3/8"	1/2"	3/4"
M8E1300-00* With UL approved standard on/off metal Valbia electric actuator.				
ACT.		VB030M	VB030M	VB030M
24V AC/DC	US\$	753.00	762.00	776.00
12V AC/DC. 100-240 VAC	US\$	798.00	807.00	821.00

SIZE	1/4"	3/8"	1/2"	3/4"
M8E1300-01* With fail-safe battery back-up metal Valbia electric actuator.				
24V AC/DC	US\$	1,504.00	1,513.00	1,527.00
100-240 VAC	US\$	1,586.00	1,595.00	1,609.00

SIZE	1/4"	3/8"	1/2"	3/4"
M8E1300-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.				
24V AC/DC	US\$	1,402.00	1,411.00	1,425.00
12V AC/DC. 100-240 VAC	US\$	1,499.00	1,508.00	1,522.00

SIZE	1/4"	3/8"	1/2"	3/4"
M8E1300-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.				
24V AC/DC	US\$	1,635.00	1,644.00	1,658.00
100-240 VAC	US\$	1,697.00	1,706.00	1,720.00
Weight (Lbs)		8.15	8.25	8.55

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 =100-240V AC



NSF/ANSI
372

PVC-BV2 and CPVC-BV2 2-way direct mount, full port ball valve.



8P2DAPVC 8P2DACPVC

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V
Weight (Lbs)	4.03	5.21	5.46	7.96	8.58	10.34	16.82	23.13	34.10
PVC US\$	392.00	433.00	457.00	548.00	578.00	630.00	1,045.00	1,063.00	1,418.00
CPVC US\$	432.00	484.00	525.00	666.00	692.00	811.00	1,736.00	1,589.00	2,451.00

8P2SRPVC 8P2SRCPVC

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR52V	SR52V	SR63V	SR63V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs)	4.43	5.61	5.86	8.83	9.45	14.20	21.27	32.43	50.74
PVC US\$	402.00	443.00	467.00	566.00	590.00	738.00	1,111.00	1,236.00	1,710.00
CPVC US\$	442.00	494.00	535.00	684.00	704.00	919.00	1,802.00	1,762.00	2,743.00



8EPVCBV2-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB015	VB015	VB015	VB015	VB015	VB030	VB060	VB110
24V AC/DC	US\$	476.00	517.00	541.00	632.00	662.00	899.00	1,274.00	1,702.00
12V AC/DC, 100-240 VAC	US\$	529.00	570.00	594.00	685.00	715.00	944.00	1,345.00	1,785.00

8EPVCBV2-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB110
24V AC/DC	US\$	1,156.00	1,197.00	1,221.00	1,312.00	1,342.00	1,401.00	1,790.00	2,255.00
100-240 VAC	US\$	1,225.00	1,266.00	1,290.00	1,381.00	1,411.00	1,470.00	1,853.00	1,871.00

8EPVCBV2-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$	1,094.00	1,135.00	1,159.00	1,250.00	1,280.00	1,339.00	1,705.00	2,111.00
12V AC/DC, 100-240 VAC	US\$	1,186.00	1,227.00	1,251.00	1,342.00	1,372.00	1,431.00	1,795.00	2,199.00

8EPVCBV2-04*

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$	1,271.00	1,312.00	1,336.00	1,427.00	1,457.00	1,516.00	1,912.00	2,402.00
100-240 VAC	US\$	1,346.00	1,387.00	1,411.00	1,502.00	1,532.00	1,591.00	1,972.00	2,489.00
Weight (Lbs)		6.61	7.79	8.04	10.54	11.16	12.73	17.97	24.28

8ECPVCBV2-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB015	VB015	VB015	VB015	VB015	VB030	VB060	VB110
24V AC/DC	US\$	516.00	568.00	609.00	750.00	776.00	1,080.00	1,965.00	2,735.00
12V AC/DC, 100-240 VAC	US\$	569.00	621.00	662.00	803.00	829.00	1,125.00	2,036.00	2,818.00

8ECPVCBV2-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB110
24V AC/DC	US\$	1,196.00	1,248.00	1,289.00	1,430.00	1,456.00	1,582.00	2,481.00	3,288.00
100-240 VAC	US\$	1,265.00	1,317.00	1,358.00	1,499.00	1,525.00	1,651.00	2,544.00	3,339.00

8ECPVCBV2-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$	1,094.00	1,135.00	1,159.00	1,250.00	1,280.00	1,339.00	1,705.00	2,111.00
12V AC/DC, 100-240 VAC	US\$	1,226.00	1,278.00	1,319.00	1,460.00	1,486.00	1,612.00	2,486.00	3,232.00

8ECPVCBV2-04*

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC	US\$	1,311.00	1,363.00	1,404.00	1,545.00	1,571.00	1,697.00	2,603.00	3,435.00
100-240 VAC	US\$	1,265.00	1,317.00	1,358.00	1,499.00	1,525.00	1,651.00	2,544.00	3,339.00
Weight (Lbs)		6.61	7.79	8.04	10.54	11.16	13.00	18.78	25.68

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

RB 355N 3-way direct mount brass, 400 WOG 100 WSP standard T-port ball valve.



8P0129 T-Port

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs)	2.31	2.22	2.29	2.56	5.16	6.61	8.93	14.73	23.44	23.30
US\$	224.00	224.00	224.00	233.00	330.00	387.00	479.00	635.00	988.00	990.00



8P0131 T-Port

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs)	4.15	4.06	4.13	4.40	5.56	7.01	10.85	21.70	30.41	30.27
US\$	302.00	302.00	302.00	311.00	340.00	397.00	531.00	784.00	1,137.00	1,139.00



8E865-00*

With standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	VB010	VB010	VB010	VB010
Weight (Lbs)	2.88	2.79	2.86	3.13
24V AC/DC	US\$ 310.00	310.00	310.00	319.00
110V AC	US\$ 328.00	328.00	328.00	337.00



8E065-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 376.00	376.00	376.00	385.00	592.00	649.00	741.00	938.00	1,291.00	1,293.00
12V AC/DC. 100-240 VAC	US\$ 429.00	429.00	429.00	438.00	637.00	694.00	786.00	1,009.00	1,362.00	1,364.00

8E065-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,056.00	1,056.00	1,056.00	1,065.00	1,094.00	1,151.00	1,243.00	1,454.00	1,807.00	1,809.00
100-240 VAC	US\$ 1,125.00	1,125.00	1,125.00	1,134.00	1,163.00	1,220.00	1,312.00	1,517.00	1,870.00	1,872.00

8E065-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 994.00	994.00	994.00	1,003.00	1,032.00	1,089.00	1,181.00	1,369.00	1,722.00	1,724.00
12V AC/DC. 100-240 VAC	US\$ 1,086.00	1,086.00	1,086.00	1,095.00	1,124.00	1,181.00	1,273.00	1,459.00	1,812.00	1,814.00

8E065-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,171.00	1,171.00	1,171.00	1,180.00	1,209.00	1,266.00	1,358.00	1,576.00	1,929.00	1,931.00
100-240 VAC	US\$ 1,246.00	1,246.00	1,246.00	1,255.00	1,284.00	1,341.00	1,433.00	1,636.00	1,989.00	1,991.00

8E065-06*

With three-position on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 733.00	733.00	733.00	742.00	771.00	828.00	920.00	1,155.00	1,508.00	1,510.00
100-240 VAC	US\$ 798.00	798.00	798.00	807.00	836.00	893.00	985.00	1,226.00	1,579.00	1,581.00
Weight (Lbs)	6.33	6.24	6.31	6.58	7.74	9.19	11.51	18.35	27.06	26.92

8E065-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 659.00	659.00	659.00	668.00	697.00	754.00	846.00	1,062.00	1,415.00	1,417.00
12V AC/DC. 100-240 VAC	US\$ 704.00	704.00	704.00	713.00	742.00	799.00	891.00	1,108.00	1,461.00	1,463.00

8E065-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,410.00	1,410.00	1,410.00	1,419.00	1,448.00	1,505.00	1,597.00	1,793.00	2,146.00	2,148.00
100-240 VAC	US\$ 1,492.00	1,492.00	1,492.00	1,501.00	1,530.00	1,587.00	1,679.00	1,875.00	2,228.00	2,230.00

8E065-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,308.00	1,308.00	1,308.00	1,317.00	1,346.00	1,403.00	1,495.00	1,764.00	2,117.00	2,119.00
12V AC/DC. 100-240 VAC	US\$ 1,405.00	1,405.00	1,405.00	1,414.00	1,443.00	1,500.00	1,592.00	1,865.00	2,218.00	2,220.00

8E065-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,541.00	1,541.00	1,541.00	1,550.00	1,579.00	1,636.00	1,728.00	1,918.00	2,271.00	2,273.00
100-240 VAC	US\$ 1,603.00	1,603.00	1,603.00	1,612.00	1,641.00	1,698.00	1,790.00	2,070.00	2,423.00	2,425.00

8E065-06*

With three-position on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,203.00	1,203.00	1,203.00	1,212.00	1,241.00	1,298.00	1,390.00	1,602.00	1,955.00	1,957.00
100-240 VAC	US\$ 1,307.00	1,307.00	1,307.00	1,316.00	1,345.00	1,402.00	1,494.00	1,718.00	2,071.00	2,073.00
Weight (Lbs)	8.58	8.49	8.56	8.83	9.99	11.44	13.76	20.97	29.68	29.54

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

LF LEAD FREE
NSF/ANSI
61/372

RB 355NLF 3-way direct mount, lead free brass 400 WOG 100 WSP standard T-port ball valve.



8P0129LF T-Port

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs)	2.31	2.22	2.29	2.56	5.16	6.61	8.93	14.73	20.81	24.09
US\$	227.00	227.00	227.00	237.00	335.00	395.00	490.00	651.00	1,041.00	1,052.00

8P0131LF T-Port

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs)	4.15	4.06	4.13	4.40	5.56	7.01	10.85	21.70	27.78	31.06
US\$	305.00	305.00	305.00	315.00	345.00	405.00	542.00	800.00	1,190.00	1,201.00

8E865LF-00*

With standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	VB010	VB010	VB010	VB010
Weight (Lbs)	2.88	2.79	2.86	3.13
24V AC/DC	US\$ 313.00	313.00	313.00	323.00
110V AC	US\$ 331.00	331.00	331.00	341.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 379.00	379.00	379.00	389.00	597.00	657.00	752.00	954.00	1,344.00	1,355.00
12V AC/DC, 100-240V AC	US\$ 432.00	432.00	432.00	442.00	642.00	702.00	797.00	1,025.00	1,415.00	1,426.00

8E065LF-01*

With fail-safe battery backup plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,059.00	1,059.00	1,059.00	1,069.00	1,099.00	1,159.00	1,254.00	1,470.00	1,860.00	1,871.00
100-240V AC	US\$ 1,128.00	1,128.00	1,128.00	1,138.00	1,168.00	1,228.00	1,323.00	1,533.00	1,923.00	1,934.00

8E065LF-02*

With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 997.00	997.00	997.00	1,007.00	1,037.00	1,097.00	1,192.00	1,385.00	1,775.00	1,786.00
12V AC/DC, 100-240V AC	US\$ 1,089.00	1,089.00	1,089.00	1,099.00	1,129.00	1,189.00	1,284.00	1,475.00	1,865.00	1,876.00

8E065LF-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,174.00	1,174.00	1,174.00	1,184.00	1,214.00	1,274.00	1,369.00	1,592.00	1,982.00	1,993.00
100-240V AC	US\$ 1,249.00	1,249.00	1,249.00	1,259.00	1,289.00	1,349.00	1,444.00	1,652.00	2,042.00	2,053.00

8E065LF-06*

With three-position on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 736.00	736.00	736.00	746.00	776.00	836.00	931.00	1,171.00	1,561.00	1,572.00
100-240 VAC	US\$ 801.00	801.00	801.00	811.00	841.00	901.00	996.00	1,242.00	1,632.00	1,643.00
Weight (Lbs)	6.33	6.24	6.31	6.58	7.74	9.19	11.51	18.35	24.43	27.71

M8E065LF-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 662.00	662.00	662.00	672.00	702.00	762.00	857.00	1,078.00	1,468.00	1,479.00
12V AC/DC, 100-240V AC	US\$ 707.00	707.00	707.00	717.00	747.00	807.00	902.00	1,124.00	1,514.00	1,525.00

M8E065LF-01*

With fail-safe battery backup metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,413.00	1,413.00	1,413.00	1,423.00	1,453.00	1,513.00	1,608.00	1,809.00	2,199.00	2,210.00
100-240V AC	US\$ 1,495.00	1,495.00	1,495.00	1,505.00	1,535.00	1,595.00	1,690.00	1,891.00	2,281.00	2,292.00

M8E065LF-02*

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,311.00	1,311.00	1,311.00	1,321.00	1,351.00	1,411.00	1,506.00	1,780.00	2,170.00	2,181.00
12V AC/DC, 100-240V AC	US\$ 1,408.00	1,408.00	1,408.00	1,418.00	1,448.00	1,508.00	1,603.00	1,881.00	2,271.00	2,282.00

M8E065LF-04*

With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,544.00	1,544.00	1,544.00	1,554.00	1,584.00	1,644.00	1,739.00	1,934.00	2,324.00	2,335.00
100-240V AC	US\$ 1,606.00	1,606.00	1,606.00	1,616.00	1,646.00	1,706.00	1,801.00	2,086.00	2,476.00	2,487.00

M8E065LF-06*

With three-position on/off metal Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,206.00	1,206.00	1,206.00	1,216.00	1,246.00	1,306.00	1,401.00	1,618.00	2,008.00	2,019.00
100-240 VAC	US\$ 1,310.00	1,310.00	1,310.00	1,320.00	1,350.00	1,410.00	1,505.00	1,734.00	2,124.00	2,135.00
Weight (Lbs)	8.58	8.49	8.56	8.83	9.99	11.44	13.76	20.97	27.05	30.33

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

RB 365N 3-way direct mount brass, 400 WOG 100 WSP standard L-port ball valve.



8P0130 L-Port

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs)	2.31	2.22	2.29	2.56	5.16	6.61	8.93	14.73	23.44	23.30
US\$	224.00	224.00	224.00	233.00	330.00	387.00	479.00	635.00	988.00	990.00



8P0132 L-Port

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs)	4.15	4.06	4.13	4.40	5.56	7.01	10.85	21.70	30.41	30.27
US\$	302.00	302.00	302.00	311.00	340.00	397.00	531.00	784.00	1,137.00	1,139.00



8E066-00*

With standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"
ACT.		VB010	VB010	VB010	VB010
Weight (Lbs)		2.88	2.79	2.86	3.13
24V AC/DC	US\$	310.00	310.00	310.00	319.00
12-240 VAC	US\$	328.00	328.00	328.00	337.00



8E066-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$	1,056.00	1,056.00	1,056.00	1,065.00	1,094.00	1,151.00	1,243.00	1,454.00	1,807.00	1,809.00
12V AC/DC. 100-240 VAC	US\$	429.00	429.00	429.00	438.00	637.00	694.00	786.00	1,009.00	1,362.00	1,364.00

8E066-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$	1,056.00	1,056.00	1,056.00	1,065.00	1,094.00	1,151.00	1,243.00	1,454.00	1,807.00	1,809.00
100-240 VAC	US\$	1,125.00	1,125.00	1,125.00	1,134.00	1,163.00	1,220.00	1,312.00	1,517.00	1,870.00	1,872.00

8E066-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	994.00	994.00	994.00	1,003.00	1,032.00	1,089.00	1,181.00	1,369.00	1,722.00	1,724.00
12V AC/DC. 100-240 VAC	US\$	1,086.00	1,086.00	1,086.00	1,095.00	1,124.00	1,181.00	1,273.00	1,459.00	1,812.00	1,814.00

8E066-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	1,171.00	1,171.00	1,171.00	1,180.00	1,209.00	1,266.00	1,358.00	1,576.00	1,929.00	1,931.00
100-240 VAC	US\$	1,246.00	1,246.00	1,246.00	1,255.00	1,284.00	1,341.00	1,433.00	1,636.00	1,989.00	1,991.00

8E066-06*

With three-position on/off plastic Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	733.00	733.00	733.00	742.00	771.00	828.00	920.00	1,155.00	1,508.00	1,510.00
100-240 VAC	US\$	798.00	798.00	798.00	807.00	836.00	893.00	985.00	1,226.00	1,579.00	1,581.00
Weight (Lbs)		6.33	6.24	6.31	6.58	7.74	9.19	11.51	18.35	27.06	26.92

M8E066-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$	659.00	659.00	659.00	668.00	697.00	754.00	846.00	1,062.00	1,415.00	1,417.00
12V AC/DC. 100-240 VAC	US\$	704.00	704.00	704.00	713.00	742.00	799.00	891.00	1,108.00	1,461.00	1,463.00

M8E066-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	1,410.00	1,410.00	1,410.00	1,419.00	1,448.00	1,505.00	1,597.00	1,793.00	2,146.00	2,148.00
100-240 VAC	US\$	1,492.00	1,492.00	1,492.00	1,501.00	1,530.00	1,587.00	1,679.00	1,875.00	2,228.00	2,230.00

M8E066-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	1,308.00	1,308.00	1,308.00	1,317.00	1,346.00	1,403.00	1,495.00	1,764.00	2,117.00	2,119.00
12V AC/DC. 100-240 VAC	US\$	1,405.00	1,405.00	1,405.00	1,414.00	1,443.00	1,500.00	1,592.00	1,885.00	2,218.00	2,220.00

M8E066-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	1,541.00	1,541.00	1,541.00	1,550.00	1,579.00	1,636.00	1,728.00	1,918.00	2,271.00	2,273.00
100-240 VAC	US\$	1,603.00	1,603.00	1,603.00	1,612.00	1,641.00	1,698.00	1,790.00	2,070.00	2,423.00	2,425.00

M8E066-06*

With three-position on/off metal Valbia electric actuator.

SIZE		1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
24V AC/DC	US\$	1,203.00	1,203.00	1,203.00	1,212.00	1,241.00	1,298.00	1,390.00	1,602.00	1,955.00	1,957.00
100-240 VAC	US\$	1,307.00	1,307.00	1,307.00	1,316.00	1,345.00	1,402.00	1,494.00	1,718.00	2,071.00	2,073.00
Weight (Lbs)		8.58	8.49	8.56	8.83	9.99	11.44	13.76	20.97	29.68	29.54

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



LEAD FREE
NSF/ANSI
61/372

RB 365NLF 3-way direct mount lead free brass, 400 WOG 100 WSP, standard L-port ball valve.



8P0130LF L-Port

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA32V	DA32V	DA32V	DA32V	DA52V	DA52V	DA52V	DA63V	DA63V	DA63V
Weight (Lbs)	2.31	2.22	2.29	2.56	5.16	6.61	8.93	14.73	21.44	24.73
US\$	227.00	227.00	227.00	237.00	335.00	395.00	490.00	651.00	1,041.00	1,052.00

8P0132LF L-Port

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR52V	SR52V	SR52V	SR52V	SR52V	SR52V	SR63V	SR85V	SR85V	SR85V
Weight (Lbs)	4.15	4.06	4.13	4.40	5.56	7.01	10.85	21.70	28.41	31.70
US\$	305.00	305.00	305.00	315.00	345.00	405.00	542.00	800.00	1,190.00	1,201.00

8E866LF-00*

With standard on/off plastic Valbia electric actuator.

SIZE	1/4"	3/8"	1/2"	3/4"
ACT.	VB010	VB010	VB010	VB010
Weight (Lbs)	2.88	2.79	2.86	3.13
24V AC/DC	US\$ 313.00	313.00	313.00	323.00
110V AC	US\$ 331.00	331.00	331.00	341.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E066LF-00* With UL approved standard on/off plastic Valbia electric actuator.										
ACT.	VB015	VB015	VB015	VB015	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 379.00	379.00	379.00	389.00	597.00	657.00	752.00	954.00	1,344.00	1,355.00
12V AC/DC. 100-240V AC	US\$ 432.00	432.00	432.00	442.00	642.00	702.00	797.00	1,025.00	1,415.00	1,426.00
8E066LF-01* With fail-safe battery backup plastic Valbia electric actuator.										
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,059.00	1,059.00	1,059.00	1,069.00	1,099.00	1,159.00	1,254.00	1,470.00	1,860.00	1,871.00
100-240V AC	US\$ 1,128.00	1,128.00	1,128.00	1,138.00	1,168.00	1,228.00	1,323.00	1,533.00	1,923.00	1,934.00
8E066LF-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.										
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 997.00	997.00	997.00	1,007.00	1,037.00	1,097.00	1,192.00	1,385.00	1,775.00	1,786.00
12V AC/DC. 100-240V AC	US\$ 1,089.00	1,089.00	1,089.00	1,099.00	1,129.00	1,189.00	1,284.00	1,475.00	1,865.00	1,876.00
8E066LF-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.										
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 1,174.00	1,174.00	1,174.00	1,184.00	1,214.00	1,274.00	1,369.00	1,592.00	1,982.00	1,993.00
100-240V AC	US\$ 1,249.00	1,249.00	1,249.00	1,259.00	1,289.00	1,349.00	1,444.00	1,652.00	2,042.00	2,053.00
8E066LF-06* With three-position on/off plastic Valbia electric actuator.										
ACT.	VB030	VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060	VB060
24V AC/DC	US\$ 736.00	736.00	736.00	746.00	776.00	836.00	931.00	1,171.00	1,561.00	1,572.00
100-240 VAC	US\$ 801.00	801.00	801.00	811.00	841.00	901.00	996.00	1,242.00	1,632.00	1,643.00
Weight (Lbs)	6.33	6.24	6.31	6.58	7.74	9.19	11.51	18.35	25.06	28.35



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E066LF-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 662.00	662.00	662.00	672.00	702.00	762.00	857.00	1,078.00	1,468.00	1,479.00
12V AC/DC. 100-240V AC	US\$ 707.00	707.00	707.00	717.00	747.00	807.00	902.00	1,124.00	1,514.00	1,525.00
M8E066LF-01* With fail-safe battery backup metal Valbia electric actuator.										
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,413.00	1,413.00	1,413.00	1,423.00	1,453.00	1,513.00	1,608.00	1,809.00	2,199.00	2,210.00
100-240V AC	US\$ 1,495.00	1,495.00	1,495.00	1,505.00	1,535.00	1,595.00	1,690.00	1,891.00	2,281.00	2,292.00
ME066LF-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,311.00	1,311.00	1,311.00	1,321.00	1,351.00	1,411.00	1,506.00	1,780.00	2,170.00	2,181.00
12V AC/DC. 100-240V AC	US\$ 1,408.00	1,408.00	1,408.00	1,418.00	1,448.00	1,508.00	1,603.00	1,881.00	2,271.00	2,282.00
M8E066LF-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,544.00	1,544.00	1,544.00	1,554.00	1,584.00	1,644.00	1,739.00	1,934.00	2,324.00	2,335.00
100-240V AC	US\$ 1,606.00	1,606.00	1,606.00	1,616.00	1,646.00	1,706.00	1,801.00	2,086.00	2,476.00	2,487.00
M8E066LF-06* With three-position on/off metal Valbia electric actuator.										
ACT.	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB060M
24V AC/DC	US\$ 1,206.00	1,206.00	1,206.00	1,216.00	1,246.00	1,306.00	1,401.00	1,618.00	2,008.00	2,019.00
100-240 VAC	US\$ 1,310.00	1,310.00	1,310.00	1,320.00	1,350.00	1,410.00	1,505.00	1,734.00	2,124.00	2,135.00
Weight (Lbs)	8.58	8.49	8.56	8.83	9.99	11.44	13.76	20.97	27.68	30.97

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

RB 3210 3-way direct mount brass, 400 WOG 100 WSP full L-port diverter ball valve.

NEW



SIZE		1/2"	3/4"	1"
8E3210-06*		With on/off 3-position plastic Valbia electric actuator.		
ACT.		VB030	VB030	VB030
24V AC/DC	US\$	724.00	743.00	765.00
12V AC/DC. 100-240 VAC	US\$	789.00	808.00	830.00
8E3210-08*		With fail-safe battery backup on/off 3-position plastic Valbia electric actuator.		
24V AC/DC	US\$	952.00	971.00	993.00
100-240 VAC	US\$	1,016.00	1,035.00	1,057.00
Weight (Lbs)		6.03	6.36	6.97



SIZE		1/2"	3/4"	1"
M8E3210-06*		With on/off 3-position metal Valbia electric actuator.		
ACT.		VB030M	VB030M	VB030M
24V AC/DC	US\$	1,194.00	1,213.00	1,235.00
12V AC/DC. 100-240 VAC	US\$	1,298.00	1,317.00	1,339.00
M8E3210-08*		With fail-safe battery backup on/off 3-position metal Valbia electric actuator.		
24V AC/DC	US\$	1,592.00	1,611.00	1,633.00
100-240 VAC	US\$	1,682.00	1,701.00	1,723.00
Weight (Lbs)		8.28	8.61	9.22

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 =100-240V AC



NSF/ANSI
372

PVC-BV3T 3-way, direct mount full T-port ball valve.



8P3TDAPVC

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V
Weight (Lbs)	4.15	5.68	6.21	9.28	10.32	12.83
US\$	491.00	546.00	599.00	664.00	728.00	801.00

8P3TSRPVC

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V
Weight (Lbs)	4.55	6.08	8.13	13.33	14.18	19.80
US\$	501.00	556.00	651.00	771.00	836.00	950.00



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E3TPVC-00* With UL approved standard on/off plastic Valbia electric actuator.							
ACT.		VB015	VB015	VB015	VB015	VB030	VB030
24V AC/DC	US\$	575.00	630.00	683.00	748.00	997.00	1,070.00
12V AC/DC. 100-240 VAC	US\$	628.00	683.00	736.00	801.00	1,042.00	1,115.00

8E3TPVC-01* With fail-safe battery back-up plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB030	VB030	VB030	VB030
24V AC/DC	US\$	1,255.00	1,310.00	1,363.00	1,428.00	1,499.00	1,572.00
100-240 VAC	US\$	1,324.00	1,379.00	1,432.00	1,497.00	1,568.00	1,641.00

8E3TPVC-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,193.00	1,248.00	1,301.00	1,366.00	1,437.00	1,510.00
12V AC/DC. 100-240 VAC	US\$	1,285.00	1,340.00	1,393.00	1,458.00	1,529.00	1,602.00

8E3TPVC-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,370.00	1,425.00	1,478.00	1,543.00	1,614.00	1,687.00
100-240 VAC	US\$	1,445.00	1,500.00	1,553.00	1,618.00	1,689.00	1,762.00

8E3TPVC-06* With three-position on/off plastic Valbia electric actuator.							
24V AC/DC	US\$	932.00	987.00	1,040.00	1,105.00	1,176.00	1,249.00
100-240 VAC	US\$	997.00	1,052.00	1,105.00	1,170.00	1,241.00	1,314.00
Weight (Lbs)		6.73	8.26	8.79	11.86	12.71	15.22

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



PVC-BV3L 3-way, direct mount. full L-port ball valve.



8P3LDAPVC

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52V	DA52V	DA52V	DA52V	DA63V	DA63V
Weight (Lbs)	4.15	5.68	6.21	9.28	10.32	12.83
US\$	491.00	546.00	599.00	664.00	728.00	801.00

8P3LSRPVC

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR52V	SR52V	SR63V	SR75V	SR75V	SR85V
Weight (Lbs)	4.55	6.08	8.13	13.33	14.18	19.80
US\$	501.00	556.00	651.00	771.00	836.00	950.00



8E3LPVC-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.		VB015	VB015	VB015	VB015	VB030
24V AC/DC	US\$	575.00	630.00	683.00	748.00	997.00
12V AC/DC. 100-240 VAC	US\$	628.00	683.00	736.00	801.00	1,042.00

8E3LPVC-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.		VB030	VB030	VB030	VB030	VB030
24V AC/DC	US\$	1,255.00	1,310.00	1,363.00	1,428.00	1,499.00
100-240 VAC	US\$	1,324.00	1,379.00	1,432.00	1,497.00	1,568.00

8E3LPVC-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
24V AC/DC	US\$	1,193.00	1,248.00	1,301.00	1,366.00	1,437.00
12V AC/DC. 100-240 VAC	US\$	1,285.00	1,340.00	1,393.00	1,458.00	1,529.00

8E3LPVC-04*

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
24V AC/DC	US\$	1,370.00	1,425.00	1,478.00	1,543.00	1,614.00
100-240 VAC	US\$	1,445.00	1,500.00	1,553.00	1,618.00	1,689.00

8E3LPVC-06*

With three-position on/off plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
24V AC/DC	US\$	932.00	987.00	1,040.00	1,105.00	1,176.00
100-240 VAC	US\$	997.00	1,052.00	1,105.00	1,170.00	1,241.00
Weight (Lbs)		6.73	8.26	8.79	11.86	15.22

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 =100-240V AC

955N 3-way direct mount stainless steel, 1000/800 WOG standard T-port ball valve.



8P0139 T-port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V
Weight (Lbs)	3.97	4.42	7.06	8.51	13.63	20.25	35.97	43.34
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	344.00	366.00	438.00	501.00	666.00	858.00	1,602.00	1,939.00

* Not direct mount.



8P0141 T-port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR63V/04	SR63V/04	SR75V	SR75V	SR100V	SR100V	SR140V	SR160V
Weight (Lbs)	5.89	6.34	10.87	12.32	22.93	27.08	71.81	88.77
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	395.00	417.00	538.00	601.00	839.00	1,000.00	2,184.00	2,774.00

* Not direct mount.



8E069-00*

With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US\$	428.00	628.00	667.00	804.00	886.00	1,142.00	1,805.00	2,014.00
12V AC/DC, 100-240 VAC	US\$	481.00	673.00	712.00	875.00	957.00	1,225.00	1,901.00	2,110.00

8E069-01*

With fail-safe battery back-up plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US\$	1,108.00	1,130.00	1,169.00	1,320.00	1,402.00	1,695.00	2,412.00	2,621.00
100-240 VAC	US\$	1,177.00	1,199.00	1,238.00	1,383.00	1,465.00	1,746.00	2,481.00	2,690.00

8E069-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,046.00	1,068.00	1,107.00	1,235.00	1,317.00	1,551.00	2,271.00	2,480.00
12V AC/DC, 100-240 VAC	US\$	1,138.00	1,160.00	1,199.00	1,325.00	1,407.00	1,639.00	2,390.00	2,599.00

8E069-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,223.00	1,245.00	1,284.00	1,442.00	1,524.00	1,842.00	2,568.00	2,777.00
100-240 VAC	US\$	1,298.00	1,320.00	1,359.00	1,502.00	1,584.00	1,929.00	2,646.00	2,855.00

8E069-06*

With three-position on/off plastic Valbia electric actuator.

24V AC/DC	US\$	785.00	807.00	846.00	1,021.00	1,103.00	1,374.00	2,080.00	2,289.00
100-240 VAC	US\$	850.00	872.00	911.00	1,092.00	1,174.00	1,447.00	2,161.00	2,370.00
Weight (Lbs)		6.55	7.00	8.40	12.13	14.73	22.45	Bracket/34.60	Bracket/34.53

* Not direct mount.



M8E069-00*

With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US\$	711.00	733.00	772.00	928.00	1,010.00	1,586.00	2,270.00	2,479.00
12V AC/DC, 100-240 VAC	US\$	756.00	778.00	817.00	974.00	1,056.00	1,650.00	2,339.00	2,548.00

M8E069-01*

With fail-safe battery back-up metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US\$	1,462.00	1,484.00	1,523.00	1,659.00	1,741.00	2,366.00	3,147.00	3,356.00
100-240 VAC	US\$	1,544.00	1,566.00	1,605.00	1,741.00	1,823.00	2,432.00	3,262.00	3,471.00

M8E069-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,360.00	1,382.00	1,421.00	1,630.00	1,712.00	2,302.00	3,079.00	3,288.00
12V AC/DC, 100-240 VAC	US\$	1,457.00	1,479.00	1,518.00	1,731.00	1,813.00	2,384.00	3,168.00	3,377.00

M8E069-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,593.00	1,615.00	1,654.00	1,784.00	1,866.00	2,389.00	3,241.00	3,450.00
100-240 VAC	US\$	1,655.00	1,677.00	1,716.00	1,936.00	2,018.00	2,597.00	3,501.00	3,710.00

M8E069-06*

With three-position on/off metal Valbia electric actuator.

24V AC/DC	US\$	1,255.00	1,277.00	1,316.00	1,468.00	1,550.00	2,131.00	2,963.00	3,172.00
100-240 VAC	US\$	1,359.00	1,381.00	1,420.00	1,584.00	1,666.00	2,209.00	3,029.00	3,238.00
Weight (Lbs)		8.80	9.25	10.65	14.75	17.35	30.35	Bracket/42.50	Bracket/42.43

* Not direct mount.

EXM8E069-00*

With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,704.00	1,726.00	1,765.00	2,056.00	4,018.00	4,537.00	4,958.00	5,683.00

EXM8E069-02*

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$	2,554.00	2,576.00	2,615.00	2,908.00	4,868.00	5,389.00	5,810.00	6,534.00
Weight (Lbs)		5.91	6.36	7.76	11.46	31.70	35.90	47.55	67.32

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

965N 3-way direct mount stainless steel 1000/800 WOG, standard L-port ball valve.



8P0140 L-port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V
Weight (Lbs)	3.97	4.42	7.06	8.51	13.63	20.25	35.87	43.24
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	344.00	366.00	438.00	501.00	666.00	858.00	1,571.00	1,908.00

* Not direct mount.



8P0142 L-port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR63V/04	SR63V/04	SR75V	SR75V	SR100V	SR100V	SR140V	SR160V
Weight (Lbs)	5.89	6.34	10.87	12.32	22.93	27.08	71.81	88.77
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	395.00	417.00	538.00	601.00	839.00	1,000.00	2,184.00	2,774.00

* Not direct mount.



8E070-00*

With UL approved standard on/off plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	428.00	628.00	667.00	804.00	886.00	1,142.00	1,805.00
12V AC/DC. 100-240 VAC	US\$	481.00	673.00	712.00	875.00	957.00	1,225.00	2,110.00

8E070-01*

With fail-safe battery back-up plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,108.00	1,130.00	1,169.00	1,320.00	1,402.00	1,695.00	2,412.00
100-240 VAC	US\$	1,177.00	1,199.00	1,238.00	1,383.00	1,485.00	1,746.00	2,481.00

8E070-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,046.00	1,068.00	1,107.00	1,235.00	1,317.00	1,551.00	2,271.00
12V AC/DC. 100-240 VAC	US\$	1,138.00	1,160.00	1,199.00	1,325.00	1,407.00	1,639.00	2,390.00

8E070-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	1,223.00	1,245.00	1,284.00	1,442.00	1,524.00	1,842.00	2,568.00
100-240 VAC	US\$	1,298.00	1,320.00	1,359.00	1,502.00	1,584.00	1,929.00	2,646.00

8E070-06*

With fail-safe battery back-up and 0-10VDC or 4-20 mA three position plastic Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	785.00	807.00	846.00	1,021.00	1,103.00	1,374.00	2,080.00
100-240 VAC	US\$	850.00	872.00	911.00	1,092.00	1,174.00	1,447.00	2,161.00
Weight (Lbs)		6.55	7.00	8.40	12.13	14.73	22.45	34.60

* Not direct mount.



M8E070-00*

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	166.00	733.00	772.00	928.00	1,010.00	1,586.00	2,270.00
12V AC/DC. 100-240 VAC	US\$	166.00	778.00	817.00	974.00	1,056.00	1,650.00	2,339.00

M8E070-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	166.00	1,484.00	1,523.00	1,659.00	1,741.00	2,366.00	3,147.00
100-240 VAC	US\$	166.00	1,566.00	1,605.00	1,741.00	1,823.00	2,432.00	3,262.00

M8E070-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	166.00	1,382.00	1,421.00	1,630.00	1,712.00	2,302.00	3,079.00
12V AC/DC. 100-240 VAC	US\$	166.00	1,479.00	1,518.00	1,731.00	1,813.00	2,384.00	3,168.00

M8E070-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	166.00	1,615.00	1,654.00	1,784.00	1,866.00	2,389.00	3,241.00
100-240 VAC	US\$	166.00	1,677.00	1,716.00	1,936.00	2,018.00	2,597.00	3,501.00

M8E070-06*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC	US\$	1,255.00	1,277.00	1,316.00	1,468.00	1,550.00	2,131.00	2,963.00
100-240 VAC	US\$	1,359.00	1,381.00	1,420.00	1,584.00	1,666.00	2,209.00	3,029.00
Weight (Lbs)		8.80	9.25	10.65	14.75	17.35	30.35	42.50

* Not direct mount.

EXM8E070-00*

With CSA approved explosion proof on/off metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX080	EAX130
24V AC/DC. 110V AC. 220V AC	US\$	1,704.00	1,726.00	1,765.00	2,056.00	4,018.00	4,537.00	4,958.00

EXM8E070-02*

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.								
24V AC/DC. 110V AC. 220V AC	US\$	2,554.00	2,576.00	2,615.00	2,908.00	4,868.00	5,389.00	5,810.00
Weight (Lbs)		5.91	5.91	6.36	9.86	29.20	31.35	36.10

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

965N 3-way direct mount stainless steel 1000/800 WOG, standard L-port ball valve.



8P0140 L-port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V
Weight (Lbs)	3.97	4.42	7.06	8.51	13.63	20.25	35.87	43.24
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	343.00	344.00	364.00	432.00	498.00	685.00	865.00	1,301.00

* Not direct mount.



8P0142 L-port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
ACT.	SR63V/04	SR63V/04	SR75V	SR75V	SR100V	SR100V	SR140V	SR160V
Weight (Lbs)	5.89	6.34	10.87	12.32	22.93	27.08	71.81	88.77
Bracket kit	-	-	-	-	-	-	Bracket	Bracket
US\$	394.00	395.00	415.00	533.00	599.00	858.00	1,007.00	1,600.00

* Not direct mount.



8E070-00*

With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US\$	427.00	428.00	626.00	661.00	801.00	905.00	1,149.00	1,526.00
12V AC/DC. 100-240 VAC	US\$	480.00	481.00	671.00	706.00	872.00	976.00	1,232.00	1,622.00

8E070-01*

With fail-safe battery back-up plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB190
24V AC/DC	US\$	1,107.00	1,108.00	1,128.00	1,163.00	1,317.00	1,421.00	1,702.00	2,133.00
100-240 VAC	US\$	1,176.00	1,177.00	1,197.00	1,232.00	1,380.00	1,484.00	1,753.00	2,202.00

8E070-02*

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,045.00	1,046.00	1,066.00	1,101.00	1,232.00	1,336.00	1,558.00	1,992.00
12V AC/DC. 100-240 VAC	US\$	1,137.00	1,138.00	1,158.00	1,193.00	1,322.00	1,426.00	1,646.00	2,111.00

8E070-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,222.00	1,223.00	1,243.00	1,278.00	1,439.00	1,543.00	1,849.00	2,289.00
100-240 VAC	US\$	1,297.00	1,298.00	1,318.00	1,353.00	1,499.00	1,603.00	1,936.00	2,367.00

8E070-06*

With three-position on/off plastic Valbia electric actuator.

24V AC/DC	US\$	784.00	785.00	805.00	840.00	1,018.00	1,122.00	1,381.00	1,801.00
100-240 VAC	US\$	849.00	850.00	870.00	905.00	1,089.00	1,193.00	1,454.00	1,882.00
Weight (Lbs)		6.55	7.00	8.40	12.13	14.73	22.45	34.60	34.53

* Not direct mount.



M8E070-00*

With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB190M
24V AC/DC	US\$	710.00	711.00	731.00	766.00	925.00	1,029.00	1,593.00	1,991.00
12V AC/DC. 100-240 VAC	US\$	755.00	756.00	776.00	811.00	971.00	1,075.00	1,657.00	2,060.00

M8E070-01*

With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,461.00	1,462.00	1,482.00	1,517.00	1,656.00	1,760.00	2,373.00	2,868.00
100-240 VAC	US\$	1,543.00	1,544.00	1,564.00	1,599.00	1,738.00	1,842.00	2,439.00	2,983.00

M8E070-02*

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,359.00	1,360.00	1,380.00	1,415.00	1,627.00	1,731.00	2,309.00	2,800.00
12V AC/DC. 100-240 VAC	US\$	1,456.00	1,457.00	1,477.00	1,512.00	1,728.00	1,832.00	2,391.00	2,889.00

M8E070-04*

With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,592.00	1,593.00	1,613.00	1,648.00	1,781.00	1,885.00	2,396.00	2,962.00
100-240 VAC	US\$	1,654.00	1,655.00	1,675.00	1,710.00	1,933.00	2,037.00	2,604.00	3,222.00

M8E070-06*

With three-position on/off metal Valbia electric actuator.

24V AC/DC	US\$	1,254.00	1,255.00	1,275.00	1,310.00	1,465.00	1,569.00	2,138.00	2,684.00
100-240 VAC	US\$	1,358.00	1,359.00	1,379.00	1,414.00	1,581.00	1,685.00	2,216.00	2,750.00
Weight (Lbs)		8.80	9.25	10.65	14.75	17.35	30.35	42.50	42.43

* Not direct mount.

EXM8E070-00*

With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX080	EAX130	EAX360
24V AC/DC. 110V AC. 220V AC	US\$	1,703.00	1,704.00	1,724.00	1,979.00	3,933.00	4,386.00	4,544.00	5,409.00

EXM8E070-02*

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC. 110V AC. 220V AC	US\$	2,553.00	2,554.00	2,574.00	2,831.00	4,783.00	5,238.00	5,396.00	6,260.00
Weight (Lbs)		5.91	5.91	6.36	9.86	29.20	31.35	36.10	68.49

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

966N 3-way direct mount stainless steel 1000/800 WOG, full L-port ball valve.



8P0144 L-port

With double acting Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V
Weight (Lbs)	3.97	3.97	4.42	6.96	8.61	13.28	20.45	36.52
US\$	343.00	344.00	364.00	432.00	498.00	685.00	865.00	1,301.00



8P0146 L-port

With spring return Valbia pneumatic actuator.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
ACT.	SR63V/04	SR63V/04	SR63V/04	SR75V	SR75V	SR100V	SR100V	SR125V
Weight (Lbs)	5.89	5.89	6.34	10.77	12.42	22.58	27.28	55.49
US\$	394.00	395.00	415.00	533.00	599.00	858.00	1,007.00	1,600.00



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
8E072-00*	With UL approved standard on/off plastic Valbia electric actuator.							

ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	427.00	428.00	626.00	661.00	801.00	905.00	1,149.00	1,526.00
12V AC/DC. 100-240 VAC	US\$	480.00	481.00	671.00	706.00	872.00	976.00	1,232.00	1,622.00

8E072-01*	With fail-safe battery back-up plastic Valbia electric actuator.							
-----------	--	--	--	--	--	--	--	--

ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,107.00	1,108.00	1,128.00	1,163.00	1,317.00	1,421.00	1,702.00	2,133.00
100-240 VAC	US\$	1,176.00	1,177.00	1,197.00	1,232.00	1,380.00	1,484.00	1,753.00	2,202.00

8E072-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
-----------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,045.00	1,046.00	1,066.00	1,101.00	1,232.00	1,336.00	1,558.00	1,992.00
12V AC/DC. 100-240 VAC	US\$	1,137.00	1,138.00	1,158.00	1,193.00	1,322.00	1,426.00	1,646.00	2,111.00

8E072-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
-----------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,222.00	1,223.00	1,243.00	1,278.00	1,439.00	1,543.00	1,849.00	2,289.00
100-240 VAC	US\$	1,297.00	1,298.00	1,318.00	1,353.00	1,499.00	1,603.00	1,936.00	2,367.00

M8E072-06*	With three-position on/off plastic Valbia electric actuator.							
------------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	784.00	785.00	805.00	840.00	1,018.00	1,122.00	1,381.00	1,801.00
100-240V AC	US\$	849.00	850.00	870.00	905.00	1,089.00	1,193.00	1,454.00	1,882.00
Weight (Lbs)		6.55	6.55	7.00	8.30	12.23	14.38	22.65	35.20

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
M8E072-00*	With UL approved standard on/off metal Valbia electric actuator.							

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	710.00	711.00	731.00	766.00	925.00	1,029.00	1,593.00	1,991.00
12V AC/DC. 100-240 VAC	US\$	755.00	756.00	776.00	811.00	971.00	1,075.00	1,657.00	2,060.00

M8E072-01*	With fail-safe battery back-up metal Valbia electric actuator.							
------------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,461.00	1,462.00	1,482.00	1,517.00	1,656.00	1,760.00	2,373.00	2,868.00
100-240 VAC	US\$	1,543.00	1,544.00	1,564.00	1,599.00	1,738.00	1,842.00	2,439.00	2,983.00

M8E072-02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
------------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,359.00	1,360.00	1,380.00	1,415.00	1,627.00	1,731.00	2,309.00	2,800.00
12V AC/DC. 100-240 VAC	US\$	1,456.00	1,457.00	1,477.00	1,512.00	1,728.00	1,832.00	2,391.00	2,889.00

M8E072-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
------------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,592.00	1,593.00	1,613.00	1,648.00	1,781.00	1,885.00	2,396.00	2,962.00
100-240 VAC	US\$	1,654.00	1,655.00	1,675.00	1,710.00	1,933.00	2,037.00	2,604.00	3,222.00

M8E072-06*	With three-position on/off metal Valbia electric actuator.							
------------	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,254.00	1,255.00	1,275.00	1,310.00	1,465.00	1,569.00	2,138.00	2,684.00
100-240V AC	US\$	1,358.00	1,359.00	1,379.00	1,414.00	1,581.00	1,685.00	2,216.00	2,750.00
Weight (Lbs)		8.80	8.80	9.25	10.55	14.85	17.00	30.55	43.10



SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
EXM8E072-00*	With CSA approved explosion proof on/off metal electric actuator.							

ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC. 110V AC. 220V AC	US\$	1,703.00	1,704.00	1,724.00	1,979.00	3,933.00	4,386.00	4,544.00	5,409.00

EXM8E072-02*	With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.							
--------------	---	--	--	--	--	--	--	--

24V AC/DC. 110V AC. 220V AC	US\$	2,553.00	2,554.00	2,574.00	2,831.00	4,783.00	5,238.00	5,396.00	6,260.00
Weight (Lbs)		5.91	5.91	6.36	9.86	29.20	31.35	36.10	68.49

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

97L 3-way direct mount stainless steel, full L-port ball valve.



DA97L L-Port

With double acting pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA63V	DA63V	DA75V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)	3.82	6.51	8.51	12.08	17.08	19.98	34.62	41.02	77.26
US\$	695.00	837.00	945.00	1,128.00	1,558.00	1,882.00	2,755.00	3,433.00	6,809.00



SR97L L-Port

With spring return pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR85V	SR85V	SR100V	SR100V	SR115V	SR140V	SR140V	SR180V
Weight (Lbs)	5.69	13.48	15.43	21.38	26.38	39.14	70.66	77.06	145.81
US\$	744.00	981.00	1,087.00	1,301.00	1,731.00	2,215.00	3,392.00	4,070.00	8,171.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97L-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB015	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	779.00	1,069.00	1,174.00	1,348.00	1,778.00	2,102.00	2,980.00	3,658.00
12V AC/DC, 100-240V AC	US\$	832.00	1,114.00	1,219.00	1,419.00	1,849.00	2,173.00	3,076.00	3,754.00
E97L-01* With fail-safe battery backup plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,459.00	1,571.00	1,676.00	1,864.00	2,294.00	2,618.00	3,587.00	4,265.00
100-240V AC	US\$	1,528.00	1,640.00	1,745.00	1,927.00	2,357.00	2,681.00	3,656.00	4,334.00
E97L-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,397.00	1,509.00	1,614.00	1,779.00	2,209.00	2,533.00	3,446.00	4,124.00
12V AC/DC, 100-240V AC	US\$	1,489.00	1,601.00	1,706.00	1,869.00	2,299.00	2,623.00	3,565.00	4,073.00
E97L-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,574.00	1,686.00	1,791.00	1,986.00	2,416.00	2,740.00	3,743.00	4,421.00
100-240V AC	US\$	1,649.00	1,761.00	1,866.00	2,046.00	2,476.00	2,800.00	3,821.00	4,499.00
E97L-06* With three-position on/off plastic Valbia electric actuator.									
24V AC/DC	US\$	1,136.00	1,248.00	1,353.00	1,565.00	1,995.00	2,319.00	3,255.00	3,933.00
100-240V AC	US\$	1,201.00	1,313.00	1,418.00	1,636.00	2,066.00	2,390.00	3,336.00	4,014.00
Weight (Lbs)		6.40	7.90	9.85	13.18	18.18	21.08	33.30	39.70



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97L-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,062.00	1,174.00	1,279.00	1,472.00	1,902.00	2,226.00	3,445.00	4,123.00
12V AC/DC, 100-240V AC	US\$	1,107.00	1,219.00	1,324.00	1,518.00	1,948.00	2,272.00	3,514.00	4,192.00
ME97L-01* With fail-safe battery backup metal Valbia electric actuator.									
24V AC/DC	US\$	1,813.00	1,925.00	2,030.00	2,203.00	2,633.00	2,957.00	4,322.00	5,000.00
100-240V AC	US\$	1,895.00	2,007.00	2,112.00	2,285.00	2,715.00	3,039.00	4,437.00	5,115.00
ME97L-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,711.00	1,823.00	1,928.00	2,174.00	2,604.00	2,928.00	4,254.00	4,932.00
12V AC/DC, 100-240V AC	US\$	1,808.00	1,920.00	2,025.00	2,275.00	2,705.00	3,029.00	4,343.00	5,021.00
ME97L-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,944.00	2,056.00	2,161.00	2,328.00	2,758.00	3,082.00	4,416.00	5,094.00
100-240V AC	US\$	2,006.00	2,118.00	2,223.00	2,480.00	2,910.00	3,234.00	4,676.00	5,354.00
ME97L-06* With three-position on/off metal Valbia electric actuator.									
24V AC/DC	US\$	1,606.00	1,718.00	1,823.00	2,012.00	2,442.00	2,766.00	4,138.00	4,816.00
100-240V AC	US\$	1,710.00	1,822.00	1,927.00	2,128.00	2,558.00	2,882.00	4,204.00	4,882.00
Weight (Lbs)		8.65	10.15	12.10	15.80	20.80	23.70	41.20	47.60

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXME97L-00* With CSA approved explosion proof standard on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	2,060.00	2,172.00	2,280.00	2,609.00	3,040.00	5,253.00	6,358.00	10,832.00
EXME97L-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,910.00	3,022.00	3,130.00	3,461.00	3,892.00	6,103.00	7,210.00	11,683.00
Weight (Lbs.)		7.96	8.66	11.26	12.56	19.26	44.05	54.30	68.60

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

97T 3-way direct mount stainless steel, full T-port ball valve.



DA97T T-Port

With double acting pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA63V	DA63V	DA75V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)	3.82	6.51	8.51	12.08	17.08	19.98	34.62	41.02	77.26
US\$	680.00	820.00	927.00	1,109.00	1,538.00	1,850.00	2,683.00	3,263.00	6,517.00



SR97T T-Port

With spring return pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR85V	SR85V	SR100V	SR100V	SR115V	SR140V	SR140V	SR180V
Weight (Lbs)	5.69	13.48	15.43	21.38	26.38	39.14	70.66	77.06	145.81
US\$	729.00	964.00	1,069.00	1,282.00	1,711.00	2,183.00	3,320.00	3,900.00	7,879.00

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97T-00*	With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB015	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	764.00	1,052.00	1,156.00	1,329.00	1,758.00	2,070.00	2,908.00	3,488.00
12V AC/DC, 100-240V AC	US\$	817.00	1,097.00	1,201.00	1,400.00	1,829.00	2,141.00	3,004.00	3,584.00
E97T-01*	With fail-safe battery backup plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,444.00	1,554.00	1,658.00	1,845.00	2,274.00	2,586.00	3,515.00	4,095.00
100-240V AC	US\$	1,513.00	1,623.00	1,727.00	1,908.00	2,337.00	2,649.00	3,584.00	4,164.00
E97T-02*	With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,382.00	1,492.00	1,596.00	1,760.00	2,189.00	2,501.00	3,374.00	3,954.00
12V AC/DC, 100-240V AC	US\$	1,474.00	1,584.00	1,688.00	1,850.00	2,279.00	2,591.00	3,493.00	4,243.00
E97T-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,559.00	1,669.00	1,773.00	1,967.00	2,396.00	2,708.00	3,671.00	4,251.00
100-240V AC	US\$	1,634.00	1,744.00	1,848.00	2,027.00	2,456.00	2,768.00	3,749.00	4,329.00
E97T-06*	With three-position on/off plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,121.00	1,231.00	1,335.00	1,546.00	1,975.00	2,287.00	3,183.00	3,763.00
100-240V AC	US\$	1,186.00	1,296.00	1,400.00	1,617.00	2,046.00	2,358.00	3,264.00	3,844.00
Weight (Lbs)		6.40	7.90	9.85	13.18	18.18	21.08	33.30	39.70



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97T-00*	With UL approved standard on/off metal electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,047.00	1,157.00	1,261.00	1,453.00	1,882.00	2,194.00	3,373.00	3,953.00
12V AC/DC, 100-240V AC	US\$	1,092.00	1,202.00	1,306.00	1,499.00	1,928.00	2,240.00	3,442.00	4,022.00
ME97T-01*	With fail-safe battery backup metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,798.00	1,908.00	2,012.00	2,184.00	2,613.00	2,925.00	4,250.00	4,830.00
100-240V AC	US\$	1,880.00	1,990.00	2,094.00	2,266.00	2,695.00	3,007.00	4,365.00	4,945.00
ME97T-02*	With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,696.00	1,806.00	1,910.00	2,155.00	2,584.00	2,896.00	4,182.00	4,762.00
12V AC/DC, 100-240V AC	US\$	1,793.00	1,903.00	2,007.00	2,256.00	2,685.00	2,997.00	4,271.00	4,851.00
ME97T-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,929.00	2,039.00	2,143.00	2,309.00	2,738.00	3,050.00	4,344.00	4,924.00
100-240V AC	US\$	1,991.00	2,101.00	2,205.00	2,461.00	2,890.00	3,202.00	4,604.00	5,184.00
ME97T-06*	With three-position on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,591.00	1,701.00	1,805.00	1,993.00	2,422.00	2,734.00	4,066.00	4,646.00
100-240V AC	US\$	1,695.00	1,805.00	1,909.00	2,109.00	2,538.00	2,850.00	4,132.00	4,712.00
Weight (Lbs)		8.65	10.15	12.10	15.80	20.80	23.70	41.20	47.60



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXME97T-00*	with CSA approved explosion proof standard on/off metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	2,045.00	2,155.00	2,262.00	2,590.00	3,020.00	5,221.00	6,286.00	6,866.00
EXME97T-02*	with 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	2,895.00	3,005.00	3,112.00	3,442.00	3,872.00	6,071.00	7,138.00	7,718.00
Weight (Lbs.)		5.76	7.26	9.26	12.56	17.56	38.15	46.80	53.20

1 = 12V AC/DC			* VOLTAGE SUFFIX			2 = 24V AC/DC			3 = 100-240V AC		
---------------	--	--	------------------	--	--	---------------	--	--	-----------------	--	--

NEW

97T-STC 3-way direct mount stainless steel, sanitary connection, cavity filled, full T-port ball valve.

**DA97T-STC T-Port**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA63V	DA63V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)	6.02	7.91	10.51	18.78	25.88	42.12	56.42	139.56
US\$	1,019.00	1,101.00	1,327.00	1,770.00	2,137.00	5,000.00	5,281.00	7,568.00

**SR97T-STC T-Port**

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR85V	SR85V	SR100V	SR115V	SR140V	SR140V	SR180V
Weight (Lbs)	7.89	14.88	17.43	28.08	45.04	78.16	92.46	208.11
US\$	1,068.00	1,245.00	1,469.00	1,943.00	2,470.00	5,637.00	5,918.00	8,930.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
E97T-STC-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB015	VB030	VB030	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,103.00	1,333.00	1,556.00	1,990.00	2,443.00	5,197.00	5,506.00
12V AC/DC, 100-240V AC	US\$	1,156.00	1,378.00	1,601.00	2,061.00	2,526.00	5,280.00	5,602.00
E97T-STC-01* With fail-safe battery backup plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,783.00	1,835.00	2,058.00	2,506.00	2,996.00	5,750.00	6,113.00
100-240V AC	US\$	1,852.00	1,904.00	2,127.00	2,569.00	3,047.00	5,801.00	6,182.00
E97T-STC-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,721.00	1,773.00	1,996.00	2,421.00	2,852.00	5,606.00	5,972.00
12V AC/DC, 100-240V AC	US\$	1,813.00	1,865.00	2,088.00	2,511.00	2,940.00	5,694.00	6,091.00
E97T-STC-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,898.00	1,950.00	2,173.00	2,628.00	3,143.00	5,897.00	6,269.00
100-240V AC	US\$	1,973.00	2,025.00	2,248.00	2,688.00	3,230.00	5,984.00	6,347.00
E97T-STC-06* With three-position on/off plastic Valbia electric actuator.								
24V AC/DC	US\$	1,460.00	1,512.00	1,735.00	2,207.00	2,675.00	5,429.00	5,781.00
100-240V AC	US\$	1,525.00	1,577.00	1,800.00	2,278.00	2,748.00	5,502.00	5,862.00
Weight (Lbs)		8.60	9.30	11.85	19.88	30.50	40.80	55.10



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ME97T-STC-00* With UL approved standard on/off metal electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,386.00	1,438.00	1,661.00	2,114.00	2,887.00	5,641.00	5,971.00
12V AC/DC, 100-240V AC	US\$	1,431.00	1,483.00	1,706.00	2,160.00	2,951.00	5,705.00	6,040.00
ME97T-STC-01* With fail-safe battery backup metal Valbia electric actuator.								
24V AC/DC	US\$	2,137.00	2,189.00	2,412.00	2,845.00	3,667.00	6,421.00	6,848.00
100-240V AC	US\$	2,219.00	2,271.00	2,494.00	2,927.00	3,733.00	6,487.00	6,963.00
ME97T-STC-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	2,035.00	2,087.00	2,310.00	2,816.00	3,603.00	6,357.00	6,780.00
12V AC/DC, 100-240V AC	US\$	2,132.00	2,184.00	2,407.00	2,917.00	3,685.00	6,439.00	6,869.00
ME97T-STC-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	2,268.00	2,320.00	2,543.00	2,970.00	3,690.00	6,444.00	6,942.00
100-240V AC	US\$	2,330.00	2,382.00	2,605.00	3,122.00	3,898.00	6,652.00	7,202.00
ME97T-STC-06* With three-position on/off metal Valbia electric actuator.								
24V AC/DC	US\$	1,930.00	1,982.00	2,205.00	2,654.00	3,432.00	6,186.00	6,664.00
100-240V AC	US\$	2,034.00	2,086.00	2,309.00	2,770.00	3,510.00	6,264.00	6,730.00
Weight (Lbs)		10.85	11.55	14.10	22.50	38.40	48.70	63.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
EXME97T-STC-00* With CSA approved explosion proof standard on/off metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	2,384.00	2,436.00	2,662.00	3,252.00	5,508.00	8,603.00	8,884.00
EXME97T-STC-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220V AC	US\$	3,234.00	3,286.00	3,512.00	4,104.00	6,358.00	9,455.00	9,736.00
Weight (Lbs.)		7.96	8.66	11.26	19.26	44.05	54.30	68.60

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

NEW

97L-STC 3-way direct mount stainless steel, sanitary connection, cavity filled, full L-port ball valve.

DA97L-STC L-Port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA63V	DA63V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)	6.02	7.91	10.51	18.78	25.88	42.12	56.42	139.56
US\$	1,019.00	1,101.00	1,327.00	1,770.00	2,137.00	5,000.00	5,281.00	7,568.00

SR97L-STC L-Port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR85V	SR85V	SR100V	SR115V	SR140V	SR140V	SR180V
Weight (Lbs)	7.89	14.88	17.43	28.08	45.04	78.16	92.46	208.11
US\$	1,068.00	1,245.00	1,469.00	1,943.00	2,470.00	5,637.00	5,918.00	8,930.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
E97L-STC-00*	With UL approved standard on/off plastic Valbia electric actuator.							
ACT.		VB015	VB030	VB030	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,103.00	1,333.00	1,556.00	1,990.00	2,443.00	5,197.00	5,506.00
12V AC/DC, 100-240V AC	US\$	1,156.00	1,378.00	1,601.00	2,061.00	2,526.00	5,280.00	5,602.00
E97L-STC-01*	With fail-safe battery backup plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,783.00	1,835.00	2,058.00	2,506.00	2,996.00	5,750.00	6,113.00
100-240V AC	US\$	1,852.00	1,904.00	2,127.00	2,569.00	3,047.00	5,801.00	6,182.00
E97L-STC-02*	With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,721.00	1,773.00	1,996.00	2,421.00	2,852.00	5,606.00	5,972.00
12V AC/DC, 100-240V AC	US\$	1,813.00	1,865.00	2,088.00	2,511.00	2,940.00	5,694.00	6,091.00
E97L-STC-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,898.00	1,950.00	2,173.00	2,628.00	3,143.00	5,897.00	6,269.00
100-240V AC	US\$	1,973.00	2,025.00	2,248.00	2,688.00	3,230.00	5,984.00	6,347.00
E97L-STC-06*	With three-position on/off plastic Valbia electric actuator.							
24V AC/DC	US\$	1,460.00	1,512.00	1,735.00	2,207.00	2,675.00	5,429.00	5,781.00
100-240V AC	US\$	1,525.00	1,577.00	1,800.00	2,278.00	2,748.00	5,502.00	5,862.00
Weight (Lbs)		8.60	9.30	11.85	19.88	30.50	40.80	55.10

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
ME97L-STC-00*	With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,386.00	1,438.00	1,661.00	2,114.00	2,887.00	5,641.00	5,971.00
12V AC/DC, 100-240V AC	US\$	1,431.00	1,483.00	1,706.00	2,160.00	2,951.00	5,705.00	6,040.00
ME97L-STC-01*	With fail-safe battery backup metal Valbia electric actuator.							
24V AC/DC	US\$	2,137.00	2,189.00	2,412.00	2,845.00	3,667.00	6,421.00	6,848.00
100-240V AC	US\$	2,219.00	2,271.00	2,494.00	2,927.00	3,733.00	6,487.00	6,963.00
ME97L-STC-02*	With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	2,035.00	2,087.00	2,310.00	2,816.00	3,603.00	6,357.00	6,780.00
12V AC/DC, 100-240V AC	US\$	2,132.00	2,184.00	2,407.00	2,917.00	3,685.00	6,439.00	6,869.00
ME97L-STC-04*	With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	2,268.00	2,320.00	2,543.00	2,970.00	3,690.00	6,444.00	6,942.00
100-240V AC	US\$	2,330.00	2,382.00	2,605.00	3,122.00	3,898.00	6,652.00	7,202.00
ME97L-STC-06*	With three-position on/off metal Valbia electric actuator.							
24V AC/DC	US\$	1,930.00	1,982.00	2,205.00	2,654.00	3,432.00	6,186.00	6,664.00
100-240V AC	US\$	2,034.00	2,086.00	2,309.00	2,770.00	3,510.00	6,264.00	6,730.00
Weight (Lbs)		10.85	11.55	14.10	22.50	38.40	48.70	63.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"
EXME97L-STC-00*	with CSA approved explosion proof standard on/off metal electric actuator.							
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	2,384.00	2,436.00	2,662.00	3,252.00	5,508.00	8,603.00	8,884.00
EXME97L-STC-02*	with 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.							
24V AC/DC, 110V AC, 220V AC	US\$	3,234.00	3,286.00	3,512.00	4,104.00	6,358.00	9,455.00	9,736.00
Weight (Lbs.)		7.96	8.66	11.26	19.26	44.05	54.30	68.60

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

97X 3-way direct mount stainless steel, full **double** L-port ball valve.

DA97X Double L-Port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA63V	DA63V	DA75V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)	3.82	6.51	8.51	12.08	17.08	19.98	34.62	41.02	77.26
US\$	734.00	879.00	1,003.00	1,201.00	1,655.00	2,017.00	3,000.00	3,834.00	7,534.00



SR97X Double L-Port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR85V	SR85V	SR100V	SR100V	SR115V	SR140V	SR140V	SR180V
Weight (Lbs)	5.69	13.48	15.43	21.38	26.38	39.14	70.66	77.06	145.81
US\$	783.00	1,023.00	1,145.00	1,374.00	1,828.00	2,350.00	3,637.00	4,471.00	8,896.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
E97X-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB015	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	818.00	1,111.00	1,232.00	1,421.00	1,875.00	2,237.00	3,225.00	4,059.00
12V AC/DC. 100-240V AC	US\$	871.00	1,156.00	1,277.00	1,492.00	1,946.00	2,308.00	3,321.00	4,155.00
E97X-01* With fail-safe battery backup plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB190	VB190
24V AC/DC	US\$	1,498.00	1,613.00	1,734.00	1,937.00	2,391.00	2,753.00	3,832.00	4,666.00
100-240V AC	US\$	1,567.00	1,682.00	1,803.00	2,000.00	2,454.00	2,816.00	3,901.00	4,735.00
E97X-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,436.00	1,551.00	1,672.00	1,852.00	2,306.00	2,668.00	3,691.00	4,525.00
12V AC/DC. 100-240V AC	US\$	1,528.00	1,643.00	1,764.00	1,942.00	2,396.00	2,758.00	3,810.00	4,851.00
E97X-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,613.00	1,728.00	1,849.00	2,059.00	2,513.00	2,875.00	3,988.00	4,822.00
100-240V AC	US\$	1,688.00	1,803.00	1,924.00	2,119.00	2,573.00	2,935.00	4,066.00	4,900.00
E97X-06* With three-position on/off plastic Valbia electric actuator.									
24V AC/DC	US\$	1,175.00	1,290.00	1,411.00	1,638.00	2,092.00	2,454.00	3,500.00	4,334.00
100-240V AC	US\$	1,240.00	1,355.00	1,476.00	1,709.00	2,163.00	2,525.00	3,581.00	4,415.00
Weight (Lbs)		6.40	7.90	9.85	13.18	18.18	21.08	33.30	39.70



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ME97X-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB190M	VB190M
24V AC/DC	US\$	1,101.00	1,216.00	1,337.00	1,545.00	1,999.00	2,361.00	3,690.00	4,524.00
12V AC/DC. 100-240V AC	US\$	1,146.00	1,261.00	1,382.00	1,591.00	2,045.00	2,407.00	3,759.00	4,593.00
ME97X-01* With fail-safe battery backup metal Valbia electric actuator.									
24V AC/DC	US\$	1,852.00	1,967.00	2,088.00	2,276.00	2,730.00	3,092.00	4,567.00	5,401.00
100-240V AC	US\$	1,934.00	2,049.00	2,170.00	2,358.00	2,812.00	3,174.00	4,682.00	5,516.00
ME97X-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,750.00	1,865.00	1,986.00	2,247.00	2,701.00	3,063.00	4,499.00	5,333.00
12V AC/DC. 100-240V AC	US\$	1,847.00	1,962.00	2,083.00	2,348.00	2,802.00	3,164.00	4,588.00	5,422.00
ME97X-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,983.00	2,098.00	2,219.00	2,401.00	2,855.00	3,217.00	4,661.00	5,495.00
100-240V AC	US\$	2,045.00	2,160.00	2,281.00	2,553.00	3,007.00	3,369.00	4,921.00	5,755.00
ME97X-06* With three-position on/off metal Valbia electric actuator.									
24V AC/DC	US\$	1,645.00	1,760.00	1,881.00	2,085.00	2,539.00	2,901.00	4,383.00	5,217.00
100-240V AC	US\$	1,749.00	1,864.00	1,985.00	2,201.00	2,655.00	3,017.00	4,449.00	5,283.00
Weight (Lbs)		8.65	10.15	12.10	15.80	20.80	23.70	41.20	47.60

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXME97X-00* with CSA approved explosion proof standard on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	2,099.00	2,214.00	2,338.00	2,682.00	3,137.00	5,388.00	6,603.00	7,437.00
EXME97X-02* with 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,949.00	3,064.00	3,188.00	3,534.00	3,989.00	6,238.00	7,455.00	8,289.00
Weight (Lbs.)		5.76	7.26	9.26	12.56	17.56	38.15	46.80	53.20

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 724101 2-way direct mount, carbon steel ANSI 150, flanged wafer-style, full port ball valve.



8P724101

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V
Weight (Lbs)	7.81	10.24	12.39	18.48	30.16	37.00	54.67
US\$	470.00	498.00	549.00	653.00	988.00	1,082.00	1,436.00

8P724103

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs)	9.68	12.11	17.44	22.29	34.61	46.30	71.36
US\$	519.00	547.00	683.00	754.00	1,054.00	1,255.00	1,739.00



SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E724101-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$	732.00	760.00	811.00	882.00	1,217.00	1,311.00	1,720.00
12V AC/DC. 100-240V AC	US\$	777.00	805.00	856.00	927.00	1,288.00	1,382.00	1,803.00
8E724101-01* With fail-safe battery backup plastic Valbia electric actuator.								
24V AC/DC	US\$	1,234.00	1,262.00	1,313.00	1,384.00	1,733.00	1,827.00	2,273.00
100-240V AC	US\$	1,303.00	1,331.00	1,382.00	1,453.00	1,796.00	1,890.00	2,324.00
8E724101-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,172.00	1,200.00	1,251.00	1,322.00	1,648.00	1,742.00	2,129.00
12V AC/DC. 100-240V AC	US\$	1,264.00	1,292.00	1,343.00	1,414.00	1,738.00	2,217.00	2,217.00
8E724101-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,349.00	1,377.00	1,428.00	1,499.00	1,855.00	1,949.00	2,420.00
100-240V AC	US\$	1,424.00	1,452.00	1,503.00	1,574.00	1,915.00	2,009.00	2,507.00
Weight (Lbs)		10.39	12.82	14.97	19.82	31.31	38.15	56.87



SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E724101-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$	837.00	865.00	916.00	987.00	1,341.00	1,435.00	2,164.00
12V AC/DC. 100-240V AC	US\$	882.00	910.00	961.00	1,032.00	1,387.00	1,481.00	2,228.00
M8E724101-01* With fail-safe battery backup metal Valbia electric actuator.								
24V AC/DC	US\$	1,588.00	1,616.00	1,667.00	1,738.00	2,072.00	2,166.00	2,944.00
100-240V AC	US\$	1,670.00	1,698.00	1,749.00	1,820.00	2,154.00	2,248.00	3,010.00
M8E724101-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,486.00	1,514.00	1,565.00	1,636.00	2,043.00	2,137.00	2,880.00
12V AC/DC. 100-240V AC	US\$	1,583.00	1,611.00	1,662.00	1,733.00	2,144.00	2,238.00	2,962.00
M8E724101-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,719.00	1,747.00	1,798.00	1,869.00	2,197.00	2,291.00	2,967.00
100-240V AC	US\$	1,781.00	1,809.00	1,860.00	1,931.00	2,349.00	2,443.00	3,175.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 720017 2-way carbon steel, ANSI 150 flanged wafer-style, full port ball valve.



8P0175

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V	DA115V	DA140V
Weight (Lbs)	4.94	7.43	9.92	13.44	12.93	20.25	32.76	39.81	63.20	107.18	145.56
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US\$	376.00	448.00	481.00	515.00	583.00	711.00	968.00	1,074.00	1,507.00	2,219.00	3,343.00

8P0176

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V	SR140V	SR180V
Weight (Lbs)	6.73	9.30	11.79	15.31	19.85	29.55	49.40	62.25	82.12	136.73	197.59
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US\$	451.00	491.00	546.00	564.00	733.00	884.00	1,268.00	1,457.00	1,798.00	2,716.00	4,371.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
------	------	------	----	--------	--------	----	--------	----	----	----	----

8E082-00* With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350	VB350
24V AC/DC	US\$	525.00	532.00	743.00	777.00	886.00	930.00	1,252.00	1,358.00	1,732.00	2,322.00	3,310.00
12V AC/DC, 100-240 VAC	US\$	578.00	585.00	788.00	822.00	957.00	1,001.00	1,335.00	1,441.00	1,828.00	2,418.00	3,377.00

8E082-01* With fail-safe battery back-up plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350	VB350
24V AC/DC	US\$	1,205.00	1,212.00	1,245.00	1,279.00	1,402.00	1,446.00	1,805.00	1,911.00	2,339.00	2,929.00	3,880.00
100-240 VAC	US\$	1,274.00	1,281.00	1,314.00	1,348.00	1,465.00	1,509.00	1,856.00	1,962.00	2,408.00	2,998.00	3,958.00

8E082-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,143.00	1,150.00	1,183.00	1,217.00	1,317.00	1,361.00	1,661.00	1,767.00	2,198.00	2,788.00	3,758.00
12V AC/DC, 100-240 VAC	US\$	1,235.00	1,242.00	1,275.00	1,309.00	1,407.00	1,451.00	1,749.00	1,855.00	2,317.00	2,907.00	3,834.00

8E082-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,320.00	1,327.00	1,360.00	1,394.00	1,524.00	1,568.00	1,952.00	2,058.00	2,495.00	3,085.00	4,081.00
100-240 VAC	US\$	1,395.00	1,402.00	1,435.00	1,469.00	1,584.00	1,628.00	2,039.00	2,145.00	2,573.00	3,163.00	4,146.00
Weight (Lbs)/Bracket kit		8.91/RI3780	10.01/RI3013	12.50/RI3001	16.02/RI3008	16.55/RI3002	21.40/RI3002	34.96/RI3003	42.01/RI3003	61.88/RI3004	98.47/RI3004	122.86/RI3006



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
------	------	------	----	--------	--------	----	--------	----	----	----	----

M8E082-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB350M	VB350M
24V AC/DC	US\$	808.00	815.00	848.00	882.00	1,010.00	1,054.00	1,696.00	1,802.00	2,197.00	2,787.00	3,894.00
12V AC/DC, 100-240 VAC	US\$	853.00	860.00	893.00	927.00	1,056.00	1,100.00	1,760.00	1,866.00	2,266.00	2,856.00	3,961.00

M8E082-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,559.00	1,566.00	1,599.00	1,633.00	1,741.00	1,785.00	2,476.00	2,582.00	3,074.00	3,664.00	4,730.00
100-240 VAC	US\$	1,641.00	1,648.00	1,681.00	1,715.00	1,823.00	1,867.00	2,542.00	2,648.00	3,189.00	3,779.00	4,858.00

M8E082-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,457.00	1,464.00	1,497.00	1,531.00	1,712.00	1,756.00	2,412.00	2,518.00	3,006.00	3,596.00	4,624.00
12V AC/DC, 100-240 VAC	US\$	1,554.00	1,561.00	1,594.00	1,628.00	1,813.00	1,857.00	2,494.00	2,600.00	3,095.00	3,685.00	4,717.00

M8E082-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,690.00	1,697.00	1,730.00	1,764.00	1,866.00	1,910.00	2,499.00	2,605.00	3,168.00	3,758.00	4,837.00
100-240 VAC	US\$	1,752.00	1,759.00	1,792.00	1,826.00	2,018.00	2,062.00	2,707.00	2,813.00	3,428.00	4,018.00	5,118.00
Weight (Lbs)		11.16/RI3780	12.26/RI3013	14.75/RI3001	18.27/RI3008	19.17/RI3002	24.02/RI3002	42.86/RI3003	49.91/RI3003	69.78/RI3004	106.37/RI3004	130.53/RI3006

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

NEW

Valpres 722V17 2-way carbon steel ANSI 150 flanged, full port wafer ball valve for fire safe applications.

**8P722V17**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Est.Wgt. (Lbs.)	3.72	5.62	6.53	7.83	11.01	15.63	23.90	28.43	41.42
Bracket Kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004
US\$	409.00	499.00	510.00	556.00	637.00	770.00	1,070.00	1,180.00	1,634.00

8P722V19

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Est.Wgt. (Lbs.)	5.51	7.49	8.40	9.70	17.93	24.93	40.54	50.87	60.34
Bracket Kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005
US\$	484.00	542.00	575.00	605.00	787.00	943.00	1,370.00	1,563.00	1,925.00

**M8E722V17-01***

With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	841.00	866.00	877.00	923.00	1,064.00	1,113.00	1,798.00	1,908.00
12V AC/DC, 100-240 VAC	US\$	886.00	911.00	922.00	968.00	1,110.00	1,159.00	1,862.00	2,393.00

M8E722V17-01*

With fail-safe battery back-up metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,592.00	1,617.00	1,628.00	1,674.00	1,795.00	1,844.00	2,578.00	2,688.00
100-240 VAC	US\$	1,674.00	1,699.00	1,710.00	1,756.00	1,877.00	1,926.00	2,644.00	3,316.00

M8E722V17-02*

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,490.00	1,515.00	1,526.00	1,572.00	1,766.00	1,815.00	2,514.00	2,624.00
12V AC/DC, 100-240 VAC	US\$	1,587.00	1,612.00	1,623.00	1,669.00	1,867.00	1,916.00	2,596.00	3,222.00

M8E722V17-04*

With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,723.00	1,748.00	1,759.00	1,805.00	1,920.00	1,969.00	2,601.00	2,711.00
100-240 VAC	US\$	1,785.00	1,810.00	1,821.00	1,867.00	2,072.00	2,121.00	2,809.00	2,919.00
Weight (Lbs)/Bracket Kit		9.94/RI3780	10.45/RI3013	11.36/RI3001	12.66/RI3008	17.25/RI3002	19.40/RI3002	34.00/RI3003	38.53/RI3003

**EXME722V17-00***

With CSA approved explosion proof on/off metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	1,834.00	1,859.00	1,870.00	1,916.00	2,192.00	2,241.00	4,400.00	4,510.00

EXME722V17-02*

With CSA approved explosion proof positioning metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
24V AC/DC, 110V AC, 220V AC	US\$	2,684.00	2,709.00	2,720.00	2,766.00	3,044.00	3,093.00	5,250.00	5,360.00
Weight (Lbs)/Bracket Kit		7.05/RI3780	7.56/RI3013	8.47/RI3001	9.77/RI3008	13.96/RI3002	16.11/RI3002	39.55/RI3003	44.08/RI3003

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

FOR STEAM

Valpres 720791 2-way carbon steel ANSI 150 flanged, full port wafer ball valve for steam.

**8P720791**

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Est.Wgt. (Lbs)	9.92	12.93	20.25	39.81	63.20
Bracket Kit	RI3001	RI3002	RI3009	RI3003	RI3004
US\$	490.00	603.00	735.00	1,121.00	1,549.00

8P720793

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	SR63V	SR85V	SR100V	SR125V	SR125V
Est.Wgt. (Lbs)	11.79	19.85	29.55	62.25	82.12
Bracket Kit	RI3007	RI3009	RI3009	RI3010	RI3005
US\$	555.00	753.00	908.00	1,504.00	1,840.00



SIZE		1"	1 1/2"	2"	3"	4"
M8E720791-00* With UL approved standard on/off metal Valbia electric actuator.						
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	857.00	1,030.00	1,078.00	1,849.00	2,239.00
12V AC/DC, 100-240VAC	US\$	902.00	1,076.00	1,124.00	1,913.00	2,308.00
M8E720791-01* With fail-safe battery back-up metal Valbia electric actuator.						
24V AC/DC	US\$	1,608.00	1,761.00	1,809.00	2,629.00	3,116.00
100-240 VAC	US\$	1,690.00	1,843.00	1,891.00	2,695.00	3,231.00
M8E720791-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.						
24V AC/DC	US\$	1,506.00	1,732.00	1,780.00	2,565.00	3,048.00
12V AC/DC, 100-240VAC	US\$	1,603.00	1,833.00	1,881.00	2,647.00	3,137.00
M8E720791-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.						
24V AC/DC	US\$	1,739.00	1,886.00	1,934.00	2,652.00	3,210.00
100-240 VAC	US\$	1,801.00	2,038.00	2,086.00	2,860.00	3,470.00
Weight (Lbs)/Bracket Kit		14.75/RI3001	19.17/RI3002	24.02/RI3002	49.91/RI3003	69.78/RI3004

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 =100-240V AC

Valpres 720289 2-way carbon steel, ANSI 300 wafer-style, full port ball valve.

**8P720289**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA100V	DA115V	DA160V
Weight (Lbs)	6.57	10.16	11.96	14.46	23.13	33.60	54.12	77.51	128.81	294.93
Bracket kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US\$	523.00	586.00	733.00	663.00	790.00	1,079.00	1,457.00	1,710.00	2,393.00	4,861.00

8P720291

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR125V	SR160V	SR230V
Weight (Lbs)	8.44	17.08	18.88	21.38	32.43	50.24	73.04	89.04	170.04	452.06
Bracket kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US\$	571.00	734.00	882.00	811.00	963.00	1,376.00	1,748.00	1,879.00	3,182.00	7,709.00



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
8E720289-00* With UL approved standard on/off plastic Valbia electric actuator.											
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	C/F
24V AC/DC	US\$	785.00	796.00	829.00	872.00	1,009.00	1,111.00	1,654.00	1,813.00	2,468.00	C/F
12V AC/DC, 100-240 VAC	US\$	830.00	841.00	874.00	917.00	1,080.00	1,182.00	1,737.00	1,909.00	2,579.00	
8E720289-01* With fail-safe battery back-up plastic Valbia electric actuator.											
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270	C/F
24V AC/DC	US\$	1,287.00	1,298.00	1,331.00	1,374.00	1,525.00	1,627.00	2,207.00	2,420.00	3,088.00	C/F
100-240 VAC	US\$	1,356.00	1,367.00	1,400.00	1,443.00	1,588.00	1,690.00	2,258.00	2,489.00	3,158.00	
8E720289-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$	1,225.00	1,236.00	1,269.00	1,312.00	1,440.00	1,542.00	2,063.00	2,279.00	2,972.00	C/F
12V AC/DC, 100-240 VAC	US\$	1,317.00	1,328.00	1,361.00	1,404.00	1,530.00	1,632.00	2,151.00	2,398.00	3,067.00	
8E720289-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.											
24V AC/DC	US\$	1,402.00	1,413.00	1,446.00	1,489.00	1,647.00	1,749.00	2,354.00	2,576.00	3,274.00	C/F
100-240 VAC	US\$	1,477.00	1,488.00	1,521.00	1,564.00	1,707.00	1,809.00	2,441.00	2,654.00	3,354.00	
Weight (Lbs)/Bracket kit		9.15/RI3805	11.55/RI4041	13.35/RI4042	15.85/RI4043	24.28/RI4245	32.28/RI4044	52.80/RI3810	68.80/RI3810	118.23/RI3811	C/F



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720289-00* With UL approved standard on/off metal Valbia electric actuator.											
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	C/F
24V AC/DC	US\$	890.00	901.00	934.00	977.00	1,133.00	1,235.00	2,098.00	2,278.00	3,101.00	C/F
12V AC/DC, 100-240 VAC	US\$	935.00	946.00	979.00	1,022.00	1,179.00	1,281.00	2,162.00	2,347.00	3,148.00	
M8E720289-01* With fail-safe battery back-up metal Valbia electric actuator.											
24V AC/DC	US\$	1,641.00	1,652.00	1,685.00	1,728.00	1,864.00	1,966.00	2,878.00	3,155.00	3,847.00	C/F
100-240 VAC	US\$	1,723.00	1,734.00	1,767.00	1,810.00	1,946.00	2,048.00	2,944.00	3,270.00	3,963.00	
M8E720289-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$	1,539.00	1,550.00	1,583.00	1,626.00	1,835.00	1,937.00	2,814.00	3,087.00	3,818.00	C/F
12V AC/DC, 100-240 VAC	US\$	1,636.00	1,647.00	1,680.00	1,723.00	1,936.00	2,038.00	2,896.00	3,176.00	3,907.00	
M8E720289-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.											
24V AC/DC	US\$	1,772.00	1,783.00	1,816.00	1,859.00	1,989.00	2,091.00	2,901.00	3,249.00	3,947.00	C/F
100-240 VAC	US\$	1,834.00	1,845.00	1,878.00	1,921.00	2,141.00	2,243.00	3,109.00	3,509.00	4,148.00	
Weight (Lbs)		11.40/RI3805	13.80/RI4041	15.60/RI4042	18.10/RI4043	26.90/RI4245	34.90/RI4044	60.70/RI3810	76.70/RI3810	125.90/RI3811	C/F

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 720744 2-way carbon steel ANSI 300 flanged, full port wafer ball valve for Fire Safe applications.



8P720744

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA100V	DA115V	DA160V
Est.Wgt. (Lbs)	6.57	10.16	11.96	14.46	23.13	33.60	54.12	77.51	128.81	294.93
Bracket Kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3039
US\$	547.00	612.00	761.00	697.00	827.00	1,130.00	1,531.00	1,675.00	2,469.00	4,970.00

8P720746

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR125V	SR160V	SR230V
Est.Wgt. (Lbs)	8.44	17.08	18.88	21.38	32.43	50.24	73.04	89.04	170.04	452.06
Bracket Kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US\$	595.00	760.00	910.00	845.00	1,000.00	1,427.00	1,822.00	1,966.00	3,340.00	8,025.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720744-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M

24V AC/DC	US\$	914.00	927.00	962.00	1,011.00	1,170.00	1,286.00	2,172.00	2,365.00	3,259.00	-
12V AC/DC, 100-240 VAC	US\$	959.00	972.00	1,007.00	1,056.00	1,216.00	1,332.00	2,236.00	2,434.00	3,306.00	-

M8E720744-01*	With fail-safe battery back-up metal Valbia electric actuator.
---------------	--

24V AC/DC	US\$	1,665.00	1,678.00	1,713.00	1,762.00	1,901.00	2,017.00	2,952.00	3,242.00	4,005.00	-
100-240 VAC	US\$	1,747.00	1,760.00	1,795.00	1,844.00	1,983.00	2,099.00	3,018.00	3,357.00	4,121.00	-

M8E720744-02*	With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.
---------------	---

24V AC/DC	US\$	1,563.00	1,576.00	1,611.00	1,660.00	1,872.00	1,988.00	2,888.00	3,174.00	3,976.00	-
12V AC/DC, 100-240 VAC	US\$	1,660.00	1,673.00	1,708.00	1,757.00	1,973.00	2,089.00	2,970.00	3,263.00	4,065.00	-

M8E720744-04*											With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
---------------	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,796.00	1,809.00	1,844.00	1,893.00	2,026.00	2,142.00	2,975.00	3,336.00	4,105.00	-
100-240 VAC	US\$	1,858.00	1,871.00	1,906.00	1,955.00	2,178.00	2,294.00	3,183.00	3,596.00	4,306.00	-
Weight (Lbs)/Bracket Kit		11.40/RI3805	13.80/RI4041	15.60/RI4042	18.10/RI4043	26.90/RI4245	34.90/RI4044	60.70/RI3810	76.70/RI3810	125.90/RI3811	-



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
EXM8E720744-00*											
With CSA approved explosion proof on/off metal electric actuator.											

24V AC/DC, 110V AC, 220V AC	US\$	1,907.00	1,920.00	1,955.00	2,004.00	2,298.00	2,414.00	4,774.00	5,267.00	6,458.00	C/F
-----------------------------	------	----------	----------	----------	----------	----------	----------	----------	----------	----------	-----

EXM8E720744-02*										
With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.										

Weight (Lbs)/Bracket Kit		8.51/RI3805	10.91/RI4041	12.71/RI4042	15.21/RI4043	21.41/RI4245	29.41/RI4044	66.25/RI3810	82.25/RI3810	149.09/RI3811	-
--------------------------	--	-------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	---------------	---

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

FOR STEAM

Valpres 725002 2-way stainless steel, ANSI 150 true wafer-style, full port ball valve.



8P725002

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V
Weight (Lbs)	6.83	7.61	10.40	16.40	27.80	34.31	50.40
Bracket kit	RI4230	RI4230	RI4231	RI4232	RI4233	RI4233	RI4233
US\$	532.00	565.00	676.00	874.00	1,148.00	1,352.00	1,824.00

8P725003

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V
Weight (Lbs)	8.70	9.48	17.32	25.70	44.44	56.75	69.32
Bracket kit	RI4234	RI4234	RI4232	RI4232	RI4235	RI4235	RI4235
US\$	579.00	612.00	824.00	1,047.00	1,446.00	1,733.00	2,118.00



SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E725002-00* With UL approved standard on/off plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	794.00	827.00	979.00	1,095.00	1,432.00	2,049.00
12V AC/DC, 100-240 VAC	US\$	839.00	872.00	1,050.00	1,166.00	1,515.00	2,145.00

8E725002-01* With fail-safe battery back-up plastic Valbia electric actuator.							
ACT.		VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,296.00	1,329.00	1,495.00	1,611.00	1,985.00	2,856.00
100-240 VAC	US\$	1,365.00	1,398.00	1,558.00	1,674.00	2,036.00	2,725.00

8E725002-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,234.00	1,267.00	1,410.00	1,526.00	1,841.00	2,515.00
12V AC/DC, 100-240 VAC	US\$	1,326.00	1,359.00	1,500.00	1,616.00	1,929.00	2,634.00

8E725002-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.							
24V AC/DC	US\$	1,411.00	1,444.00	1,617.00	1,733.00	2,132.00	2,812.00
100-240 VAC	US\$	1,486.00	1,519.00	1,677.00	1,793.00	2,219.00	2,890.00
Weight (Lbs)/Bracket kit		9.41/RI4230	10.19/RI4230	14.02/RI4231	17.55/RI4231	30.00/RI4233	49.08/RI4233



SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E725002-00* With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	899.00	932.00	1,103.00	1,219.00	1,876.00	2,514.00
12V AC/DC, 100-240 VAC	US\$	944.00	977.00	1,149.00	1,265.00	1,940.00	2,583.00

M8E725002-01* With fail-safe battery back-up metal Valbia electric actuator.							
24V AC/DC	US\$	1,650.00	1,683.00	1,834.00	1,950.00	2,656.00	3,391.00
100-240 VAC	US\$	1,732.00	1,765.00	1,916.00	2,032.00	2,722.00	3,506.00

M8E725002-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,548.00	1,581.00	1,805.00	1,921.00	2,592.00	3,323.00
12V AC/DC, 100-240 VAC	US\$	1,645.00	1,678.00	1,906.00	2,022.00	2,674.00	3,412.00

M8E725002-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,781.00	1,814.00	1,959.00	2,075.00	2,679.00	3,485.00
100-240 VAC	US\$	1,843.00	1,876.00	2,111.00	2,227.00	2,887.00	3,745.00
Weight (Lbs)/Bracket kit		11.66/RI4230	12.44/RI4230	16.64/RI4231	20.17/RI4231	37.90/RI4233	56.98/RI4233



SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EXM8E725002-00* With CSA approved explosion proof on/off metal electric actuator.							
ACT.		EAX035	EAX035	EAX045	EAX080	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	1,892.00	1,925.00	2,231.00	2,347.00	4,478.00	5,416.00
EXM8E725002-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.							
24V AC/DC, 110V AC, 220V AC	US\$	2,742.00	2,775.00	3,083.00	3,199.00	5,328.00	6,268.00
Weight (Lbs)/Bracket Kit		8.77/RI4230	9.55/RI4230	13.35/RI4231	16.88/RI4231	43.45/RI4233	62.53/RI4233

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 723101 2-way direct mount, 316 stainless steel ANSI 150, flanged wafer-style, full port ball valve.



8P723101

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V
Weight (Lbs)	7.81	10.24	12.39	18.48	30.16	37.00	54.67
US\$	558.00	643.00	735.00	888.00	1,326.00	1,574.00	2,098.00

8P723103

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Weight (Lbs)	9.68	12.11	17.44	22.29	34.61	46.30	71.36
US\$	607.00	692.00	869.00	989.00	1,392.00	1,747.00	2,401.00



SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E723101-00* With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110
24V AC/DC	US\$	820.00	905.00	997.00	1,117.00	1,555.00	1,803.00	2,382.00
12V AC/DC, 100-240V AC	US\$	865.00	950.00	1,042.00	1,162.00	1,626.00	1,874.00	2,465.00
8E723101-01* With fail-safe battery backup plastic Valbia electric actuator.								
24V AC/DC	US\$	1,322.00	1,407.00	1,499.00	1,619.00	2,071.00	2,319.00	2,935.00
100-240V AC	US\$	1,391.00	1,476.00	1,568.00	1,688.00	2,134.00	2,382.00	2,986.00
8E723101-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,260.00	1,345.00	1,437.00	1,557.00	1,986.00	2,234.00	2,791.00
12V AC/DC, 100-240V AC	US\$	1,352.00	1,437.00	1,529.00	1,649.00	2,076.00	2,879.00	2,879.00
8E723101-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,437.00	1,522.00	1,614.00	1,734.00	2,193.00	2,441.00	3,082.00
100-240V AC	US\$	1,512.00	1,597.00	1,689.00	1,809.00	2,253.00	2,501.00	3,169.00
Weight (Lbs)		10.39	12.82	14.97	19.82	31.31	38.15	56.87



SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E723101-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$	925.00	1,010.00	1,102.00	1,222.00	1,679.00	1,927.00	2,826.00
12V AC/DC, 100-240V AC	US\$	970.00	1,055.00	1,147.00	1,267.00	1,725.00	1,973.00	2,890.00
M8E723101-01* With fail-safe battery backup metal Valbia electric actuator.								
24V AC/DC	US\$	1,676.00	1,761.00	1,853.00	1,973.00	2,410.00	2,658.00	3,606.00
100-240V AC	US\$	1,758.00	1,843.00	1,935.00	2,055.00	2,492.00	2,740.00	3,672.00
M8E723101-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,574.00	1,659.00	1,751.00	1,871.00	2,381.00	2,629.00	3,542.00
12V AC/DC, 100-240V AC	US\$	1,671.00	1,756.00	1,848.00	1,968.00	2,482.00	2,730.00	3,624.00
M8E723101-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,807.00	1,892.00	1,984.00	2,104.00	2,535.00	2,783.00	3,629.00
100-240V AC	US\$	1,869.00	1,954.00	2,046.00	2,166.00	2,687.00	2,935.00	3,837.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

Valpres 720016 2-way 316 stainless steel ANSI 150, flanged wafer-style, full port ball valve.



8P0173

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V	DA115V	DA140V
Weight (Lbs)	4.94	7.43	9.92	13.44	12.93	20.25	32.76	39.81	63.20	107.18	145.56
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3005	RI3039
US\$	460.00	562.00	590.00	675.00	766.00	979.00	1,329.00	1,578.00	2,185.00	3,761.00	5,445.00

8P0174

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
ACT.	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V	SR140V	SR180V
Weight (Lbs)	6.73	9.30	11.79	15.31	19.85	29.55	49.40	62.25	82.12	136.73	197.59
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI3037	RI3195
US\$	535.00	605.00	655.00	724.00	916.00	1,152.00	1,629.00	1,961.00	2,476.00	4,258.00	6,473.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
8E076-00*	With UL approved standard on/off plastic Valbia electric actuator.										
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350
24V AC/DC	US\$	609.00	646.00	852.00	937.00	1,069.00	1,198.00	1,613.00	1,862.00	2,410.00	5,412.00
12V AC/DC, 100-240 VAC	US\$	662.00	699.00	897.00	982.00	1,140.00	1,269.00	1,696.00	1,945.00	2,506.00	5,479.00

8E076-01*	With fail-safe battery back-up plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350
24V AC/DC	US\$	1,289.00	1,326.00	1,354.00	1,439.00	1,585.00	1,714.00	2,166.00	2,415.00	3,017.00	5,982.00
100-240 VAC	US\$	1,358.00	1,395.00	1,423.00	1,508.00	1,648.00	1,777.00	2,217.00	2,466.00	3,086.00	6,060.00

8E076-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,227.00	1,264.00	1,292.00	1,377.00	1,500.00	1,629.00	2,022.00	2,271.00	2,876.00	5,860.00
12V AC/DC, 100-240 VAC	US\$	1,319.00	1,356.00	1,384.00	1,469.00	1,590.00	1,719.00	2,110.00	2,359.00	2,995.00	5,936.00

8E076-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,404.00	1,441.00	1,469.00	1,554.00	1,707.00	1,836.00	2,313.00	2,562.00	3,173.00	6,183.00
100-240 VAC	US\$	1,479.00	1,516.00	1,544.00	1,629.00	1,767.00	1,896.00	2,400.00	2,649.00	3,251.00	6,248.00
Weight (Lbs)		8.91/RI3780	10.01/RI3013	12.50/RI3001	16.02/RI3008	16.55/RI3002	21.40/RI3002	34.96/RI3003	42.01/RI3003	61.88/RI3004	100.90/RI3004 122.86/RI3006



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	5"	6"
M8E076-00*	With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB350M
24V AC/DC	US\$	892.00	929.00	957.00	1,042.00	1,193.00	1,322.00	2,057.00	2,306.00	2,875.00	5,996.00
12V AC/DC, 100-240 VAC	US\$	937.00	974.00	1,002.00	1,087.00	1,239.00	1,368.00	2,121.00	2,370.00	2,944.00	6,063.00

M8E076-01*	With fail-safe battery back-up metal Valbia electric actuator.										
24V AC/DC	US\$	1,643.00	1,680.00	1,708.00	1,793.00	1,924.00	2,053.00	2,837.00	3,086.00	3,752.00	6,832.00
100-240 VAC	US\$	1,725.00	1,762.00	1,790.00	1,875.00	2,006.00	2,135.00	2,903.00	3,152.00	3,867.00	6,960.00

M8E076-02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,541.00	1,578.00	1,606.00	1,691.00	1,895.00	2,024.00	2,773.00	3,022.00	3,684.00	6,726.00
12V AC/DC, 100-240 VAC	US\$	1,638.00	1,675.00	1,703.00	1,788.00	1,996.00	2,125.00	2,855.00	3,104.00	3,773.00	6,819.00

M8E076-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,774.00	1,811.00	1,839.00	1,924.00	2,049.00	2,178.00	2,860.00	3,109.00	3,846.00	6,939.00
100-240 VAC	US\$	1,836.00	1,875.00	1,901.00	1,986.00	2,201.00	2,330.00	3,068.00	3,317.00	4,106.00	7,220.00
Weight (Lbs)/Bracket kit		11.16/RI3780	12.26/RI3013	14.75/RI3001	18.27/RI3008	19.17/RI3002	24.02/RI3002	42.86/RI3003	49.91/RI3003	69.78/RI3004	106.37/RI3004 130.53/RI3006

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

NEW

Valpres 721V16 2-way stainless steel ANSI 150 flanged, full port wafer ball valve for fire safe applications.

**8P721V16**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	DA32	DA52	DA52	DA52	DA63	DA75	DA85	DA85	DA100
Est.Wgt. (Lbs.)	3.72	5.62	6.53	7.83	11.01	15.63	23.90	28.43	41.42
Bracket Kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004
US\$	508.00	619.00	641.00	741.00	848.00	1,074.00	1,492.00	1,774.00	2,394.00

8P721V18

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
ACT.	SR52	SR63	SR63	SR63	SR85	SR100	SR115	SR125	SR125
Est.Wgt. (Lbs.)	5.51	7.49	8.40	9.70	17.93	24.93	40.54	50.87	60.34
Bracket Kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005
US\$	583.00	662.00	706.00	790.00	998.00	1,247.00	1,792.00	2,157.00	2,685.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	------	------	----	--------	--------	----	--------	----	----

M8E721V16-00*

With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	940.00	986.00	1,008.00	1,108.00	1,275.00	1,417.00	2,220.00	2,502.00	3,084.00
12V AC/DC, 100-240 VAC	US\$	985.00	1,031.00	1,053.00	1,153.00	1,321.00	1,463.00	2,284.00	2,566.00	3,153.00

M8E721V16-01*

With fail-safe battery back-up metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	1,691.00	1,737.00	1,759.00	1,859.00	2,006.00	2,148.00	3,000.00	3,282.00	3,961.00
100-240 VAC	US\$	1,773.00	1,819.00	1,841.00	1,941.00	2,088.00	2,230.00	3,066.00	3,348.00	4,076.00

M8E721V16-02*

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	1,589.00	1,635.00	1,657.00	1,757.00	1,977.00	2,119.00	2,936.00	3,218.00	3,893.00
12V AC/DC, 100-240 VAC	US\$	1,686.00	1,732.00	1,754.00	1,854.00	2,078.00	2,220.00	3,018.00	3,300.00	3,982.00

M8E721V16-04*

With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	1,822.00	1,868.00	1,890.00	1,990.00	2,131.00	2,273.00	3,023.00	3,305.00	4,055.00
100-240 VAC	US\$	1,884.00	1,930.00	1,952.00	2,052.00	2,283.00	2,425.00	3,231.00	3,513.00	4,315.00
Weight (Lbs)/Bracket Kit		9.94/RI3780	10.45/RI3013	11.36/RI3001	12.66/RI3008	17.25/RI3002	19.40/RI3002	34.00/RI3003	38.53/RI3003	48.00/RI3004



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
------	------	------	----	--------	--------	----	--------	----	----

EXME721V16-00*

With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V DC	US\$	1,933.00	1,979.00	2,001.00	2,101.00	2,403.00	2,545.00	4,822.00	5,453.00	6,502.00

EXME721V16-02*

With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V DC	US\$	2,783.00	2,829.00	2,851.00	2,951.00	3,255.00	3,397.00	5,672.00	6,305.00	7,353.00
Weight (Lbs)/Bracket Kit		7.05/RI3780	7.56/RI3013	8.47/RI3001	9.77/RI3008	13.96/RI3002	16.11/RI3002	39.55/RI3003	44.08/RI3003	73.39/RI3004

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 720288 2-way stainless steel ANSI 300, flanged wafer, full port ball valve.



8P720288

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA100V	DA115V	DA160V
Weight (Lbs)	6.57	10.16	11.96	14.46	23.13	33.60	54.12	77.51	128.81	294.93
Bracket kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3195
US\$	605.00	714.00	893.00	888.00	1,124.00	1,588.00	2,475.00	2,827.00	4,532.00	9,585.00

8P720290

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR125V	SR160V	SR230V
Weight (Lbs)	8.44	17.08	18.88	21.38	32.43	50.24	73.04	89.04	170.04	452.06
Bracket kit	RI3812	RI3813	RI3814	RI315	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US\$	653.00	862.00	1,042.00	1,036.00	1,297.00	1,885.00	2,766.00	2,999.00	5,321.00	12,433.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
8E720288-00* With UL approved standard on/off plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270

24V AC/DC	US\$	867.00	924.00	989.00	1,097.00	1,343.00	1,620.00	2,672.00	2,933.00	4,607.00	-
12V AC/DC, 100-240 VAC	US\$	912.00	969.00	1,034.00	1,142.00	1,414.00	1,691.00	2,755.00	3,029.00	4,718.00	-

8E720288-01*										
With fail-safe battery back-up plastic Valbia electric actuator.										

24V AC/DC	US\$	1,369.00	1,426.00	1,491.00	1,599.00	1,859.00	2,136.00	3,225.00	3,540.00	5,227.00	-
100-240 VAC	US\$	1,438.00	1,495.00	1,560.00	1,668.00	1,922.00	2,199.00	3,276.00	3,609.00	5,297.00	-

100 L40 VAC										
330	1,100.00	1,100.00	1,000.00	1,000.00	1,022.00	2,100.00	0,210.00	0,000.00	0,207.00	
8E720288-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										

24V AC/DC	US\$	1,307.00	1,364.00	1,429.00	1,537.00	1,774.00	2,051.00	3,081.00	3,399.00	5,111.00	-
12V AC/DC, 100-240 VAC	US\$	1,399.00	1,456.00	1,521.00	1,629.00	1,864.00	2,141.00	3,169.00	3,518.00	5,206.00	-

8E720288-04*											With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
--------------	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,484.00	1,541.00	1,606.00	1,714.00	1,981.00	2,258.00	3,372.00	3,696.00	5,413.00	-
100-240 VAC	US\$	1,559.00	1,616.00	1,681.00	1,789.00	2,041.00	2,318.00	3,459.00	3,774.00	5,493.00	-
Weight (Lbs)/Bracket kit		9.15/RI3805	11.55/RI4041	13.35/RI4042	15.85/RI4043	24.28/RI4245	32.28/RI4044	52.80/RI3810	68.80/RI3810	118.23/RI3811	-



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720288-00* With UL approved standard on/off metal Valbia electric actuator.										

24V AC/DC	US\$	972.00	1,029.00	1,094.00	1,202.00	1,467.00	1,744.00	3,116.00	3,398.00	5,240.00	-
12V AC/DC, 100-240 VAC	US\$	1,017.00	1,074.00	1,139.00	1,247.00	1,513.00	1,790.00	3,180.00	3,467.00	5,287.00	-

M8E720288-01*												
With fail-safe battery back-up metal Valbia electric actuator.												

24V AC/DC	US\$	1,723.00	1,780.00	1,845.00	1,953.00	2,198.00	2,475.00	3,896.00	4,275.00	5,986.00	-
100-240 VAC	US\$	1,805.00	1,862.00	1,927.00	2,035.00	2,280.00	2,557.00	3,962.00	4,390.00	6,102.00	-

M8E720288-02*											With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M	-

24V AC/DC	US\$	1,621.00	1,678.00	1,743.00	1,851.00	2,169.00	2,446.00	3,832.00	4,207.00	5,957.00	-
12V AC/DC, 100-240 VAC	US\$	1,718.00	1,775.00	1,840.00	1,948.00	2,270.00	2,547.00	3,914.00	4,296.00	6,046.00	-

M8E720288-04*											With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
---------------	--	--	--	--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	--	--	--

24V AC/DC	US\$	1,854.00	1,911.00	1,976.00	2,084.00	2,323.00	2,600.00	3,919.00	4,369.00	6,086.00	-
100-240 VAC	US\$	1,916.00	1,973.00	2,038.00	2,146.00	2,475.00	2,752.00	4,127.00	4,629.00	6,287.00	-
Weight (Lbs)/Bracket kit		11.40/RI3805	13.80/RI4041	15.60/RI4042	18.10/RI4043	26.90/RI4245	34.90/RI4044	60.70/RI3810	76.70/RI3810	125.90/RI3811	-

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 720741 2-way stainless steel ANSI 300 flanged, full port wafer ball valve for Fire Safe applications.



8P720741

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA100V	DA115V	DA160V
Est.Wgt. (Lbs)	6.57	10.16	11.96	14.46	23.13	33.60	54.12	77.51	128.81	294.93
Bracket Kit	RI3805	RI3806	RI3807	RI3808	RI4244	RI3809	RI3810	RI3810	RI3811	RI3195
US\$	636.00	753.00	936.00	944.00	1,194.00	1,689.00	2,652.00	3,027.00	4,903.00	10,372.00

8P720743

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR125V	SR160V	SR230V
Est.Wgt. (Lbs)	8.44	17.08	18.88	21.38	32.43	50.24	73.04	89.04	170.04	452.06
Bracket Kit	RI3812	RI3813	RI3814	RI3815	RI4244	RI3816	RI3817	RI3817	RI3818	RI3819
US\$	684.00	901.00	1,085.00	1,092.00	1,367.00	1,986.00	2,943.00	3,199.00	5,692.00	13,220.00



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
M8E720741-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
24V AC/DC	US\$	1,003.00	1,068.00	1,137.00	1,258.00	1,537.00	1,845.00	3,293.00	3,598.00	5,611.00
12V AC/DC, 100-240 VAC	US\$	1,048.00	1,113.00	1,182.00	1,303.00	1,583.00	1,891.00	3,357.00	3,667.00	5,658.00

M8E720741-01* With fail-safe battery back-up metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
24V AC/DC	US\$	1,754.00	1,819.00	1,888.00	2,009.00	2,268.00	2,576.00	4,073.00	4,475.00	6,357.00
100-240 VAC	US\$	1,836.00	1,901.00	1,970.00	2,091.00	2,350.00	2,658.00	4,139.00	4,590.00	6,473.00

M8E720741-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
24V AC/DC	US\$	1,652.00	1,717.00	1,786.00	1,907.00	2,239.00	2,547.00	4,009.00	4,407.00	6,328.00
12V AC/DC, 100-240 VAC	US\$	1,749.00	1,814.00	1,883.00	2,004.00	2,340.00	2,648.00	4,091.00	4,496.00	6,417.00

M8E720741-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
24V AC/DC	US\$	1,885.00	1,950.00	2,019.00	2,140.00	2,393.00	2,701.00	4,096.00	4,569.00	6,457.00
100-240 VAC	US\$	1,947.00	2,012.00	2,081.00	2,202.00	2,545.00	2,853.00	4,304.00	4,829.00	6,658.00
Weight (Lbs)/Bracket Kit		11.40/RI3805	13.80/RI4041	15.60/RI4042	18.10/RI4043	26.90/RI4245	34.90/RI4044	60.70/RI3810	76.70/3810	125.90/RI3811



SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
EXM8E720741-00* With CSA approved explosion proof on/off metal electric actuator.										
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V DC	US\$	1,996.00	2,061.00	2,130.00	2,251.00	2,665.00	2,973.00	5,895.00	6,500.00	8,810.00
EXM8E720741-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.										
24V AC/DC, 110V AC, 220V DC	US\$	2,846.00	2,911.00	2,980.00	3,101.00	3,517.00	3,825.00	6,745.00	7,352.00	9,661.00
Weight (Lbs)/Bracket Kit		8.51/RI3805	10.91/RI4041	12.71/RI4042	15.21/RI4043	23.61/RI4245	31.61/RI4044	66.25/RI3810	82.25/RI3810	149.09/RI3811

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 766001 2-way direct mount carbon steel ANSI 150, flanged, Fire Safe design, full port ball valve.



8P766001

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Weight (Lbs)	10.90	19.14	27.34	48.10	65.68
US\$	509.00	656.00	850.00	1,325.00	1,785.00



8P766003

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	SR63V	SR85V	SR100V	SR125V	SR125V
Weight (Lbs)	12.82	22.95	31.79	64.79	84.65
US\$	560.00	757.00	916.00	1,628.00	2,084.00



SIZE	1"	1 1/2"	2"	3"	4"
8E766001-00*	With UL approved standard on/off plastic Valbia electric actuator.				
ACT.	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$ 771.00	959.00	1,077.00	1,609.00	2,010.00
12V AC/DC, 100-240 VAC	US\$ 816.00	1,030.00	1,148.00	1,692.00	2,106.00
8E766001-01*	With fail-safe battery back-up plastic Valbia electric actuator.				
ACT.	VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$ 1,273.00	1,475.00	1,593.00	2,162.00	2,617.00
100-240 VAC	US\$ 1,342.00	1,538.00	1,656.00	2,213.00	2,686.00
8E766001-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$ 1,211.00	1,390.00	1,508.00	2,018.00	2,476.00
12V AC/DC, 100-240 VAC	US\$ 1,303.00	1,480.00	1,598.00	2,106.00	2,595.00
8E766001-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$ 1,388.00	1,597.00	1,715.00	2,309.00	2,773.00
100-240 VAC	US\$ 1,463.00	1,657.00	1,775.00	2,396.00	2,851.00
Weight (Lbs)/Bracket kit	13.48	22.76	28.49	50.30	64.36



SIZE	1"	1 1/2"	2"	3"	4"
M8E766001-00*	With UL approved standard on/off metal Valbia electric actuator.				
ACT.	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$ 876.00	1,083.00	1,201.00	2,053.00	2,475.00
12V AC/DC, 100-240 VAC	US\$ 921.00	1,129.00	1,247.00	2,117.00	2,544.00
M8E766001-01*	With fail-safe battery back-up metal Valbia electric actuator.				
24V AC/DC	US\$ 1,627.00	1,814.00	1,932.00	2,833.00	3,352.00
100-240 VAC	US\$ 1,709.00	1,896.00	2,014.00	2,899.00	3,467.00
M8E766001-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$ 1,525.00	1,785.00	1,903.00	2,769.00	3,284.00
12V AC/DC, 100-240 VAC	US\$ 1,622.00	1,886.00	2,004.00	2,851.00	3,373.00
M8E766001-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$ 1,758.00	1,939.00	2,057.00	2,856.00	3,446.00
100-240 VAC	US\$ 1,820.00	2,091.00	2,209.00	3,064.00	3,706.00
Weight (Lbs)/Bracket kit	15.73	25.38	31.11	58.20	72.26

SIZE	1"	1 1/2"	2"	3"	4"
EXM8E766001-00*	With CSA approved explosion proof on/off metal electric actuator.				
ACT.	EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US\$ 1,869.00	2,211.00	2,329.00	4,655.00	5,377.00
EXM8E766001-02*	With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.				
24V AC/DC, 110V AC, 220V AC	US\$ 2,719.00	3,063.00	3,181.00	5,505.00	6,229.00
Weight (Lbs)	12.84	22.09	27.82	63.75	77.81

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 762000 2-way carbon steel ANSI 150, flanged, Fire Safe design, full port ball valve.



8P0179

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V	DA160V
Weight (Lbs)	6.29	8.83	12.12	20.81	31.93	60.21	83.12	215.84	330.57
Bracket kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553	RI3554
US\$	489.00	572.00	610.00	793.00	989.00	1,489.00	1,925.00	4,453.00	7,760.00

8P0180

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V	SR200V
Weight (Lbs)	8.08	10.70	13.99	28.23	41.23	82.65	102.04	267.87	403.87
Bracket kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3554	RI3555
US\$	563.00	577.00	659.00	942.00	1,162.00	1,871.00	2,217.00	5,533.00	8,639.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
8E085-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB015	VB015	VB030	VB060	VB060	VB110	VB190	VB350
24V AC/DC	US\$	637.00	656.00	872.00	1,096.00	1,225.00	1,773.00	2,127.00	4,420.00
12V AC/DC, 100-240 VAC	US\$	690.00	709.00	917.00	1,167.00	1,296.00	1,856.00	2,223.00	4,487.00
8E085-01* With fail-safe battery back-up plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB350
24V AC/DC	US\$	1,317.00	1,336.00	1,374.00	1,612.00	1,741.00	2,326.00	2,734.00	4,990.00
100-240 VAC	US\$	1,386.00	1,405.00	1,443.00	1,675.00	1,804.00	2,377.00	2,803.00	5,068.00
8E085-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,255.00	1,274.00	1,312.00	1,527.00	1,656.00	2,182.00	2,593.00	4,868.00
12V AC/DC, 100-240 VAC	US\$	1,347.00	1,366.00	1,404.00	1,617.00	1,746.00	2,270.00	2,712.00	4,944.00
8E085-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,432.00	1,451.00	1,489.00	1,734.00	1,863.00	2,473.00	2,890.00	5,191.00
100-240 VAC	US\$	1,507.00	1,526.00	1,564.00	1,794.00	1,923.00	2,560.00	2,968.00	5,256.00
Weight (Lbs)/Bracket kit		8.30/RI3519	9.45/RI3519	14.70/RI3520	24.43/RI3521	33.08/RI4039	62.41/RI3523	79.80/RI3522	193.14/RI3553



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
M8E085-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	920.00	939.00	977.00	1,220.00	1,349.00	2,217.00	2,592.00	5,004.00
12V AC/DC, 100-240 VAC	US\$	965.00	984.00	1,022.00	1,266.00	1,395.00	2,281.00	2,661.00	5,071.00
M8E085-01* With fail-safe battery back-up metal Valbia electric actuator.									
24V AC/DC	US\$	1,671.00	1,690.00	1,728.00	1,951.00	2,080.00	2,997.00	3,469.00	5,840.00
100-240 VAC	US\$	1,753.00	1,772.00	1,810.00	2,033.00	2,162.00	3,063.00	3,584.00	5,968.00
M8E085-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,569.00	1,588.00	1,626.00	1,922.00	2,051.00	2,933.00	3,401.00	5,734.00
12V AC/DC, 100-240 VAC	US\$	1,666.00	1,685.00	1,723.00	2,023.00	2,152.00	3,015.00	3,490.00	5,827.00
M8E085-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,802.00	1,821.00	1,859.00	2,076.00	2,205.00	3,020.00	3,563.00	5,947.00
100-240 VAC	US\$	1,864.00	1,883.00	1,921.00	2,228.00	2,357.00	3,228.00	3,823.00	6,228.00
Weight (Lbs)/Bracket kit		12.51/RI3519	13.66/RI3519	16.95/RI3520	27.05/RI3521	35.70/RI4039	70.31/RI3523	87.70/RI3522	200.81/RI3553

* - EA575 available in 24VDC and 100-240VAC only



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
EXM8E085-00* With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,913.00	1,932.00	1,970.00	2,348.00	2,477.00	4,819.00	5,494.00	8,113.00
EXM8E085-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,763.00	2,782.00	2,820.00	3,200.00	3,329.00	5,669.00	6,346.00	8,964.00
Weight (Lbs)/Bracket Kit		11.21/RI3519	12.36/RI3519	15.15/RI3520	25.65/RI3521	33.8/RI4039	87.61/RI3523	107/RI3522	242.91/RI3553

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 760137 2-way carbon steel ANSI 150 flanged, full port ball valve for steam.



8P760137

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V	DA160V
Est.Wgt. (Lbs)	6.29	8.83	12.12	20.81	31.93	60.21	83.12	215.84	330.57
Bracket Kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553	RI3554
US\$	513.00	597.00	640.00	838.00	1,046.00	1,587.00	2,056.00	4,784.00	8,372.00

8P760139

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V	SR200V
Est.Wgt. (Lbs)	8.08	10.70	13.99	28.23	41.23	82.65	102.04	267.87	403.87
Bracket Kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3554	RI3555
US\$	587.00	602.00	689.00	987.00	1,219.00	1,969.00	2,348.00	5,864.00	9,251.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
M8E760137-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	944.00	964.00	1,007.00	1,265.00	1,406.00	2,315.00	2,723.00	5,335.00
12V AC/DC, 100-240 VAC	US\$	989.00	1,009.00	1,052.00	1,311.00	1,452.00	2,379.00	2,792.00	5,402.00
M8E760137-01* With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,695.00	1,715.00	1,758.00	1,996.00	2,137.00	3,095.00	3,600.00	6,171.00
100-240 VAC	US\$	1,777.00	1,797.00	1,840.00	2,078.00	2,219.00	3,161.00	3,715.00	6,299.00
M8E760137-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,593.00	1,613.00	1,656.00	1,967.00	2,108.00	3,031.00	3,532.00	6,065.00
12V AC/DC, 100-240 VAC	US\$	1,690.00	1,710.00	1,753.00	2,068.00	2,209.00	3,113.00	3,621.00	6,158.00
M8E760137-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,826.00	1,846.00	1,889.00	2,121.00	2,262.00	3,118.00	3,694.00	6,278.00
100-240 VAC	US\$	1,888.00	1,908.00	1,951.00	2,273.00	2,414.00	3,326.00	3,954.00	6,559.00
Weight (Lbs)/Bracket Kit		12.51/RI3519	13.66/RI3519	16.95/RI3520	27.05/RI3521	35.70/RI4039	70.31/RI3523	87.70/RI3522	200.81/RI3553

* EA575 available in 24VDC and 100-240VAC only.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 68F000 2-way API 608 carbon steel ANSI 150 flanged, full port split body ball valve for fire safe applications.



8P68F000

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA100V	DA115V	DA140V
Est.Wgt. (Lbs)	7.37	10.75	15.77	27.31	34.37	69.26	108.40	245.14
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	750.00	815.00	925.00	1,221.00	1,415.00	2,344.00	3,236.00	7,943.00

*Mounting kit to be determined.

8P68F002

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR52V	SR63V	SR63V	SR85V	SR85V	SR115V	SR140V	SR180V
Est.Wgt. (Lbs)	9.16	12.62	16.45	28.65	43.67	82.38	119.93	318.44
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	806.00	952.00	1,094.00	1,419.00	1,738.00	-	4,114.00	10,332.00

*Mounting kit to be determined.



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
M8E68F000-00*	With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB060M	VB190M	VB190M	VB350M

24V AC/DC	US\$	1,129.00	1,182.00	1,292.00	1,574.00	1,768.00	3,034.00	3,807.00	-
12V AC/DC, 100-240VAC	US\$	1,174.00	1,227.00	1,337.00	1,620.00	1,814.00	3,103.00	3,876.00	-

M8E68F000-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,880.00	1,933.00	2,043.00	2,305.00	2,499.00	3,911.00	4,684.00	-
100-240 VAC	US\$	1,962.00	2,015.00	2,125.00	2,387.00	2,581.00	4,026.00	4,799.00	-

M8E68F000-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,778.00	1,831.00	1,941.00	2,276.00	2,470.00	3,843.00	4,616.00	-
12V AC/DC, 100-240VAC	US\$	1,875.00	1,928.00	2,038.00	2,377.00	2,571.00	3,932.00	4,705.00	-

M8E68F000-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	2,011.00	2,064.00	2,174.00	2,430.00	2,624.00	4,005.00	4,778.00	-
100-240 VAC	US\$	2,073.00	2,126.00	2,236.00	2,582.00	2,776.00	4,265.00	5,038.00	-
Weight (Lbs)/Bracket Kit		RI*/13.59	RI*/15.58	RI*/19.41	RI*/31.08	RI*/46.94	RI*/75.84	RI*/109.79	RI*/218.09

*Mounting kit to be determined.



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EXM8E68F000-00*	With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.							

24V AC/DC, 110 VAC, 220VAC	US\$	2,122.00	2,175.00	2,285.00	2,702.00	4,776.00	5,936.00	7,225.00	C/F
----------------------------	------	----------	----------	----------	----------	----------	----------	----------	-----

EXM8E68F000-02* With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.


24V AC/DC, 110 VAC, 220VAC	US\$	2,972.00	3,025.00	3,135.00	3,554.00	5,626.00	6,788.00	8,076.00	C/F
Weight (Lbs)/Bracket Kit		RI*/10.70	RI*/12.69	RI*/16.52	RI*/27.79	RI*/52.49	RI*/81.39	RI*/132.98	-

*Mounting kit to be determined.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC
---------------	---------------	----------------------------	-------------

Valpres 761031 2-way carbon steel, ANSI 300 flanged, Fire Safe design, full port ball valve.



8P761031

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Weight (Lbs)	8.54	12.37	16.62	29.67	37.05	75.63	113.87	276.90
Bracket kit	RI3519	RI3829	RI3563	RI3521	RI3522	RI3552	RI3565	RI3555
US\$	582.00	610.00	735.00	989.00	1,115.00	1,810.00	2,401.00	5,989.00



8P761033

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270V
Weight (Lbs)	10.41	19.29	23.54	39.47	53.69	94.55	159.40	434.03
Bracket kit	RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
US\$	587.00	759.00	885.00	1,170.00	1,412.00	2,102.00	3,278.00	9,810.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
8E761031-00*	With UL approved standard on/off plastic Valbia electric actuator.						
ACT.		VB030	VB030	VB030	VB060	VB060	VB190

24V AC/DC	US\$	844.00	886.00	967.00	1,218.00	1,320.00	2,035.00	2,558.00
12V AC/DC, 100-240 VAC	US\$	889.00	931.00	1,012.00	1,289.00	1,391.00	2,131.00	2,669.00

8E761031-01*	With fail-safe battery back-up plastic Valbia electric actuator.						
ACT.		VB030	VB030	VB030	VB060	VB060	VB190

24V AC/DC	US\$	1,346.00	1,388.00	1,469.00	1,734.00	1,836.00	2,642.00	3,178.00
100-240 VAC	US\$	1,415.00	1,457.00	1,538.00	1,797.00	1,899.00	2,711.00	3,248.00

8E761031-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.						
ACT.		VB030	VB030	VB030	VB060	VB060	VB190

24V AC/DC	US\$	1,284.00	1,326.00	1,407.00	1,649.00	1,751.00	2,501.00	3,062.00
12V AC/DC, 100-240 VAC	US\$	1,376.00	1,418.00	1,499.00	1,739.00	1,841.00	2,620.00	3,157.00

8E761031-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M

24V AC/DC	US\$	1,461.00	1,503.00	1,584.00	1,856.00	1,958.00	2,798.00	3,364.00
100-240 VAC	US\$	1,536.00	1,578.00	1,659.00	1,916.00	2,018.00	2,876.00	3,444.00

Weight (Lbs)/Bracket kit		11.12/RI3519	13.76/RI3519	18.01/RI4116	30.82/RI3521	35.73/RI4039	74.31/RI3552	107.59/RI3565
--------------------------	--	--------------	--------------	--------------	--------------	--------------	--------------	---------------



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E761031-00*	With UL approved standard on/off metal Valbia electric actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M

24V AC/DC	US\$	949.00	991.00	1,072.00	1,342.00	1,444.00	2,500.00	3,191.00
12V AC/DC, 100-240 VAC	US\$	994.00	1,036.00	1,117.00	1,388.00	1,490.00	2,569.00	3,238.00

M8E761031-01*	With fail-safe battery back-up metal Valbia electric actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M

24V AC/DC	US\$	1,700.00	1,742.00	1,823.00	2,073.00	2,175.00	3,377.00	3,937.00
100-240 VAC	US\$	1,782.00	1,824.00	1,905.00	2,155.00	2,257.00	3,492.00	4,053.00

M8E761031-02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M

24V AC/DC	US\$	1,598.00	1,640.00	1,721.00	2,044.00	2,146.00	3,309.00	3,908.00
12V AC/DC, 100-240 VAC	US\$	1,695.00	1,737.00	1,818.00	2,145.00	2,247.00	3,398.00	3,997.00

M8E761031-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.						
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M

24V AC/DC	US\$	1,831.00	1,873.00	1,954.00	2,198.00	2,300.00	3,471.00	4,037.00
100-240 VAC	US\$	1,893.00	1,935.00	2,016.00	2,350.00	2,452.00	3,731.00	4,238.00

Weight (Lbs)/Bracket kit		13.37/RI3519	16.01/RI3519	20.26/RI4116	33.44/RI3521	38.35/RI4039	82.21/RI3552	115.26/RI3565
--------------------------	--	--------------	--------------	--------------	--------------	--------------	--------------	---------------

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EXM8E761031-00*	With CSA approved explosion proof on/off metal electric actuator.							
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX360


24V AC/DC, 110V AC, 220V AC	US\$	1,942.00	1,984.00	2,065.00	2,470.00	2,572.00	5,053.00	6,390.00
								C/F

EXM8E761031-02*	With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.							
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX360

24V AC/DC, 110V AC, 220V AC	US\$	2,792.00	2,834.00	2,915.00	3,322.00	3,424.00	5,903.00	7,241.00
Weight (Lbs)/Bracket Kit		12.07/RI3519	14.71/RI3519	18.46/RI4116	32.04/RI3521	36.45/RI4039	99.51/RI3552	161.36/RI3565

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 68F100 2-way API 608 carbon steel ANSI 300 flanged, full port split body ball valve for fire safe applications.



8P68F100

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA100V	DA125V	DA180V
Est.Wgt. (Lbs)	10.31	14.58	19.27	33.71	42.35	94.07	155.47	329.92
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	805.00	867.00	995.00	1,392.00	1,607.00	2,840.00	4,128.00	9,714.00

*Mounting kit to be determined.



8P68F102

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR52V	SR63V	SR75V	SR85V	SR100V	SR125V	SR160V	SR230V
Est.Wgt. (Lbs)	12.18	15.26	23.08	38.16	49.18	105.60	207.50	404.88
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	929.00	1,045.00	1,155.00	1,715.00	1,899.00	3,659.00	-	-

*Mounting kit to be determined.



SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"
M8E68F100-00* With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,172.00	1,234.00	1,358.00	1,720.00	2,335.00	3,411.00
12V AC/DC, 100-240VAC	US\$	1,217.00	1,279.00	1,403.00	1,766.00	2,399.00	3,480.00
M8E68F100-01* With fail-safe battery back-up metal Valbia electric actuator.							
24V AC/DC	US\$	1,923.00	1,985.00	2,109.00	2,451.00	3,115.00	4,288.00
100-240 VAC	US\$	2,005.00	2,067.00	2,191.00	2,533.00	3,181.00	4,403.00
M8E68F100-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,821.00	1,883.00	2,007.00	2,422.00	3,051.00	4,220.00
12V AC/DC, 100-240VAC	US\$	1,918.00	1,980.00	2,104.00	2,523.00	3,133.00	4,309.00
M8E68F100-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	2,054.00	2,116.00	2,240.00	2,576.00	3,138.00	4,382.00
100-240 VAC	US\$	2,116.00	2,178.00	2,302.00	2,728.00	3,346.00	4,642.00
Weight (Lbs)/Bracket Kit		15.14/RI*	18.22/RI*	25.51/RI*	37.48/RI*	52.45/RI*	93.26/RI*

*Mounting kit to be determined.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"
EXM8E68F100-00* With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.						
ACT.		EAX035	EAX035	EAX035	EAX080	EAX360
24V AC/DC, 110 VAC, 220VAC	US\$	2,165.00	2,227.00	2,351.00	4,728.00	6,829.00
EXM8E68F100-02* With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.						
24V AC/DC, 110 VAC, 220VAC	US\$	3,015.00	3,077.00	3,201.00	5,578.00	7,680.00
Weight (Lbs)/Bracket Kit		12.25/RI*	15.33/RI*	20.02/RI*	51.83/RI*	118.65/RI*

*Mounting kit to be determined.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC
---------------	---------------	----------------------------	-------------

Valpres 68F400 2-way API 608 carbon steel ANSI 600 flanged, full port split body ball valve for fire safe applications.



8P68F400

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	DA52V	DA63V	DA63V	DA75V	DA100V
Est.Wgt. (Lbs)	11.41	15.91	23.51	39.71	52.49
Bracket Kit	RI*	RI*	RI*	RI*	RI*
US\$	946.00	1,057.00	1,232.00	1,675.00	1,983.00

*Mounting kit to be determined.



8P68F402

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	SR63V	SR75V	SR85V	SR100V	SR115V
Est.Wgt. (Lbs)	13.28	19.72	27.96	46.54	65.61
Bracket Kit	RI*	RI*	RI*	RI*	RI*
US\$	1,003.00	1,156.00	1,367.00	1,848.00	2,188.00

*Mounting kit to be determined.



SIZE	1/2"	3/4"	1"	1 1/2"	2"
M8E68F400-00* With UL approved standard on/off metal Valbia electric actuator.					
ACT.		VB030M	VB030M	VB060M	VB110M
24V AC/DC	US\$	1,313.00	1,386.00	1,659.00	2,434.00
12V AC/DC, 100-240VAC	US\$	1,358.00	1,431.00	1,705.00	2,498.00

M8E68F400-01* With fail-safe battery back-up metal Valbia electric actuator.					
24V AC/DC	US\$	2,064.00	2,137.00	2,390.00	3,214.00
100-240 VAC	US\$	2,146.00	2,219.00	2,472.00	3,280.00

M8E68F400-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.					
24V AC/DC	US\$	1,962.00	2,035.00	2,361.00	3,150.00
12V AC/DC, 100-240VAC	US\$	2,059.00	2,132.00	2,462.00	3,232.00

M8E68F400-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.					
24V AC/DC	US\$	2,195.00	2,268.00	2,515.00	3,237.00
100-240 VAC	US\$	2,257.00	2,330.00	2,667.00	3,445.00
Weight (Lbs)/Bracket Kit		16.24/RI*	19.55/RI*	27.28/RI*	49.81/RI*

*Mounting kit to be determined.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
EXM8E68F400-00* With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.					
ACT.		EAX035	EAX035	EAX045	EAX080
24V AC/DC, 110 VAC, 220VAC	US\$	2,306.00	2,379.00	2,787.00	5,036.00
EXM8E68F400-02* With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.					
24V AC/DC, 110 VAC, 220VAC	US\$	3,156.00	3,229.00	3,639.00	5,886.00
Weight (Lbs)/Bracket Kit		13.35/RI*	16.66/RI*	23.99/RI*	55.36/RI*

*Mounting kit to be determined.

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 766000 2-way stainless steel direct mount ANSI 150 flanged, Fire Safe design, full port ball valve.



8P766000

With double acting Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Weight (Lbs)	10.90	19.14	27.34	48.10	65.68
US\$	593.00	791.00	1,039.00	1,698.00	2,343.00

8P766002

With spring return Valbia pneumatic actuator.

SIZE	1"	1 1/2"	2"	3"	4"
ACT.	SR63V	SR85V	SR100V	SR125V	SR125V
Weight (Lbs)	12.82	22.95	31.79	64.79	84.65
US\$	644.00	892.00	1,105.00	1,999.00	2,642.00



SIZE		1"	1 1/2"	2"	3"	4"
8E766000-00* With UL approved standard on/off plastic Valbia electric actuator.						
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	855.00	1,094.00	1,266.00	1,981.00	2,568.00
12V AC/DC, 100-240 VAC	US\$	900.00	1,165.00	1,337.00	2,064.00	2,664.00

8E766000-01*				With fail-safe battery back-up plastic Valbia electric actuator.		
ACT.		VB030	VB060	VB060	VB110	VB190
24V AC/DC	US\$	1,357.00	1,610.00	1,782.00	2,534.00	3,175.00
100-240 VAC	US\$	1,426.00	1,673.00	1,845.00	2,585.00	3,244.00

8E766000-02*			With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.			
24V AC/DC	US\$	1,295.00	1,525.00	1,697.00	2,390.00	3,034.00
12V AC/DC, 100-240 VAC	US\$	1,387.00	1,615.00	1,787.00	2,478.00	3,153.00

8E766000-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.				
24V AC/DC	US\$	1,472.00	1,732.00	1,904.00	2,681.00	3,331.00
100-240 VAC	US\$	1,547.00	1,792.00	1,964.00	2,768.00	3,409.00
Weight (Lbs)		13.48	22.76	28.49	50.30	64.36



SIZE		1"	1 1/2"	2"	3"	4"
M8E766000-00* With UL approved standard on/off metal Valbia electric actuator.						
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	960.00	1,218.00	1,390.00	2,425.00	3,033.00
12V AC/DC, 100-240 VAC	US\$	1,005.00	1,264.00	1,436.00	2,489.00	3,102.00

M8E766000-01*				With fail-safe battery back-up metal Valbia electric actuator.		
24V AC/DC	US\$	1,711.00	1,949.00	2,121.00	3,205.00	3,910.00
100-240 VAC	US\$	1,793.00	2,031.00	2,203.00	3,271.00	4,025.00

M8E766000-02*			With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.			
24V AC/DC	US\$	1,609.00	1,920.00	2,092.00	3,141.00	3,842.00
12V AC/DC, 100-240 VAC	US\$	1,706.00	2,021.00	2,193.00	3,223.00	3,931.00

M8E766000-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.				
24V AC/DC	US\$	1,842.00	2,074.00	2,246.00	3,228.00	4,004.00
100-240 VAC	US\$	1,904.00	2,226.00	2,398.00	3,436.00	4,264.00
Weight (Lbs)		15.73	25.38	31.11	58.20	72.26



SIZE		1"	1 1/2"	2"	3"	4"
EXM8E766000-00* With CSA approved explosion proof on/off metal electric actuator.						
ACT.		EAX035	EAX045	EAX045	EAX080	EAX130
24V AC/DC, 110V AC, 220V AC	US\$	1,953.00	2,346.00	2,518.00	5,027.00	5,935.00
EXM8E766000-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.						
24V AC/DC, 110V AC, 220V AC	US\$	2,803.00	3,198.00	3,370.00	5,877.00	6,787.00
Weight (Lbs)		12.84	22.09	27.82	63.75	77.81

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 760005 2-way stainless steel ANSI 150 flanged, Fire Safe design, full port ball valve.

**8P0177**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA140V	DA160V
Weight (Lbs)	6.29	8.83	12.12	20.81	31.93	43.84	60.21	83.12	215.84	330.57
Bracket kit	RI3518	RI3519	RI3520	RI3521	RI3522	MK-760005	RI3523	RI3552	RI3553	RI3554
US\$	561.00	661.00	724.00	1,006.00	1,337.00	1,641.00	2,168.00	2,839.00	6,256.00	11,401.00

8P0178

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
ACT.	SR52V	SR63V	SR63V	SR85V	SR100V	SR100V	SR125V	SR125V	SR180V	SR200V
Weight (Lbs)	8.08	10.70	13.99	28.23	41.23	53.14	82.65	102.04	267.87	403.87
Bracket kit	RI3519	RI3829	RI3525	RI3526	RI3522	MK-760005	RI3528	RI3528	RI3554	RI3555
US\$	635.00	666.00	773.00	1,155.00	1,510.00	1,814.00	2,550.00	3,131.00	7,243.00	12,280.00



SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
8E079-00* With UL approved standard on/off plastic Valbia electric actuator.										
ACT.		VB015	VB015	VB030	VB060	VB060	VB060	VB110	VB190	VB350
24V AC/DC	US\$	709.00	745.00	986.00	1,309.00	1,573.00	1,870.00	2,452.00	3,041.00	6,223.00
12V AC/DC, 100-240 VAC	US\$	762.00	798.00	1,031.00	1,380.00	1,644.00	1,941.00	2,535.00	3,137.00	6,290.00

SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
8E079-01* With fail-safe battery back-up plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB060	VB060	VB060	VB110	VB190	VB350
24V AC/DC	US\$	1,389.00	1,425.00	1,488.00	1,825.00	2,089.00	2,386.00	3,005.00	3,648.00	6,793.00
100-240 VAC	US\$	1,458.00	1,494.00	1,557.00	1,888.00	2,152.00	2,449.00	3,056.00	3,717.00	6,871.00

SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
8E079-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,327.00	1,363.00	1,426.00	1,740.00	2,004.00	2,301.00	2,861.00	3,507.00	6,671.00
12V AC/DC, 100-240 VAC	US\$	1,419.00	1,455.00	1,518.00	1,830.00	2,094.00	2,391.00	2,949.00	3,626.00	6,747.00

SIZE	1/2"	3/4"	1"	1" 1/2	2"	2" 1/2	3"	4"	6"	8"
8E079-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,504.00	1,540.00	1,603.00	1,947.00	2,211.00	2,508.00	3,152.00	3,804.00	6,994.00
100-240 VAC	US\$	1,579.00	1,615.00	1,678.00	2,007.00	2,271.00	2,568.00	3,239.00	3,882.00	7,059.00
Weight (Lbs)/Bracket kit		8.30/RI3519	9.45/RI3519	14.70/RI3520	24.43/RI3521	33.08/RI4039	44.99/MK-760005	62.41/RI3523	79.80/RI3522	193.14/RI3553



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
M8E079-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	992.00	1,028.00	1,091.00	1,433.00	1,697.00	1,994.00	2,896.00	3,506.00	6,807.00
12V AC/DC, 100-240 VAC	US\$	1,037.00	1,073.00	1,136.00	1,479.00	1,743.00	2,040.00	2,960.00	3,575.00	6,874.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
M8E079-01* With fail-safe battery back-up metal Valbia electric actuator.										
24V AC/DC	US\$	1,743.00	1,779.00	1,842.00	2,164.00	2,428.00	2,725.00	3,676.00	4,383.00	7,643.00
100-240 VAC	US\$	1,825.00	1,861.00	1,924.00	2,246.00	2,510.00	2,807.00	3,742.00	4,498.00	7,771.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
M8E079-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,641.00	1,677.00	1,740.00	2,135.00	2,399.00	2,696.00	3,612.00	4,315.00	7,537.00
12V AC/DC, 100-240 VAC	US\$	1,738.00	1,774.00	1,837.00	2,236.00	2,500.00	2,797.00	3,694.00	4,404.00	7,630.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
M8E079-04* With fail-safe battery back-up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,874.00	1,910.00	1,973.00	2,289.00	2,553.00	2,850.00	3,699.00	4,477.00	7,750.00
100-240 VAC	US\$	1,936.00	1,972.00	2,035.00	2,441.00	2,705.00	3,002.00	3,907.00	4,737.00	8,031.00
Weight (Lbs)/Bracket kit		12.51/RI3519	13.66/RI3519	16.95/RI3520	27.05/RI3521	35.70/RI4039	47.61/MK-760005	70.31/RI3523	87.70/RI3522	200.81/RI3553

*EA575 available in 24VDC and 100-240VAC only.



SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
EXME079-00* With CSA approved explosion proof on/off metal electric actuator.										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX045	EAX080	EAX080	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,985.00	2,021.00	2,084.00	2,561.00	2,825.00	5,002.00	5,498.00	6,408.00	9,916.00

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"
EXME079-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.										
24V AC/DC, 110V AC, 220V AC	US\$	2,835.00	2,871.00	2,934.00	3,413.00	3,677.00	5,852.00	6,348.00	7,260.00	10,767.00
Weight (Lbs)/Bracket Kit		9.62/RI3519	10.77/RI3519	14.06/RI3520	23.76/RI3521	32.41/RI4039	61.96/MK-760005	75.86/RI3523	93.25/RI3522	224.00/RI4040

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 760021 2-way stainless steel ANSI 150 flanged, full port ball valve for steam.



8P760021

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V	DA160V
Est.Wgt. (Lbs)	6.29	8.83	12.12	20.81	31.93	60.21	83.12	215.84	330.57
Bracket Kit	RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553	RI3554
US\$	592.00	697.00	766.00	1,072.00	1,428.00	2,335.00	3,061.00	6,767.00	12,043.00



8P760023

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
ACT.	SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V	SR200V
Est.Wgt. (Lbs)	8.08	10.70	13.99	28.23	41.23	82.65	102.04	267.87	403.87
Bracket Kit	RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3554	RI3555
US\$	666.00	702.00	815.00	1,221.00	1,601.00	2,717.00	3,353.00	7,847.00	12,922.00

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"	8"
M8E760021-00*		With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US\$	1,023.00	1,064.00	1,133.00	1,499.00	1,788.00	3,063.00	3,728.00	7,318.00	13,400.00
12V AC/DC, 100-240 VAC	US\$	1,068.00	1,109.00	1,178.00	1,545.00	1,834.00	3,127.00	3,797.00	7,385.00	13,400.00
M8E760021-01*		With fail-safe battery back-up metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US\$	1,774.00	1,815.00	1,884.00	2,230.00	2,519.00	3,843.00	4,605.00	8,154.00	-
100-240 VAC	US\$	1,856.00	1,897.00	1,966.00	2,312.00	2,601.00	3,909.00	4,720.00	8,282.00	-
M8E760021-02*		With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US\$	1,672.00	1,713.00	1,782.00	2,201.00	2,490.00	3,779.00	4,537.00	8,048.00	14,421.00
12V AC/DC, 100-240 VAC	US\$	1,769.00	1,810.00	1,879.00	2,302.00	2,591.00	3,861.00	4,626.00	8,141.00	14,421.00
M8E760021-04*		With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M	EA575 *
24V AC/DC	US\$	1,905.00	1,946.00	2,015.00	2,355.00	2,644.00	3,866.00	4,699.00	8,261.00	-
100-240 VAC	US\$	1,967.00	2,008.00	2,077.00	2,507.00	2,796.00	4,074.00	4,959.00	8,542.00	-
Weight (Lbs)/Bracket Kit		12.51/RI3519	13.66/RI3519	16.95/RI3520	27.05/RI3521	35.70/RI4039	70.31/RI3523	87.70/RI3522	200.81/RI3553	303.52/RI3554

*EA575 available in 24VDC and 100-240VAC only.

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

Valpres 68J000 2-way API 608 stainless steel ANSI 150 flanged, full port split body ball valve for fire safe applications.



8P68J000

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA32V	DA52V	DA52V	DA63V	DA75V	DA100V	DA115V	DA140V
Est.Wgt. (Lbs)	7.37	10.75	15.77	27.31	34.37	69.26	108.40	245.14
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	873.00	984.00	1,139.00	1,490.00	1,747.00	2,946.00	4,082.00	10,017.00

*Mounting kit to be determined.



8P68J002

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR52V	SR63V	SR63V	SR85V	SR85V	SR115V	SR140V	SR180V
Est.Wgt. (Lbs)	13.59	15.58	19.41	31.08	46.94	75.84	109.79	218.09
Bracket Kit	RI*	RI*	RI*	RI*	RI*	RI*	RI*	RI*
US\$	929.00	1,121.00	1,308.00	1,688.00	2,070.00	-	4,960.00	12,406.00

*Mounting kit to be determined.



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB190M	VB190M	VB350M
24V AC/DC	US\$	1,252.00	1,351.00	1,506.00	1,843.00	2,100.00	3,636.00	4,653.00
12V AC/DC, 100-240VAC	US\$	1,297.00	1,396.00	1,551.00	1,889.00	2,146.00	3,705.00	4,722.00
With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	2,003.00	2,102.00	2,257.00	2,574.00	2,831.00	4,513.00	5,530.00
100-240 VAC	US\$	2,085.00	2,184.00	2,339.00	2,656.00	2,913.00	4,628.00	5,645.00
With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,901.00	2,000.00	2,155.00	2,545.00	2,802.00	4,445.00	5,462.00
12V AC/DC, 100-240VAC	US\$	1,998.00	2,097.00	2,252.00	2,646.00	2,903.00	4,534.00	5,551.00
With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	2,134.00	2,233.00	2,388.00	2,699.00	2,956.00	4,607.00	5,624.00
100-240 VAC	US\$	2,196.00	2,295.00	2,450.00	2,851.00	3,108.00	4,867.00	5,884.00
Weight (Lbs)/Bracket Kit		13.59/RI*	15.58/RI*	19.41/RI*	31.08/RI*	46.94/RI*	75.84/RI*	109.79/RI*

*Mounting kit to be determined.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360
24V AC/DC, 110 VAC, 220VAC	US\$	2,245.00	2,344.00	2,499.00	2,971.00	5,108.00	6,538.00	8,071.00
With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.								
24V AC/DC, 110 VAC, 220VAC	US\$	3,095.00	3,194.00	3,349.00	3,823.00	5,958.00	7,390.00	8,922.00
Weight (Lbs)/Bracket Kit		10.70/RI*	12.69/RI*	16.52/RI*	27.79/RI*	52.49/RI*	81.39/RI*	132.98/RI*

*Mounting kit to be determined.

* VOLTAGE SUFFIX			
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC

Valpres 761030 2-way stainless steel ANSI 300 flanged, Fire Safe design, full port ball valve.



8P761030

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Weight (Lbs)	8.54	12.37	16.62	30.17	37.05	75.63	113.87	276.90
Bracket kit	RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
US\$	676.00	725.00	922.00	1,283.00	1,447.00	2,583.00	3,540.00	8,848.00



8P761032

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270V
Weight (Lbs)	10.41	19.29	23.54	39.47	53.69	94.55	159.40	434.03
Bracket kit	RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
US\$	681.00	874.00	1,072.00	1,455.00	1,744.00	2,875.00	4,417.00	12,762.00



SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"
8E761030-00"							
With UL approved standard on/off plastic Valbia electric actuator.							

8E761030-00*		With UL approved standard on/off plastic Valbia electric actuator.						
ACT.		VB030	VB030	VB030	VB060	VB060	VB190	VB270
24V AC/DC	US\$	938.00	1,001.00	1,154.00	1,503.00	1,652.00	2,808.00	3,697.00
12V AC/DC, 100-240 VAC	US\$	983.00	1,046.00	1,199.00	1,574.00	1,723.00	2,904.00	3,808.00

8E761030-01*									With fail-safe battery back-up plastic Valbia electric actuator.			
ACT.			VB030	VB030	VB030	VB060	VB060	VB190	VB270			
24V AC/DC	US\$	1,440.00	1,503.00	1,656.00	2,019.00	2,168.00	3,415.00	4,317.00				
100-240 VAC	US\$	1,509.00	1,572.00	1,725.00	2,082.00	2,231.00	3,484.00	4,387.00				

100-240 VAC	US\$	1,509.00	1,572.00	1,725.00	2,082.00	2,231.00	3,484.00	4,367.00
8E761030-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,378.00	1,441.00	1,594.00	1,934.00	2,083.00	3,274.00	4,201.00
12V AC/DC, 100-240 VAC	US\$	1,470.00	1,533.00	1,686.00	2,024.00	2,173.00	3,393.00	4,296.00
8E761030-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								

24V AC/DC		US\$	1,555.00	1,618.00	1,771.00	2,141.00	2,290.00	3,571.00	4,503.00
100-240 VAC		US\$	1,630.00	1,693.00	1,846.00	2,201.00	2,350.00	3,649.00	4,583.00
Weight (Lbs)/Bracket kit			11.12/RI3519	13.76/RI3519	18.01/RI4116	30.82/RI3521	35.73/RI4039	74.31/RI3552	107.59/RI3565

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E761030-00*								
With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M
24V AC/DC	US\$	1,042.00	1,106.00	1,269.00	1,627.00	1,776.00	2,373.00	4,230.00

24V AC/DC	US\$	1,043.00	1,106.00	1,259.00	1,627.00	1,776.00	3,273.00	4,330.00
12V AC/DC, 100-240 VAC	US\$	1,088.00	1,151.00	1,304.00	1,673.00	1,822.00	3,342.00	4,377.00
M8E761030-01* With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,794.00	1,857.00	2,010.00	2,358.00	2,507.00	4,150.00	5,076.00
100-240 VAC	US\$	1,876.00	1,939.00	2,092.00	2,440.00	2,589.00	4,266.00	5,192.00

100-240 VAC	US\$	1,876.00	1,939.00	2,092.00	2,440.00	2,589.00	4,265.00	5,192.00
M8E761030-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,692.00	1,755.00	1,908.00	2,329.00	2,478.00	4,082.00	5,047.00
12V AC/DC, 100-240 VAC	US\$	1,789.00	1,852.00	2,005.00	2,430.00	2,579.00	4,171.00	5,136.00
M8E761030-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								

M8E761030-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.						
24V AC/DC	US\$	1,925.00	1,988.00	2,141.00	2,483.00	2,632.00	4,244.00	5,176.00
100-240 VAC	US\$	1,987.00	2,050.00	2,203.00	2,635.00	2,784.00	4,504.00	5,377.00
Weight (Lbs)/Bracket kit		13.37/R13519	16.01/R13519	20.26/R14116	33.44/R13521	38.35/R14039	82.21/R13552	115.26/R13565

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EXM8E761030-00*	With CSA approved explosion proof on/off metal electric actuator.								

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

Valpres 68J100 2-way API 608 stainless steel ANSI 300 flanged, full port split body ball valve for fire safe applications.



8P68J100

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA100V	DA125V	DA180V
Est.Wgt. (Lbs)	10.31	14.58	18.77	32.71	42.35	92.07	154.48	324.94
Bracket Kit	*RI	*RI	*RI	*RI	*RI	*RI	*RI	*RI
US\$	969.00	1,061.00	1,234.00	1,737.00	2,069.00	3,694.00	5,319.00	12,550.00

*Mounting kit to be determined.

8P68J102

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
ACT.	SR52V	SR63V	SR75V	SR85V	SR100V	SR125V	SR160V	SR230V
Est.Wgt. (Lbs)	12.18	15.26	22.58	37.16	49.19	103.61	206.52	399.91
Bracket Kit	*RI	*RI	*RI	*RI	*RI	*RI	*RI	*RI
US\$	1,093.00	1,239.00	1,394.00	2,060.00	2,361.00	4,513.00	-	-

*Mounting kit to be determined.



SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"
M8E68J100-00* With UL approved standard on/off metal Valbia electric actuator.							
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,336.00	1,428.00	1,597.00	2,065.00	2,797.00	4,265.00
12V AC/DC, 100-240VAC	US\$	1,381.00	1,473.00	1,642.00	2,111.00	2,861.00	4,334.00
M8E68J100-01* With fail-safe battery back-up metal Valbia electric actuator.							
24V AC/DC	US\$	2,087.00	2,179.00	2,348.00	2,796.00	3,577.00	5,142.00
100-240 VAC	US\$	2,169.00	2,261.00	2,430.00	2,878.00	3,643.00	5,257.00
M8E68J100-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	1,985.00	2,077.00	2,246.00	2,767.00	3,513.00	5,074.00
12V AC/DC, 100-240VAC	US\$	2,082.00	2,174.00	2,343.00	2,868.00	3,595.00	5,163.00
M8E68J100-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.							
24V AC/DC	US\$	2,218.00	2,310.00	2,479.00	2,921.00	3,600.00	5,236.00
100-240 VAC	US\$	2,280.00	2,372.00	2,541.00	3,073.00	3,808.00	5,496.00
Weight (Lbs)/Bracket Kit		15.14/*RI	18.22/*RI		37.48/*RI	52.45/*RI	93.26/*RI

*Mounting kit to be determined.



SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"
EXM8E68J100-00* With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.							
ACT.		EAX035	EAX035	EAX035	EAX080	EAX080	EAX360
24V AC/DC, 110 VAC, 220VAC	US\$	2,329.00	2,421.00	2,590.00	5,073.00	5,399.00	7,683.00
EXM8E68J100-02* With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.							
24V AC/DC, 110 VAC, 220VAC	US\$	3,179.00	3,271.00	3,440.00	5,923.00	-	8,534.00
Weight (Lbs)/Bracket Kit		12.25/*RI	15.33/*RI	20.02/*RI	51.83/*RI	58.00/*RI	118.65/*RI

*Mounting kit to be determined.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC
---------------	---------------	----------------------------	-------------

Valpres 68J401 2-way API 608 stainless steel ANSI 600 flanged, full port split body ball valve for fire safe applications.



8P68J401

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	DA52V	DA63V	DA63V	DA75V	DA100V
Est.Wgt. (Lbs)	11.41	15.91	23.51	39.71	52.49
Bracket Kit	*RI	*RI	*RI	*RI	*RI
US\$	946.00	1,057.00	1,232.00	1,675.00	1,983.00

*Mounting kit to be determined.

8P68J403

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	SR63V	SR75V	SR85V	SR100V	SR115V
Est.Wgt. (Lbs)	13.28	19.72	27.96	46.54	65.61
Bracket Kit	*RI	*RI	*RI	*RI	*RI
US\$	1,003.00	1,156.00	1,367.00	1,848.00	2,188.00

*Mounting kit to be determined.



M8E68J401-00* With UL approved standard on/off metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	VB030M	VB030M	VB060M	VB110M	VB190M
24V AC/DC	US\$ 1,313.00	1,386.00	1,659.00	2,434.00	2,673.00
12V AC/DC, 100-240VAC	US\$ 1,358.00	1,431.00	1,705.00	2,498.00	2,742.00

M8E68J401-01* With fail-safe battery back-up metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
24V AC/DC	US\$ 2,064.00	2,137.00	2,390.00	3,214.00	3,550.00
100-240 VAC	US\$ 2,146.00	2,219.00	2,472.00	3,280.00	3,665.00

M8E68J401-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
24V AC/DC	US\$ 1,962.00	2,035.00	2,361.00	3,150.00	3,482.00
12V AC/DC, 100-240VAC	US\$ 2,059.00	2,132.00	2,462.00	3,232.00	3,571.00

M8E68J401-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
24V AC/DC	US\$ 2,195.00	2,268.00	2,515.00	3,237.00	3,644.00
100-240 VAC	US\$ 2,257.00	2,330.00	2,667.00	3,445.00	3,904.00
Weight (Lbs)/Bracket Kit	16.24/*RI	19.55/*RI	27.28/*RI	49.81/*RI	59.07/*RI

*Mounting kit to be determined.



EXM8E68J401-00* With 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
ACT.	EAX035	EAX035	EAX045	EAX080	EAX130
24V AC/DC, 110 VAC, 220VAC	US\$ 2,306.00	2,379.00	2,787.00	5,036.00	5,575.00

EXM8E68J401-02* With fail-safe battery backup and with 0-10VDC or 4-20 mA explosion proof positioning metal electric actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"
24V AC/DC, 110 VAC, 220VAC	US\$ 3,156.00	3,229.00	3,639.00	5,886.00	6,427.00
Weight (Lbs)/Bracket Kit	13.35/*RI	16.66/*RI	23.99/*RI	55.36/*RI	64.62/*RI

*Mounting kit to be determined.

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC or 110V AC	4 = 220V AC
---------------	---------------	----------------------------	-------------

Valpres 776032 3-way carbon steel, ANSI 150 flanged, L-port diverter, ball valve.



8P0183 L port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V	DA125V
Weight (Lbs)	8.0	10.2	12.7	17.7	23.3	34.6	53.4	63.2	99.5	236.4
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3042
US\$	618.00	705.00	723.00	818.00	937.00	1,150.00	1,573.00	1,950.00	2,656.00	7,175.00



8P0184 L port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V	SR140V
Weight (Lbs)	9.6	12.5	14.5	19.5	29.6	43.4	69.5	83.0	116.0	260.5
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI4562
US\$	693.00	748.00	788.00	867.00	1,087.00	1,323.00	1,873.00	2,333.00	2,947.00	8,068.00



8E086-00* With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350
24V AC/DC	US\$	767.00	789.00	985.00	1,080.00	1,240.00	1,369.00	1,857.00	2,234.00	2,881.00	7,340.00
12V AC/DC, 100-240 VAC	US\$	820.00	842.00	1,030.00	1,125.00	1,311.00	1,440.00	1,940.00	2,317.00	2,977.00	7,407.00

8E086-01* With fail-safe battery back-up plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190	VB350
24V AC/DC	US\$	1,447.00	1,469.00	1,487.00	1,582.00	1,756.00	1,885.00	2,410.00	2,787.00	3,488.00	7,910.00
100-240 VAC	US\$	1,516.00	1,538.00	1,556.00	1,651.00	1,819.00	1,948.00	2,461.00	2,838.00	3,557.00	7,988.00

8E086-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,385.00	1,407.00	1,425.00	1,520.00	1,671.00	1,800.00	2,266.00	2,643.00	3,347.00	7,788.00
12V AC/DC, 100-240 VAC	US\$	1,477.00	1,499.00	1,517.00	1,612.00	1,761.00	1,890.00	2,354.00	2,731.00	3,466.00	7,864.00

8E086-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,562.00	1,584.00	1,602.00	1,697.00	1,878.00	2,007.00	2,557.00	2,934.00	3,644.00	8,111.00
100-240 VAC	US\$	1,637.00	1,659.00	1,677.00	1,772.00	1,938.00	2,067.00	2,644.00	3,021.00	3,722.00	8,176.00
Weight (Lbs)/Bracket kit		10.2/RI3780	11.4/RI3013	19.5/RI3001	21.7/RI3008	27.5/RI3002	35.4/RI3002	57.3/RI3003	67.2/RI3003	100.5/RI3004	221.23/RI3006

M8E086-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,050.00	1,072.00	1,090.00	1,185.00	1,364.00	1,493.00	2,301.00	2,678.00	3,346.00	7,924.00
12V AC/DC, 100-240 VAC	US\$	1,095.00	1,117.00	1,135.00	1,230.00	1,410.00	1,539.00	2,365.00	2,742.00	3,415.00	7,991.00

M8E086-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,801.00	1,823.00	1,841.00	1,936.00	2,095.00	2,224.00	3,081.00	3,458.00	4,223.00	8,760.00
100-240 VAC	US\$	1,883.00	1,905.00	1,923.00	2,018.00	2,177.00	2,306.00	3,147.00	3,524.00	4,338.00	8,888.00

M8E086-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,699.00	1,721.00	1,739.00	1,834.00	2,066.00	2,195.00	3,017.00	3,394.00	4,155.00	8,654.00
12V AC/DC, 100-240 VAC	US\$	1,796.00	1,818.00	1,836.00	1,931.00	2,167.00	2,296.00	3,099.00	3,476.00	4,244.00	8,747.00

M8E086-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,932.00	1,954.00	1,972.00	2,067.00	2,220.00	2,349.00	3,104.00	3,481.00	4,317.00	8,867.00
100-240 VAC	US\$	1,994.00	2,016.00	2,034.00	2,129.00	2,372.00	2,501.00	3,312.00	3,689.00	4,577.00	9,148.00
Weight (Lbs)/Bracket kit		14.5/RI3780	15.6/RI3013	22.0/RI3001	24.3/RI3008	30.2/RI3002	38.2/RI3002	66/RI3003	75/RI3003	109/RI3004	228.9/RI3006

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

Valpres 776018 3-way stainless steel , ANSI 150 flanged, L-port diverter ball valve.



8P0181 L port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA85V	DA100V	DA125V
Weight (Lbs)	6.99	9.77	12.54	17.7	24.39	35.18	55.70	65.26	101.88	231.81
Bracket kit	RI3012	RI3013	RI3001	RI3008	RI3002	RI3009	RI3003	RI3003	RI3004	RI3042
US\$	618.00	705.00	723.00	818.00	937.00	1,150.00	1,573.00	1,950.00	2,656.00	7,175.00



8P0182 L port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR115V	SR125V	SR125V	SR140V
Weight (Lbs)	8.78	11.64	14.41	19.5	31.31	44.48	72.34	87.70	120.80	256.06
Bracket kit	RI3780	RI3014	RI3007	RI3048	RI3009	RI3009	RI3010	RI3010	RI3005	RI4562
US\$	693.00	748.00	788.00	867.00	1,087.00	1,323.00	1,873.00	2,333.00	2,947.00	8,068.00



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
8E077-00* With UL approved standard on/off plastic Valbia electric actuator.										
ACT.		VB015	VB015	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$	767.00	789.00	985.00	1,080.00	1,240.00	1,369.00	1,857.00	2,234.00	2,881.00
12V AC/DC, 100-240 VAC	US\$	820.00	842.00	1,030.00	1,125.00	1,311.00	1,440.00	1,940.00	2,317.00	2,977.00
8E077-01* With fail-safe battery back-up plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB110	VB190
24V AC/DC	US\$	1,447.00	1,469.00	1,487.00	1,582.00	1,756.00	1,885.00	2,410.00	2,787.00	3,488.00
100-240 VAC	US\$	1,516.00	1,538.00	1,556.00	1,651.00	1,819.00	1,948.00	2,461.00	2,838.00	3,557.00
8E077-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,385.00	1,407.00	1,425.00	1,520.00	1,671.00	1,800.00	2,266.00	2,643.00	3,347.00
12V AC/DC, 100-240 VAC	US\$	1,477.00	1,499.00	1,517.00	1,612.00	1,761.00	1,890.00	2,354.00	2,731.00	3,466.00
8E077-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,562.00	1,584.00	1,602.00	1,697.00	1,878.00	2,007.00	2,557.00	2,934.00	3,644.00
100-240 VAC	US\$	1,637.00	1,659.00	1,677.00	1,772.00	1,938.00	2,067.00	2,644.00	3,021.00	3,722.00
Weight (Lbs)/Bracket kit		10.96/RI3780	12.35/RI3013	15.12/RI3001	21.7/RI3008	28.01/RI3002	36.33/RI3002	57.90/RI3003	67.46/RI3003	100.56/RI3004

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E077-00*	With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB110M	VB190M
24V AC/DC	US\$	1,050.00	1,072.00	1,090.00	1,185.00	1,364.00	1,493.00	2,301.00	2,678.00	3,346.00
12V AC/DC, 100-240 VAC	US\$	1,095.00	1,117.00	1,135.00	1,230.00	1,410.00	1,539.00	2,365.00	2,742.00	3,415.00
M8E077-01*	With fail-safe battery back-up metal Valbia electric actuator.									
24V AC/DC	US\$	1,801.00	1,823.00	1,841.00	1,936.00	2,095.00	2,224.00	3,081.00	3,458.00	4,223.00
100-240 VAC	US\$	1,883.00	1,905.00	1,923.00	2,018.00	2,177.00	2,306.00	3,147.00	3,524.00	4,338.00
M8E077-02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,699.00	1,721.00	1,739.00	1,834.00	2,066.00	2,195.00	3,017.00	3,394.00	4,155.00
12V AC/DC, 100-240 VAC	US\$	1,796.00	1,818.00	1,836.00	1,931.00	2,167.00	2,296.00	3,099.00	3,476.00	4,244.00
M8E077-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,932.00	1,954.00	1,972.00	2,067.00	2,220.00	2,349.00	3,104.00	3,481.00	4,317.00
100-240 VAC	US\$	1,994.00	2,016.00	2,034.00	2,129.00	2,372.00	2,501.00	3,312.00	3,689.00	4,577.00
Weight (Lbs)/Bracket kit		13.21/RI3780	14.60/RI3013	17.37/RI3001	24.3/RI3008	30.63/RI3002	38.95/RI3002	65.80/RI3003	75.36/RI3003	108.46/RI3004

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

97L150 3-way stainless steel, ANSI 150 flanged, full L-port ball valve.



DA97L150 L-Port

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V	DA115V	DA115V	DA140V	DA160V
Weight (Lbs)	10.52	13.71	20.18	35.65	59.12	82.51	95.51	196.98	338.95
US\$	687.00	768.00	1,123.00	1,906.00	2,491.00	3,649.00	4,980.00	6,987.00	14,619.00

SR97L150 L-Port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR75V	SR85V	SR115V	SR140V	SR160V	SR160V	SR200V	SR230V
Weight (Lbs)	12.39	17.52	24.63	52.34	95.16	128.09	141.09	282.35	447.53
US\$	736.00	869.00	1,189.00	2,208.00	3,128.00	4,528.00	5,859.00	8,362.00	17,116.00



SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ME97L150-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB060M	VB110M	VB110M	VB270M	VB270M	VB350M	EA575
24V AC/DC	US\$	1,054.00	1,107.00	1,474.00	2,634.00	3,132.00	4,439.00	5,770.00	7,527.00	15,976.00
12V AC/DC, 100-240V AC	US\$	1,099.00	1,152.00	1,520.00	2,698.00	3,196.00	4,486.00	5,817.00	7,594.00	15,976.00
ME97L150-01* With fail-safe battery backup metal Valbia electric actuator.										
24V AC/DC	US\$	1,805.00	1,858.00	2,205.00	3,414.00	3,912.00	5,185.00	6,516.00	8,888.00	-
100-240V AC	US\$	1,887.00	1,940.00	2,287.00	3,480.00	3,978.00	5,301.00	6,632.00	9,016.00	-
ME97L150-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,703.00	1,756.00	2,176.00	3,350.00	3,848.00	5,156.00	6,487.00	8,257.00	16,997.00
12V AC/DC, 100-240V AC	US\$	1,800.00	1,853.00	2,277.00	3,432.00	3,930.00	5,245.00	6,576.00	8,350.00	16,997.00
ME97L150-04* With fail-safe battery battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,936.00	1,989.00	2,330.00	3,437.00	3,935.00	5,285.00	6,616.00	8,995.00	-
100-240V AC	US\$	1,998.00	2,051.00	2,482.00	3,645.00	4,143.00	5,486.00	6,817.00	9,276.00	-
ME97L150-06* With three-position on/off metal Valbia electric actuator.										
24V AC/DC	US\$	1,598.00	1,651.00	2,014.00	3,179.00	3,677.00	4,962.00	6,293.00	8,634.00	-
100-240V AC	US\$	1,702.00	1,755.00	2,130.00	3,257.00	3,755.00	5,025.00	6,356.00	8,701.00	-
Weight (Lbs)		15.35	17.35	23.95	45.75	65.70	83.90	96.90	181.90	335.00



SIZE		1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"
EXME97L150-00* with CSA approved explosion proof standard on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	2,052.00	2,105.00	2,382.00	3,357.00	5,753.00	7,133.00	8,464.00	10,681.00
EXME97L150-02* with 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,902.00	2,955.00	3,232.00	4,209.00	6,603.00	7,985.00	9,316.00	11,532.00
Weight (Lbs.)		12.46	14.46	18.46	31.46	71.35	87.30	100.30	205.24

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

97T150 3-way stainless steel, ANSI 150 flanged, full T-port ball valve.

NEW**DA97T150 T-Port**

With double acting Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V	DA115V	DA115V	DA140V	DA160V
Weight (Lbs)	10.52	13.71	20.18	35.65	59.12	82.51	95.51	196.98	338.95
US\$	687.00	768.00	1,123.00	1,906.00	2,491.00	3,649.00	4,980.00	6,987.00	14,619.00

SR97T150 T-Port

With spring return Valbia pneumatic actuator.

SIZE	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ACT.	SR63V	SR75V	SR85V	SR115V	SR140V	SR160V	SR160V	SR200V	SR230V
Weight (Lbs)	12.39	17.52	24.63	52.34	95.16	128.09	141.09	282.35	447.53
US\$	736.00	869.00	1,189.00	2,208.00	3,128.00	4,528.00	5,859.00	8,362.00	17,116.00



SIZE		1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	4"	6"
ME97T150-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB190M	VB270M	EA575
24V AC/DC	US\$	1,054.00	1,107.00	1,474.00	2,634.00	3,132.00	4,439.00	5,770.00	7,527.00	15,451.00
12V AC/DC, 100-240V AC	US\$	1,099.00	1,152.00	1,520.00	2,698.00	3,196.00	4,486.00	5,817.00	7,594.00	15,451.00
ME97T150-01* With fail-safe battery backup metal Valbia electric actuator.										
24V AC/DC	US\$	1,805.00	1,858.00	2,205.00	3,414.00	3,912.00	5,185.00	6,516.00	8,363.00	-
100-240V AC	US\$	1,887.00	1,940.00	2,287.00	3,480.00	3,978.00	5,301.00	6,632.00	8,491.00	-
ME97T150-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,703.00	1,756.00	2,176.00	3,350.00	3,848.00	5,156.00	6,487.00	8,257.00	16,472.00
100-240V AC	US\$	1,800.00	1,853.00	2,277.00	3,432.00	3,930.00	5,245.00	6,576.00	8,350.00	16,472.00
ME97T150-04* With fail-safe battery backup and 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,936.00	1,989.00	2,330.00	3,437.00	3,935.00	5,285.00	6,616.00	8,470.00	-
100-240V AC	US\$	1,998.00	2,051.00	2,482.00	3,645.00	4,143.00	5,486.00	6,817.00	8,751.00	-
ME97T150-06* With three-position on/off metal Valbia electric actuator.										
24V AC/DC	US\$	1,598.00	1,651.00	2,014.00	3,179.00	3,677.00	4,962.00	6,293.00	8,109.00	-
100-240V AC	US\$	1,702.00	1,755.00	2,130.00	3,257.00	3,755.00	5,025.00	6,356.00	8,176.00	-
Weight (Lbs)		15.35	17.35	23.95	45.75	65.70	83.90	96.90	181.90	335.00



SIZE		1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"
EXME97L150-00* With CSA approved explosion proof standard on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	2,052.00	2,105.00	2,382.00	3,357.00	5,753.00	7,133.00	8,464.00	10,681.00
EXME97L150-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,902.00	2,955.00	3,232.00	4,209.00	6,603.00	7,985.00	9,316.00	11,532.00
Weight (Lbs.)		12.46	14.46	18.46	33.66	71.35	87.30	100.30	205.24

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

NEW

PVCBFVE direct mount, Wafer style, EPDM seats, PVC disc butterfly valve.

**DAPVCBFVE**

With double acting Valbia pneumatic actuator.

SIZE	2"	3"	4"	6"	8"	10"	12"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	4.87	6.96	11.48	20.80	26.17	39.81	53.93
US\$	504.00	573.00	721.00	905.00	1,338.00	2,095.00	2,957.00

SRPVCBFVE

With spring return Valbia pneumatic actuator.

SIZE	2"	3"	4"	6"	8"	10"	12"
ACT.	SR63V	SR85V	SR100V	SR115V	SR140V	SR180V	SR200V
Weight (Lbs)	6.79	13.93	20.78	37.49	62.11	104.06	139.30
US\$	556.00	722.00	894.00	1,208.00	1,953.00	3,375.00	4,330.00



SIZE		2"	3"	4"	6"	8"	10"	12"
EPVCBFVE-00* With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB015	VB030	VB060	VB110	VB190	VB350	EA450
24V AC/DC	US\$	588.00	818.00	941.00	1,189.00	1,563.00	2,309.00	4,332.00
12V AC/DC. 100-240 VAC	US\$	641.00	863.00	1,012.00	1,272.00	1,659.00	2,376.00	4,332.00
EPVCBFVE-01* With fail-safe battery back-up metal Valbia electric actuator.								
ACT.		VB030	VB030	VB060	VB110	VB190	VB350	-
24V AC/DC	US\$	1,268.00	1,320.00	1,457.00	1,742.00	2,170.00	2,879.00	-
100-240 VAC	US\$	1,337.00	1,389.00	1,520.00	1,793.00	2,239.00	2,957.00	-
EPVCBFVE-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030	VB030	VB060	VB110	VB190	VB350	EA450
24V AC/DC	US\$	1,206.00	1,258.00	1,372.00	1,598.00	2,029.00	2,757.00	5,353.00
12V AC/DC. 100-240 VAC	US\$	1,298.00	1,350.00	1,462.00	1,686.00	2,148.00	2,833.00	5,353.00
EPVCBFVE-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030	VB030	VB060	VB110	VB190	VB350	-
24V AC/DC	US\$	1,383.00	1,435.00	1,579.00	1,889.00	2,326.00	3,080.00	-
100-240 VAC	US\$	1,458.00	1,510.00	1,639.00	1,976.00	2,404.00	3,145.00	-
Weight (Lbs)/Bracket Kit		7.45	8.40	12.58	23.00	24.85	29.23	63.05

*** VOLTAGE SUFFIX**

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

NEW

PVCBFVV direct mount, Wafer style, FKM (VITON) seats, PVC disc butterfly valve.

**DAPVCBFVV**

With double acting Valbia pneumatic actuator.

SIZE	2"	3"	4"	6"	8"
ACT.	DA52V	DA63V	DA75V	DA85V	DA100V
Weight (Lbs)	4.87	6.96	11.48	20.80	26.17
US\$	904.00	1,010.00	1,300.00	1,751.00	2,162.00

SRPVCBFVV

With spring return Valbia pneumatic actuator.

SIZE	2"	3"	4"	6"	8"
ACT.	SR63V	SR85V	SR100V	SR115V	SR140V
Weight (Lbs)	6.79	13.93	20.78	37.49	62.11
US\$	956.00	1,159.00	1,473.00	2,054.00	2,777.00



SIZE	2"	3"	4"	6"	8"
EPVCBFVV-00*					
With UL approved standard on/off metal Valbia electric actuator.					

24V AC/DC	US\$	988.00	1,255.00	1,520.00	2,035.00	2,387.00
12V AC/DC, 100-240 VAC	US\$	1,041.00	1,300.00	1,591.00	2,118.00	2,483.00

EPVCBFVV-01*						With fail-safe battery back-up metal Valbia electric actuator.
ACT.		VB030	VB030	VB060	VB110	VB190

24V AC/DC	US\$	1,668.00	1,757.00	2,036.00	2,588.00	2,994.00
100-240 VAC	US\$	1,737.00	1,826.00	2,099.00	2,639.00	3,063.00

EPVCBFVV-02*							With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.
--------------	--	--	--	--	--	--	---

24V AC/DC	US\$	1,606.00	1,695.00	1,951.00	2,444.00	2,853.00
12V AC/DC, 100-240 VAC	US\$	1,698.00	1,787.00	2,041.00	2,532.00	2,972.00

EPVCBFVV-04*						
With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.						

24V AC/DC	US\$	1,783.00	1,872.00	2,158.00	2,735.00	3,150.00
100-240 VAC	US\$	1,858.00	1,947.00	2,218.00	2,822.00	3,228.00
Weight (Lbs)		7.45	8.40	12.58	23.00	24.85

*** VOLTAGE SUFFIX****1** = 12V AC/DC**2** = 24V AC/DC**3** = 100-240V AC



NSF/ANSI
61, 372

N500N direct mount, Wafer style, EPDM seats, nylon coated ductile iron disc butterfly valve.



DAN500N

With **double acting Valbia pneumatic** actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	10.02	11.62	14.16	18.98	23.58	27.85	45.52	71.91	113.28
US\$	303.00	342.00	384.00	511.00	549.00	616.00	857.00	1,179.00	1,704.00



SRN500N

With **spring return Valbia pneumatic** actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	C/F
SR200	15.07	16.67	21.08	28.28	42.74	50.34	98.54	136.16	C/F
US\$	436.00	475.00	526.00	684.00	882.00	1,001.00	1,866.00	2,459.00	C/F




SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	565.00	604.00	614.00	738.00	864.00	928.00	1,144.00	1,393.00
12V AC/DC, 100-240 VAC	US\$	610.00	649.00	659.00	809.00	947.00	1,024.00	1,255.00	1,460.00

With fail-safe battery back-up plastic Valbia electric actuator.									
24V AC/DC	US\$	1,067.00	1,106.00	1,116.00	1,254.00	1,417.00	1,535.00	1,764.00	1,963.00
100-240 VAC	US\$	1,136.00	1,175.00	1,185.00	1,317.00	1,468.00	1,604.00	1,834.00	2,041.00

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,005.00	1,044.00	1,054.00	1,169.00	1,273.00	1,394.00	1,648.00	1,841.00
12V AC/DC, 100-240 VAC	US\$	1,097.00	1,136.00	1,146.00	1,259.00	1,361.00	1,513.00	1,743.00	1,917.00

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,182.00	1,221.00	1,231.00	1,376.00	1,564.00	1,691.00	1,950.00	2,164.00
100-240 VAC	US\$	1,257.00	1,296.00	1,306.00	1,436.00	1,651.00	1,769.00	2,030.00	2,229.00
Weight (Lbs)		12.60	14.20	15.50	20.13	28.25	30.05	46.68	61.33



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	670.00	709.00	719.00	862.00	1,308.00	1,393.00	1,777.00	1,977.00
12V AC/DC, 100-240 VAC	US\$	715.00	754.00	764.00	908.00	1,372.00	1,462.00	1,824.00	2,044.00

With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,421.00	1,460.00	1,470.00	1,593.00	2,088.00	2,270.00	2,523.00	2,813.00
100-240 VAC	US\$	1,503.00	1,542.00	1,552.00	1,675.00	2,154.00	2,385.00	2,639.00	2,941.00

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,319.00	1,358.00	1,368.00	1,564.00	2,024.00	2,202.00	2,494.00	2,707.00
12V AC/DC, 100-240 VAC	US\$	1,416.00	1,455.00	1,465.00	1,665.00	2,106.00	2,291.00	2,583.00	2,800.00

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,552.00	1,591.00	1,601.00	1,718.00	2,111.00	2,364.00	2,623.00	2,920.00
100-240 VAC	US\$	1,614.00	1,653.00	1,663.00	1,870.00	2,319.00	2,624.00	2,824.00	3,201.00
Weight (Lbs)		14.85	16.45	17.75	22.75	36.15	37.95	54.35	69.00

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,663.00	1,702.00	1,712.00	1,990.00	3,910.00	4,295.00	4,460.00	5,086.00
With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,513.00	2,552.00	2,562.00	2,842.00	4,760.00	5,147.00	5,312.00	5,937.00
Weight (Lbs)		11.96	13.56	14.86	19.46	41.70	43.50	57.70	92.19

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC



NSF/ANSI
61, 372

N500S direct mount, Wafer style, EPDM seats, stainless steel disc butterfly valve.



DAN500S

With double acting Valbia pneumatic actuator.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	9.32	10.02	11.62	14.16	18.98	23.58	27.85	45.52	71.91	113.28
US\$	302.00	303.00	342.00	384.00	511.00	549.00	616.00	857.00	1,225.00	1,836.00




SRN500S

With spring return Valbia pneumatic actuator.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	C/F
SR200	14.37	15.07	16.67	21.08	28.28	42.74	50.34	98.49	136.16	C/F
US\$	435.00	436.00	475.00	526.00	684.00	882.00	1,001.00	1,865.00	2,505.00	C/F



SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EN500S-00* With UL approved standard on/off plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	564.00	565.00	604.00	614.00	738.00	864.00	928.00	1,144.00	1,439.00
12V AC/DC, 100-240 VAC	US\$	609.00	610.00	649.00	659.00	809.00	947.00	1,024.00	1,255.00	1,506.00
EN500S-01* With fail-safe battery back-up plastic Valbia electric actuator.										
24V AC/DC	US\$	1,066.00	1,067.00	1,106.00	1,116.00	1,254.00	1,417.00	1,535.00	1,764.00	2,009.00
100-240 VAC	US\$	1,135.00	1,136.00	1,175.00	1,185.00	1,317.00	1,468.00	1,604.00	1,834.00	2,087.00
EN500S-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,004.00	1,005.00	1,044.00	1,054.00	1,169.00	1,273.00	1,394.00	1,648.00	1,887.00
12V AC/DC, 100-240 VAC	US\$	1,096.00	1,097.00	1,136.00	1,146.00	1,259.00	1,361.00	1,513.00	1,743.00	1,963.00
EN500S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.										
24V AC/DC	US\$	1,181.00	1,182.00	1,221.00	1,231.00	1,376.00	1,564.00	1,691.00	1,950.00	2,210.00
100-240 VAC	US\$	1,256.00	1,257.00	1,296.00	1,306.00	1,436.00	1,651.00	1,769.00	2,030.00	2,275.00
Weight (Lbs)		11.90	12.60	14.20	15.50	20.13	28.25	30.05	46.68	61.33



SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
MEN500S-00* With UL approved standard on/off metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	669.00	670.00	709.00	719.00	862.00	1,308.00	1,393.00	1,777.00	2,023.00
12V AC/DC, 100-240 VAC	US\$	714.00	715.00	754.00	764.00	908.00	1,372.00	1,462.00	1,824.00	2,090.00
MEN500S-01* With fail-safe battery back-up metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,420.00	1,421.00	1,460.00	1,470.00	1,593.00	2,088.00	2,270.00	2,523.00	2,859.00
100-240 VAC	US\$	1,502.00	1,503.00	1,542.00	1,552.00	1,675.00	2,154.00	2,385.00	2,639.00	2,987.00
MEN500S-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,318.00	1,319.00	1,358.00	1,368.00	1,564.00	2,024.00	2,202.00	2,494.00	2,753.00
12V AC/DC, 100-240 VAC	US\$	1,415.00	1,416.00	1,455.00	1,465.00	1,665.00	2,106.00	2,291.00	2,583.00	2,846.00
MEN500S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.										
24V AC/DC	US\$	1,551.00	1,552.00	1,591.00	1,601.00	1,718.00	2,111.00	2,364.00	2,623.00	2,966.00
100-240 VAC	US\$	1,613.00	1,614.00	1,653.00	1,663.00	1,870.00	2,319.00	2,624.00	2,824.00	3,247.00
Weight (Lbs)		14.15	14.85	16.45	17.75	22.75	36.15	37.95	54.35	69.00

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXMEN500S-00* With CSA approved explosion proof on/off metal electric actuator.										
ACT.		EAX035	EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,662.00	1,663.00	1,702.00	1,712.00	1,990.00	3,910.00	4,295.00	4,460.00	5,132.00
EXMEN500S-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.										
24V AC/DC, 110V AC, 220V AC	US\$	2,512.00	2,513.00	2,552.00	2,562.00	2,842.00	4,760.00	5,147.00	5,312.00	5,983.00
Weight (Lbs)		11.26	11.96	13.56	14.86	19.46	41.70	43.50	57.70	92.19

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

530S direct mount, Wafer style, VITON seats, stainless steel disc butterfly valve.



DA530S

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	10.02	11.62	14.16	18.98	23.58	27.85	45.52	71.91	113.28
US\$	350.00	393.00	448.00	617.00	693.00	784.00	1,108.00	1,611.00	2,416.00



SR530S

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	-
SR200	15.07	16.67	21.08	28.28	42.74	50.34	98.54	136.16	-
US\$	483.00	526.00	590.00	790.00	1,026.00	1,169.00	2,117.00	2,891.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	----	--------	----	----	----	----	----	-----	-----

E530S-00* With UL approved standard on/off plastic Valbia electric actuator.

ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350	-
24V AC/DC	US\$	612.00	655.00	678.00	844.00	1,008.00	1,096.00	1,395.00	1,825.00	C/F
12V AC/DC, 100-240 VAC	US\$	657.00	700.00	723.00	915.00	1,091.00	1,192.00	1,506.00	1,892.00	C/F

E530S-01* With fail-safe battery back-up plastic Valbia electric actuator.

24V AC/DC	US\$	1,114.00	1,157.00	1,180.00	1,360.00	1,561.00	1,703.00	2,015.00	2,395.00	C/F
100-240 VAC	US\$	1,183.00	1,226.00	1,249.00	1,423.00	1,612.00	1,772.00	2,085.00	2,473.00	C/F

E530S-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,052.00	1,095.00	1,118.00	1,275.00	1,417.00	1,562.00	1,899.00	2,273.00	C/F
12V AC/DC, 100-240 VAC	US\$	1,144.00	1,187.00	1,210.00	1,365.00	1,505.00	1,681.00	1,994.00	2,349.00	C/F

E530S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.

24V AC/DC	US\$	1,229.00	1,272.00	1,295.00	1,482.00	1,708.00	1,859.00	2,201.00	2,596.00	C/F
100-240 VAC	US\$	1,304.00	1,347.00	1,370.00	1,542.00	1,795.00	1,937.00	2,281.00	2,661.00	C/F
Weight (Lbs)		12.60	14.20	15.50	20.13	28.25	30.05	46.68	61.33	-



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	----	--------	----	----	----	----	----	-----	-----

ME530S-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M	-
24V AC/DC	US\$	717.00	760.00	783.00	968.00	1,452.00	1,561.00	2,028.00	2,409.00	C/F
12V AC/DC, 100-240 VAC	US\$	762.00	805.00	828.00	1,014.00	1,516.00	1,630.00	2,075.00	2,476.00	C/F

ME530S-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,468.00	1,511.00	1,534.00	1,699.00	2,232.00	2,438.00	2,774.00	3,245.00	C/F
100-240 VAC	US\$	1,550.00	1,593.00	1,616.00	1,781.00	2,298.00	2,553.00	2,890.00	3,373.00	C/F

ME530S-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,366.00	1,409.00	1,432.00	1,670.00	2,168.00	2,370.00	2,745.00	3,139.00	C/F
12V AC/DC, 100-240 VAC	US\$	1,463.00	1,506.00	1,529.00	1,771.00	2,250.00	2,459.00	2,834.00	3,232.00	C/F

ME530S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,599.00	1,642.00	1,665.00	1,824.00	2,255.00	2,532.00	2,874.00	3,352.00	C/F
100-240 VAC	US\$	1,661.00	1,704.00	1,727.00	1,976.00	2,463.00	2,792.00	3,075.00	3,633.00	C/F
Weight (Lbs)		14.85	16.45	17.75	22.75	36.15	37.95	54.35	69.00	-

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	----	--------	----	----	----	----	----	-----	-----

EXME530S-00* With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360	C/F
24V AC/DC, 110V AC, 220V AC	US\$	1,710.00	1,753.00	1,776.00	2,096.00	4,054.00	4,463.00	4,711.00	5,518.00	C/F

EXME530S-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$	2,560.00	2,603.00	2,626.00	2,948.00	4,904.00	5,315.00	5,563.00	6,369.00	C/F
Weight (Lbs)		11.96	13.56	14.86	19.46	41.70	43.50	57.70	92.19	-

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

540S direct mount, Wafer style, BUNA-N seats, stainless steel disc butterfly valve.



DA540S

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	10.02	11.62	14.16	18.98	23.58	27.85	45.52	71.91	113.28
US\$	303.00	342.00	384.00	511.00	549.00	616.00	857.00	1,225.00	1,836.00



SR540S

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	C/F
SR200	15.07	16.67	21.08	28.28	42.74	50.34	98.54	136.16	C/F
US\$	436.00	475.00	526.00	684.00	882.00	1,001.00	1,866.00	2,505.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
E540S-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	565.00	604.00	614.00	738.00	864.00	928.00	1,144.00	1,439.00
12V AC/DC, 100-240 VAC	US\$	610.00	649.00	659.00	809.00	947.00	1,024.00	1,255.00	1,506.00
E540S-01* With fail-safe battery back-up plastic Valbia electric actuator.									
24V AC/DC	US\$	1,067.00	1,106.00	1,116.00	1,254.00	1,417.00	1,535.00	1,764.00	2,009.00
100-240 VAC	US\$	1,136.00	1,175.00	1,185.00	1,317.00	1,468.00	1,604.00	1,834.00	2,087.00
E540S-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,005.00	1,044.00	1,054.00	1,169.00	1,273.00	1,394.00	1,648.00	1,887.00
12V AC/DC, 100-240 VAC	US\$	1,097.00	1,136.00	1,146.00	1,259.00	1,361.00	1,513.00	1,743.00	1,963.00
E540S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,182.00	1,221.00	1,231.00	1,376.00	1,564.00	1,691.00	1,950.00	2,210.00
100-240 VAC	US\$	1,257.00	1,296.00	1,306.00	1,436.00	1,651.00	1,769.00	2,030.00	2,275.00
Weight (Lbs)		12.60	14.20	15.50	20.13	28.25	30.05	46.68	61.33



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME540S-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	670.00	709.00	719.00	862.00	1,308.00	1,393.00	1,777.00	2,023.00
12V AC/DC, 100-240 VAC	US\$	715.00	754.00	764.00	908.00	1,372.00	1,462.00	1,824.00	2,090.00
ME540S-01* With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,421.00	1,460.00	1,470.00	1,593.00	2,088.00	2,270.00	2,523.00	2,859.00
100-240 VAC	US\$	1,503.00	1,542.00	1,552.00	1,675.00	2,154.00	2,385.00	2,639.00	2,987.00
ME540S-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,319.00	1,358.00	1,368.00	1,564.00	2,024.00	2,202.00	2,494.00	2,753.00
12V AC/DC, 100-240 VAC	US\$	1,416.00	1,455.00	1,465.00	1,665.00	2,106.00	2,291.00	2,583.00	2,846.00
ME540S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,552.00	1,591.00	1,601.00	1,718.00	2,111.00	2,364.00	2,623.00	2,966.00
100-240 VAC	US\$	1,614.00	1,653.00	1,663.00	1,870.00	2,319.00	2,624.00	2,824.00	3,247.00
Weight (Lbs)		14.85	16.45	17.75	22.75	36.15	37.95	54.35	69.00

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME540S-00* With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,663.00	1,702.00	1,712.00	1,990.00	3,910.00	4,295.00	4,460.00	5,132.00
EXME540S-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,513.00	2,552.00	2,562.00	2,842.00	4,760.00	5,147.00	5,312.00	5,983.00
Weight (Lbs)		11.96	13.56	14.86	19.46	41.70	43.50	57.70	92.19

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



NSF/ANSI
372

N501N direct mount, Lug style, EPDM seats, nylon coated ductile iron disc butterfly valve.



DAN501N

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	12.92	13.82	16.16	27.98	32.18	41.95	56.52	88.71	129.98
US\$	315.00	357.00	400.00	541.00	582.00	661.00	905.00	1,266.00	1,814.00



SRN501N

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	-
SR200	17.97	18.87	23.08	37.28	51.34	64.44	109.54	152.96	-
US\$	448.00	490.00	542.00	714.00	915.00	1,046.00	1,914.00	2,546.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	577.00	619.00	630.00	768.00	897.00	973.00	1,192.00	1,480.00
12V AC/DC, 100-240 VAC	US\$	622.00	664.00	675.00	839.00	980.00	1,069.00	1,303.00	1,547.00

With fail-safe battery back-up plastic Valbia electric actuator.									
24V AC/DC	US\$	1,079.00	1,121.00	1,132.00	1,284.00	1,450.00	1,580.00	1,812.00	2,050.00
100-240 VAC	US\$	1,148.00	1,190.00	1,201.00	1,347.00	1,501.00	1,649.00	1,882.00	2,128.00

With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,017.00	1,059.00	1,070.00	1,199.00	1,306.00	1,439.00	1,696.00	1,928.00
12V AC/DC, 100-240 VAC	US\$	1,109.00	1,151.00	1,162.00	1,289.00	1,394.00	1,558.00	1,791.00	2,004.00

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,194.00	1,236.00	1,247.00	1,406.00	1,597.00	1,736.00	1,998.00	2,251.00
100-240 VAC	US\$	1,269.00	1,311.00	1,322.00	1,466.00	1,684.00	1,814.00	2,078.00	2,316.00
Weight (Lbs)		15.50	16.40	17.50	29.13	36.85	44.15	57.68	78.13



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	682.00	724.00	735.00	892.00	1,341.00	1,438.00	1,825.00	2,064.00
12V AC/DC, 100-240 VAC	US\$	727.00	769.00	780.00	938.00	1,405.00	1,507.00	1,872.00	2,131.00

With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,433.00	1,475.00	1,486.00	1,623.00	2,121.00	2,315.00	2,571.00	2,900.00
100-240 VAC	US\$	1,515.00	1,557.00	1,568.00	1,705.00	2,187.00	2,430.00	2,687.00	3,028.00

With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,331.00	1,373.00	1,384.00	1,594.00	2,057.00	2,247.00	2,542.00	2,794.00
12V AC/DC, 100-240 VAC	US\$	1,428.00	1,470.00	1,481.00	1,695.00	2,139.00	2,336.00	2,631.00	2,887.00

With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,564.00	1,606.00	1,617.00	1,748.00	2,144.00	2,409.00	2,671.00	3,007.00
100-240 VAC	US\$	1,626.00	1,668.00	1,679.00	1,900.00	2,352.00	2,669.00	2,872.00	3,288.00
Weight (Lbs)		17.75	18.65	19.75	31.75	44.75	52.05	65.35	85.80

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,675.00	1,717.00	1,728.00	2,020.00	3,943.00	4,340.00	4,508.00	5,173.00
EXMEN501N-02*	With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220V AC	US\$	2,525.00	2,567.00	2,578.00	2,872.00	4,793.00	5,192.00	5,360.00	6,024.00
Weight (Lbs)		14.86	15.76	16.86	28.46	50.30	57.60	68.70	108.99

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC



NSF/ANSI
372

N501S direct mount, Lug style, EPDM seats, stainless steel disc butterfly valve.



DAN501S

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	12.92	13.82	16.16	27.98	32.18	41.95	56.52	88.71	129.98
US\$	315.00	357.00	400.00	541.00	582.00	661.00	905.00	1,353.00	1,946.00



SRN501S

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	-
SR200	17.97	18.87	23.08	37.28	51.34	64.44	109.54	152.96	-
US\$	448.00	490.00	542.00	714.00	915.00	1,046.00	1,914.00	2,633.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EN501S-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	577.00	619.00	630.00	768.00	897.00	973.00	1,192.00	1,567.00
12V AC/DC, 100-240 VAC	US\$	622.00	664.00	675.00	839.00	980.00	1,069.00	1,303.00	1,634.00
EN501S-01* With fail-safe battery back-up plastic Valbia electric actuator.									
24V AC/DC	US\$	1,079.00	1,121.00	1,132.00	1,284.00	1,450.00	1,580.00	1,812.00	2,137.00
100-240 VAC	US\$	1,148.00	1,190.00	1,201.00	1,347.00	1,501.00	1,649.00	1,882.00	2,215.00
EN501S-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,017.00	1,059.00	1,070.00	1,199.00	1,306.00	1,439.00	1,696.00	2,015.00
12V AC/DC, 100-240 VAC	US\$	1,109.00	1,151.00	1,162.00	1,289.00	1,394.00	1,558.00	1,791.00	2,091.00
EN501S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,194.00	1,236.00	1,247.00	1,406.00	1,597.00	1,736.00	1,998.00	2,338.00
100-240 VAC	US\$	1,269.00	1,311.00	1,322.00	1,466.00	1,684.00	1,814.00	2,078.00	2,403.00
Weight (Lbs)		15.50	16.40	17.50	29.13	36.85	44.15	57.68	78.13



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
MEN501S-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	682.00	724.00	735.00	892.00	1,341.00	1,438.00	1,825.00	2,151.00
12V AC/DC, 100-240 VAC	US\$	727.00	769.00	780.00	938.00	1,405.00	1,507.00	1,872.00	2,218.00
MEN501S-01* With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,433.00	1,475.00	1,486.00	1,623.00	2,121.00	2,315.00	2,571.00	2,987.00
100-240 VAC	US\$	1,515.00	1,557.00	1,568.00	1,705.00	2,187.00	2,430.00	2,687.00	3,115.00
MEN501S-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,331.00	1,373.00	1,384.00	1,594.00	2,057.00	2,247.00	2,542.00	2,881.00
12V AC/DC, 100-240 VAC	US\$	1,428.00	1,470.00	1,481.00	1,695.00	2,139.00	2,336.00	2,631.00	2,974.00
MEN501S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,564.00	1,606.00	1,617.00	1,748.00	2,144.00	2,409.00	2,671.00	3,094.00
100-240 VAC	US\$	1,626.00	1,668.00	1,679.00	1,900.00	2,352.00	2,669.00	2,872.00	3,375.00
Weight (Lbs)		17.75	18.65	19.75	31.75	44.75	52.05	65.35	85.80

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXMEN501S-00* With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,675.00	1,717.00	1,728.00	2,020.00	3,943.00	4,340.00	4,508.00	5,260.00
EXMEN501S-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,525.00	2,567.00	2,578.00	2,872.00	4,793.00	5,192.00	5,360.00	6,111.00
Weight (Lbs)		14.86	15.76	16.86	28.46	50.30	57.60	68.70	108.99

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

531S direct mount, Lug style, VITON seats, stainless steel, disc butterfly valve.



DA531S

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	12.92	13.82	16.16	27.98	32.18	41.95	56.52	88.71	129.98
US\$	365.00	412.00	471.00	653.00	743.00	844.00	1,200.00	1,754.00	2,609.00



SR531S

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	C/F
SR200	17.97	18.87	23.08	37.28	51.34	64.44	109.54	152.96	C/F
US\$	498.00	545.00	613.00	826.00	1,076.00	1,229.00	2,209.00	3,034.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
E531S-00*	With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	627.00	674.00	701.00	880.00	1,058.00	1,156.00	1,487.00	1,968.00
12V AC/DC, 100-240 VAC	US\$	672.00	719.00	746.00	951.00	1,141.00	1,252.00	1,598.00	2,035.00

E531S-01*	With fail-safe battery back-up plastic Valbia electric actuator.								
24V AC/DC	US\$	1,129.00	1,176.00	1,203.00	1,396.00	1,611.00	1,763.00	2,107.00	2,538.00
100-240 VAC	US\$	1,198.00	1,245.00	1,272.00	1,459.00	1,662.00	1,832.00	2,177.00	2,616.00

E531S-02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,067.00	1,114.00	1,141.00	1,311.00	1,467.00	1,622.00	1,991.00	2,416.00
12V AC/DC, 100-240 VAC	US\$	1,159.00	1,206.00	1,233.00	1,401.00	1,555.00	1,741.00	2,086.00	2,492.00

E531S-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,244.00	1,291.00	1,318.00	1,518.00	1,758.00	1,929.00	2,293.00	2,739.00
100-240 VAC	US\$	1,319.00	1,366.00	1,393.00	1,578.00	1,845.00	1,997.00	2,373.00	2,804.00
Weight (Lbs)		15.50	16.40	17.50	29.13	36.85	44.15	57.68	78.13



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME531S-00*	With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	732.00	779.00	806.00	1,004.00	1,202.00	1,621.00	2,120.00	2,552.00
12V AC/DC, 100-240 VAC	US\$	777.00	824.00	851.00	1,050.00	1,566.00	1,690.00	2,167.00	2,619.00

ME531S-01*	With fail-safe battery back-up metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,483.00	1,530.00	1,557.00	1,735.00	2,282.00	2,498.00	2,866.00	3,388.00
100-240 VAC	US\$	1,565.00	1,612.00	1,639.00	1,817.00	2,348.00	2,613.00	2,982.00	3,516.00

ME531S-02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,381.00	1,428.00	1,455.00	1,706.00	2,218.00	2,430.00	2,837.00	3,282.00
12V AC/DC, 100-240 VAC	US\$	1,478.00	1,525.00	1,552.00	1,807.00	2,300.00	2,519.00	2,926.00	3,375.00

ME531S-04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,614.00	1,661.00	1,688.00	1,880.00	2,305.00	2,592.00	2,966.00	3,495.00
100-240 VAC	US\$	1,676.00	1,723.00	1,750.00	2,012.00	2,513.00	2,852.00	3,167.00	3,776.00
Weight (Lbs)		17.75	18.65	19.75	31.75	44.75	52.05	65.35	85.80

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME531S-00*	With CSA approved explosion proof on/off metal electric actuator.								
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,725.00	1,772.00	1,799.00	2,132.00	4,104.00	4,523.00	4,803.00	5,661.00
EXME531S-02*	With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220V AC	US\$	2,575.00	2,622.00	2,649.00	2,984.00	4,954.00	5,375.00	5,655.00	6,512.00
Weight (Lbs)		14.86	15.76	16.86	28.46	50.30	57.60	68.70	108.99

* VOLTAGE SUFFIX		
1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC

541S direct mount, Lug style, Buna-N seats, stainless steel disc butterfly valve.



DA541S

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V
Weight (Lbs)	12.92	13.82	16.16	27.98	32.18	41.95	56.52	88.71	129.98
US\$	315.00	352.00	400.00	541.00	582.00	661.00	905.00	1,353.00	1,946.00



SR541S

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR75V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	C/F
SR200	17.97	18.87	23.08	37.28	51.34	64.44	109.54	152.96	C/F
US\$	448.00	485.00	542.00	714.00	915.00	1,046.00	1,914.00	2,633.00	C/F



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
E541S-00* With UL approved standard on/off plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB060	VB110	VB190	VB270	VB350
24V AC/DC	US\$	577.00	614.00	630.00	768.00	897.00	973.00	1,192.00	1,567.00
12V AC/DC, 100-240 VAC	US\$	622.00	659.00	675.00	839.00	980.00	1,069.00	1,303.00	1,634.00
E541S-01* With fail-safe battery back-up plastic Valbia electric actuator.									
24V AC/DC	US\$	1,079.00	1,116.00	1,132.00	1,284.00	1,450.00	1,580.00	1,812.00	2,137.00
100-240 VAC	US\$	1,148.00	1,185.00	1,201.00	1,347.00	1,501.00	1,649.00	1,882.00	2,215.00
E541S-02* With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,017.00	1,054.00	1,070.00	1,199.00	1,306.00	1,439.00	1,696.00	2,015.00
12V AC/DC, 100-240 VAC	US\$	1,109.00	1,146.00	1,162.00	1,289.00	1,394.00	1,558.00	1,791.00	2,091.00
E541S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.									
24V AC/DC	US\$	1,194.00	1,231.00	1,247.00	1,406.00	1,597.00	1,736.00	1,998.00	2,338.00
100-240 VAC	US\$	1,269.00	1,306.00	1,322.00	1,466.00	1,684.00	1,814.00	2,078.00	2,403.00
Weight (Lbs)		15.50	16.40	17.50	29.13	36.85	44.15	57.68	78.13



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME541S-00* With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	682.00	719.00	735.00	892.00	1,341.00	1,438.00	1,825.00	2,151.00
12V AC/DC, 100-240 VAC	US\$	727.00	764.00	780.00	938.00	1,405.00	1,507.00	1,872.00	2,218.00
ME541S-01* With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB190M	VB270M	VB350M
24V AC/DC	US\$	1,433.00	1,470.00	1,486.00	1,623.00	2,121.00	2,315.00	2,571.00	2,987.00
100-240 VAC	US\$	1,515.00	1,552.00	1,568.00	1,705.00	2,187.00	2,430.00	2,687.00	3,115.00
ME541S-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,331.00	1,368.00	1,384.00	1,594.00	2,057.00	2,247.00	2,542.00	2,881.00
12V AC/DC, 100-240 VAC	US\$	1,428.00	1,465.00	1,481.00	1,695.00	2,139.00	2,336.00	2,631.00	2,974.00
ME541S-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,564.00	1,601.00	1,617.00	1,748.00	2,144.00	2,409.00	2,671.00	3,094.00
100-240 VAC	US\$	1,626.00	1,663.00	1,679.00	1,900.00	2,352.00	2,669.00	2,872.00	3,375.00
Weight (Lbs)		17.75	18.65	19.75	31.75	44.75	52.05	65.35	85.80

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME541S-00* With CSA approved explosion proof on/off metal electric actuator.									
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX130	EAX360
24V AC/DC, 110V AC, 220V AC	US\$	1,675.00	1,712.00	1,728.00	2,020.00	3,943.00	4,340.00	4,508.00	5,260.00
EXME541S-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.									
24V AC/DC, 110V AC, 220V AC	US\$	2,525.00	2,562.00	2,578.00	2,872.00	4,793.00	5,192.00	5,360.00	6,111.00
Weight (Lbs)		14.86	15.76	16.86	28.46	50.30	57.60	68.70	108.99

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

L700 direct mount, grooved end, butterfly valve.



DA700E (EPDM coated disc)
DA700B (Buna-N coated disc)

With double acting Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA52V	DA63V	DA75V	DA75V	DA85V	DA100V	DA125V	DA140V	DA160V
Weight (Lbs)	6.42	8.56	12.13	16.08	25.35	33.27	56.26	90.38	124.00
US\$	329.00	399.00	497.00	572.00	675.00	829.00	1,293.00	1,754.00	2,323.00

SR700E (EPDM)
SR700B (Buna-N)

With spring return Valbia pneumatic actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR75V	SR85V	SR115V	SR115V	SR125V	SR125V	SR160V	SR200V	SR230V
SR200	11.47	15.48	31.29	35.24	47.84	52.24	97.54	176.65	233.53
US\$	462.00	541.00	837.00	905.00	1,060.00	1,127.00	2,090.00	3,618.00	5,332.00



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
E700* -00*	With UL approved standard on/off plastic Valbia electric actuator.								
ACT.		VB030	VB030	VB060	VB110	VB190	VB190	VB270	VB350
24V AC/DC	US\$	591.00	629.00	726.00	887.00	959.00	1,054.00	1,368.00	1,708.00
12V AC/DC, 100-240 VAC	US\$	636.00	674.00	797.00	970.00	1,042.00	1,150.00	1,479.00	1,775.00

E700* -01*	With fail-safe battery back-up plastic Valbia electric actuator.								
24V AC/DC	US\$	1,093.00	1,131.00	1,242.00	1,440.00	1,512.00	1,661.00	1,988.00	2,278.00
100-240 VAC	US\$	1,162.00	1,200.00	1,305.00	1,491.00	1,563.00	1,730.00	2,058.00	2,356.00

E700* -02*	With 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,031.00	1,069.00	1,157.00	1,296.00	1,368.00	1,520.00	1,872.00	2,156.00
12V AC/DC, 100-240 VAC	US\$	1,123.00	1,161.00	1,247.00	1,384.00	1,456.00	1,639.00	1,967.00	2,232.00

E700* -04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning plastic Valbia electric actuator.								
24V AC/DC	US\$	1,208.00	1,246.00	1,364.00	1,587.00	1,659.00	1,817.00	2,174.00	2,479.00
100-240 VAC	US\$	1,283.00	1,321.00	1,424.00	1,674.00	1,746.00	1,895.00	2,254.00	2,544.00
Weight (Lbs)		9.00	9.90	13.28	20.75	27.55	31.95	45.68	67.63

* Seats material, B=Buna - E=EPDM.



SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME700* -00*	With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB060M	VB110M	VB190M	VB190M	VB270M	VB350M
24V AC/DC	US\$	696.00	734.00	850.00	1,330.00	1,452.00	1,519.00	2,001.00	2,292.00
12V AC/DC, 100-240 VAC	US\$	741.00	779.00	896.00	1,394.00	1,521.00	1,588.00	2,048.00	2,359.00

ME700* -01*	With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,447.00	1,485.00	1,581.00	2,110.00	2,329.00	2,396.00	2,747.00	3,128.00
100-240 VAC	US\$	1,529.00	1,567.00	1,663.00	2,176.00	2,444.00	2,511.00	2,863.00	3,256.00

ME700* -02*	With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,345.00	1,383.00	1,552.00	2,046.00	2,261.00	2,328.00	2,718.00	3,022.00
12V AC/DC, 100-240 VAC	US\$	1,442.00	1,480.00	1,653.00	2,128.00	2,350.00	2,417.00	2,807.00	3,115.00

ME700* -04*	With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,578.00	1,616.00	1,706.00	2,133.00	2,423.00	2,490.00	2,847.00	3,235.00
100-240 VAC	US\$	1,640.00	1,678.00	1,858.00	2,341.00	2,683.00	2,750.00	3,048.00	3,516.00
Weight (Lbs)		11.25	12.15	15.90	28.65	35.45	39.85	53.35	75.30

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

8100 carbon steel, class 150 HP, Wafer style butterfly valve.
8300 carbon steel, class 300 HP, Wafer style butterfly valve.

**DA8100/DA8300**

With double acting Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		13.85	14.95	17.16	24.04	29.98	40.78	65.64	95.46	185.67
DA 8100	US\$	732.00	772.00	838.00	1,002.00	1,335.00	1,499.00	2,221.00	2,806.00	4,457.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		14.95	16.72	20.95	27.12	37.10	47.83	75.78	113.14	187.44
DA 8300	US\$	850.00	896.00	994.00	1,090.00	1,464.00	1,749.00	2,625.00	3,886.00	5,527.00

SR8100/SR8300

With spring return Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		20.77	21.87	24.08	33.34	46.67	59.75	111.17	159.71	242.99
SR 8100	US\$	753.00	793.00	859.00	1,175.00	1,638.00	1,798.00	3,099.00	4,086.00	6,776.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		21.87	28.49	30.25	46.28	59.59	68.30	145.78	165.12	279.99
SR 8300	US\$	992.00	1,145.00	1,167.00	1,423.00	1,850.00	2,048.00	3,986.00	5,397.00	8,350.00



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME8100-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US\$	1,066.00	1,106.00	1,172.00	1,354.00	2,072.00	2,149.00	2,781.00	3,615.00	6,140.00
12V AC/DC, 100-240 VAC	US\$	1,111.00	1,151.00	1,217.00	1,400.00	2,136.00	2,213.00	2,850.00	3,682.00	6,140.00

ME8100-01*										
24V AC/DC	US\$	1,817.00	1,857.00	1,923.00	2,085.00	2,852.00	2,929.00	3,658.00	4,451.00	-
100-240 VAC	US\$	1,899.00	1,939.00	2,005.00	2,167.00	2,918.00	2,995.00	3,773.00	4,579.00	-

ME8100-02*										
24V AC/DC	US\$	1,715.00	1,755.00	1,821.00	2,056.00	2,788.00	2,865.00	3,590.00	4,345.00	7,161.00
12V AC/DC, 100-240 VAC	US\$	1,812.00	1,852.00	1,918.00	2,157.00	2,870.00	2,947.00	3,679.00	4,438.00	7,161.00

ME8100-04*										
24V AC/DC	US\$	1,948.00	1,988.00	2,054.00	2,210.00	2,875.00	2,952.00	3,752.00	4,558.00	-
100-240 VAC	US\$	2,010.00	2,050.00	2,116.00	2,362.00	3,083.00	3,160.00	4,012.00	4,839.00	-
Weight (Lbs)		17.44	18.54	20.75	27.81	40.13	47.41	64.78	94.10	166.69



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME8300-00*										
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US\$	1,184.00	1,323.00	1,345.00	1,442.00	2,201.00	2,448.00	3,415.00	5,272.00	7,210.00
12V AC/DC, 100-240 VAC	US\$	1,229.00	1,369.00	1,391.00	1,488.00	2,265.00	2,517.00	3,462.00	5,272.00	7,210.00

ME8300-01*										
24V AC/DC	US\$	1,935.00	2,054.00	2,076.00	2,173.00	2,981.00	3,325.00	4,161.00	-	-
100-240 VAC	US\$	2,017.00	2,136.00	2,158.00	2,255.00	3,047.00	3,440.00	4,277.00	-	-

ME8300-02*										
24V AC/DC	US\$	1,833.00	2,025.00	2,047.00	2,144.00	2,917.00	3,257.00	4,132.00	6,293.00	8,231.00
12V AC/DC, 100-240 VAC	US\$	1,930.00	2,126.00	2,148.00	2,245.00	2,999.00	3,346.00	4,221.00	6,293.00	8,231.00

ME8300-04*										
24V AC/DC	US\$	2,066.00	2,179.00	2,201.00	2,298.00	3,004.00	3,419.00	4,261.00	-	-
100-240 VAC	US\$	2,128.00	2,331.00	2,353.00	2,450.00	3,212.00	3,679.00	4,462.00	-	-
Weight (Lbs)		18.54	22.96	24.72	30.89	48.75	54.46	77.17	122.31	168.46



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME8100-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US\$	2,059.00	2,099.00	2,165.00	2,482.00	4,674.00	5,100.00	6,199.00	7,111.00	-
EXME8100-02*										
24V AC/DC, 110V AC, 220V AC	US\$	2,909.00	2,949.00	3,015.00	3,334.00	5,524.00	5,952.00	7,050.00	7,962.00	-
Weight (Lbs)		14.55	15.65	17.86	24.52	45.68	52.96	90.17	115.79	-

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME8300-00*										
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	-
24V AC/DC, 110V AC, 220V AC	US\$	2,177.00	2,231.00	2,253.00	2,570.00	4,803.00	5,350.00	6,614.00	7,965.00	-
EXME8300-02*										
24V AC/DC, 110V AC, 220V AC	US\$	3,027.00	3,081.00	3,103.00	3,422.00	5,653.00	6,202.00	7,465.00	8,816.00	-
Weight (Lbs)		15.65	17.47	19.23	27.60	52.80	60.01	100.36	121.40	-

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

8101 carbon steel, class 150 HP, Lug style butterfly valve.
8301 carbon steel, class 300 HP, Lug style butterfly valve.



DA8101/DA8301

With double acting Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		14.95	16.28	18.26	29.55	37.48	47.39	85.70	108.69	206.18
DA 8101	US\$	781.00	830.00	877.00	1,118.00	1,514.00	1,675.00	2,433.00	3,191.00	4,944.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		18.04	20.91	25.80	33.30	41.89	62.16	98.48	152.82	229.33
DA 8301	US\$	946.00	995.00	1,093.00	1,266.00	1,701.00	2,052.00	3,049.00	4,436.00	6,294.00

SR8101/SR8301

With spring return Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		21.87	23.20	25.18	38.85	54.17	66.36	131.23	172.94	263.50
SR 8101	US\$	802.00	851.00	898.00	1,291.00	1,817.00	1,974.00	3,311.00	4,471.00	7,263.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		26.46	32.68	35.10	52.46	64.38	81.13	166.98	204.80	321.88
SR 8301	US\$	1,088.00	1,244.00	1,266.00	1,599.00	2,087.00	2,351.00	4,410.00	5,947.00	9,117.00



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME8101-00*		With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US\$	1,115.00	1,164.00	1,211.00	1,470.00	2,251.00	2,325.00	2,993.00	4,000.00	6,627.00
12V AC/DC, 100-240 VAC	US\$	1,160.00	1,209.00	1,256.00	1,516.00	2,315.00	2,389.00	3,062.00	4,067.00	6,627.00

ME8101-01*		With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	1,866.00	1,915.00	1,962.00	2,201.00	3,031.00	3,105.00	3,870.00	4,836.00	-
100-240 VAC	US\$	1,948.00	1,997.00	2,044.00	2,283.00	3,097.00	3,171.00	3,985.00	4,964.00	-

ME8101-02*		With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,764.00	1,813.00	1,860.00	2,172.00	2,967.00	3,041.00	3,802.00	4,730.00	7,648.00
12V AC/DC, 100-240 VAC	US\$	1,861.00	1,910.00	1,957.00	2,273.00	3,049.00	3,123.00	3,891.00	4,823.00	7,648.00

ME8101-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,997.00	2,046.00	2,093.00	2,326.00	3,054.00	3,128.00	3,964.00	4,943.00	-
100-240 VAC	US\$	2,059.00	2,108.00	2,155.00	2,478.00	3,262.00	3,336.00	4,224.00	5,224.00	-
Weight (Lbs)		18.54	21.37	21.85	33.32	47.63	54.02	84.84	105.83	187.20



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME8301-00*		With UL approved standard on/off metal Valbia electric actuator.								
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US\$	1,280.00	1,422.00	1,444.00	1,618.00	2,438.00	2,751.00	3,839.00	5,822.00	7,977.00
12V AC/DC, 100-240 VAC	US\$	1,325.00	1,468.00	1,490.00	1,664.00	2,502.00	2,820.00	3,886.00	5,822.00	7,977.00

ME8301-01*		With fail-safe battery back-up metal Valbia electric actuator.								
24V AC/DC	US\$	2,031.00	2,153.00	2,175.00	2,349.00	3,218.00	3,628.00	4,585.00	-	-
100-240 VAC	US\$	2,113.00	2,235.00	2,257.00	2,431.00	3,284.00	3,743.00	4,701.00	-	-

ME8301-02*		With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,929.00	2,124.00	2,146.00	2,320.00	3,154.00	3,560.00	4,556.00	6,843.00	8,998.00
12V AC/DC, 100-240 VAC	US\$	2,026.00	2,225.00	2,247.00	2,421.00	3,236.00	3,649.00	4,645.00	6,843.00	8,998.00

ME8301-04*		With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	2,162.00	2,278.00	2,300.00	2,474.00	3,241.00	3,722.00	4,685.00	-	-
100-240 VAC	US\$	2,224.00	2,430.00	2,452.00	2,626.00	3,449.00	3,982.00	4,886.00	-	-
Weight (Lbs)		21.63	27.15	29.57	37.07	52.04	68.79	99.87	161.99	210.35



EXME8101-00*

With CSA approved explosion proof on/off metal electric actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US\$	2,108.00	2,157.00	2,204.00	2,598.00	4,853.00	5,276.00	6,411.00	7,496.00	-

EXME8101-02*		With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220V AC	US\$	2,958.00	3,007.00	3,054.00	3,450.00	5,703.00	6,128.00	7,262.00	8,347.00	-
Weight (Lbs)		15.65	16.98	18.96	30.03	53.18	59.57	110.23	129.02	-

EXME8301-00*

With CSA approved explosion proof on/off metal electric actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	-
24V AC/DC, 110V AC, 220V AC	US\$	2,273.00	2,330.00	2,352.00	2,746.00	5,040.00	5,653.00	7,038.00	8,515.00	-

EXME8301-02*		With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.								
24V AC/DC, 110V AC, 220V AC	US\$	3,123.00	3,180.00	3,202.00	3,598.00	5,890.00	6,505.00	7,889.00	9,366.00	-
Weight (Lbs)		18.74	21.66	24.08	33.78	57.59	74.34	123.06	161.08	-

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

9100 stainless steel, class 150 HP, Wafer style butterfly valve.
9300 stainless steel, class 300 HP, Wafer style butterfly valve.



DA9100/DA9300

With double acting Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		13.85	14.95	17.16	24.04	29.98	40.78	65.64	95.46	185.67
DA 9100	US\$	861.00	921.00	981.00	1,178.00	1,588.00	1,793.00	2,647.00	3,422.00	5,326.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		14.95	16.72	20.95	27.12	37.10	47.83	75.78	113.14	187.44
DA 9300	US\$	985.00	1,047.00	1,156.00	1,316.00	1,745.00	2,162.00	3,244.00	4,991.00	6,998.00

SR9100/SR9300

With spring return Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		SR85V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		20.77	21.87	24.08	33.34	46.67	59.75	111.17	159.71	242.99
SR 9100	US\$	882.00	942.00	1,002.00	1,351.00	1,891.00	2,092.00	3,525.00	4,702.00	7,645.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		21.87	28.49	30.25	47.78	61.09	66.80	144.28	165.12	279.99
SR 9300	US\$	1,127.00	1,296.00	1,329.00	1,649.00	2,131.00	2,461.00	4,605.00	6,502.00	9,821.00



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME9100-00*										
ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US\$	1,195.00	1,255.00	1,315.00	1,530.00	2,325.00	2,443.00	3,207.00	4,231.00	7,009.00
12V AC/DC, 100-240 VAC	US\$	1,240.00	1,300.00	1,360.00	1,576.00	2,389.00	2,507.00	3,276.00	4,298.00	7,009.00
ME9100-01*										
24V AC/DC	US\$	1,946.00	2,006.00	2,066.00	2,261.00	3,105.00	3,223.00	4,084.00	5,067.00	-
100-240 VAC	US\$	2,028.00	2,088.00	2,148.00	2,343.00	3,171.00	3,289.00	4,199.00	5,195.00	-
ME9100-02*										
24V AC/DC	US\$	1,844.00	1,904.00	1,964.00	2,232.00	3,041.00	3,159.00	4,016.00	4,961.00	8,030.00
12V AC/DC, 100-240 VAC	US\$	1,941.00	2,001.00	2,061.00	2,333.00	3,123.00	3,241.00	4,105.00	5,054.00	8,030.00
ME9100-04*										
24V AC/DC	US\$	2,077.00	2,137.00	2,197.00	2,386.00	3,128.00	3,246.00	4,178.00	5,174.00	-
100-240 VAC	US\$	2,139.00	2,199.00	2,259.00	2,538.00	3,336.00	3,454.00	4,438.00	5,455.00	-
Weight (Lbs)		17.44	18.54	20.75	27.81	40.13	47.41	66.28	92.60	166.69



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ME9300-00*										
ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US\$	1,319.00	1,474.00	1,507.00	1,668.00	2,482.00	2,861.00	4,034.00	6,377.00	8,681.00
12V AC/DC, 100-240 VAC	US\$	1,364.00	1,520.00	1,553.00	1,714.00	2,546.00	2,930.00	4,081.00	6,377.00	8,681.00
ME9300-01*										
24V AC/DC	US\$	2,070.00	2,205.00	2,238.00	2,399.00	3,262.00	3,738.00	4,780.00	-	-
100-240 VAC	US\$	2,152.00	2,287.00	2,320.00	2,481.00	3,328.00	3,853.00	4,896.00	-	-
ME9300-02*										
24V AC/DC	US\$	1,968.00	2,176.00	2,209.00	2,370.00	3,198.00	3,670.00	4,751.00	7,398.00	9,702.00
12V AC/DC, 100-240 VAC	US\$	2,065.00	2,277.00	2,310.00	2,471.00	3,280.00	3,759.00	4,840.00	7,398.00	9,702.00
ME9300-04*										
24V AC/DC	US\$	2,201.00	2,330.00	2,363.00	2,524.00	3,285.00	3,832.00	4,880.00	-	-
100-240 VAC	US\$	2,263.00	2,482.00	2,515.00	2,676.00	3,493.00	4,092.00	5,081.00	-	-
Weight (Lbs)		18.54	22.96	26.22	30.89	47.25	54.46	77.17	122.31	168.46



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME9100-00*										
ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US\$	2,188.00	2,248.00	2,308.00	2,658.00	4,927.00	5,394.00	6,625.00	7,727.00	-
EXME9100-02*										
24V AC/DC, 110V AC, 220V AC	US\$	3,038.00	3,098.00	3,158.00	3,510.00	5,777.00	6,246.00	7,476.00	8,578.00	-
Weight (Lbs)		14.55	15.65	17.86	24.52	45.68	52.96	90.17	115.79	-

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
EXME9300-00*										
ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	-
24V AC/DC, 110V AC, 220V AC	US\$	2,312.00	2,382.00	2,415.00	2,796.00	5,084.00	5,763.00	7,233.00	9,070.00	-
EXME9300-02*										
24V AC/DC, 110V AC, 220V AC	US\$	3,162.00	3,232.00	3,265.00	3,648.00	5,934.00	6,615.00	8,084.00	9,921.00	-
Weight (Lbs)		15.65	17.47	19.23	27.60	52.80	60.01	100.36	121.40	-

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC

9101 stainless steel, class 150 HP, Lug style butterfly valve.
9301 stainless steel, class 300 HP, Lug style butterfly valve.



DA9101/DA9301

With double acting Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		DA63V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA180V
Weight (Lbs)		14.95	16.28	18.26	29.55	37.48	47.39	85.70	108.69	206.18
DA 9101	US\$	908.00	976.00	1,061.00	1,415.00	1,860.00	2,046.00	2,961.00	4,044.00	6,129.00
ACT.		DA63V	DA63V	DA75V	DA75V	DA85V	DA100V	DA115V	DA140V	DA180V
Weight (Lbs)		18.04	20.91	25.80	33.30	41.89	62.16	98.48	154.32	230.83
DA 9301	US\$	1,117.00	1,182.00	1,299.00	1,588.00	2,196.00	2,701.00	4,094.00	6,072.00	8,601.00

SR9101/SR9301

With spring return Valbia pneumatic actuator.

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		SR63V	SR63V	SR63V	SR100V	SR115V	SR125V	SR160V	SR180V	SR230
Weight (Lbs)		21.87	23.20	25.18	38.85	54.17	66.36	131.23	172.94	263.50
SR 9101	US\$	929.00	997.00	1,082.00	1,588.00	2,163.00	2,345.00	3,839.00	5,324.00	8,448.00
ACT.		SR85V	SR100V	SR100V	SR115V	SR125V	SR125V	SR180V	SR200V	SR200V
Weight (Lbs)		24.96	32.68	35.10	52.46	64.38	81.13	166.98	204.80	321.88
SR 9301	US\$	1,259.00	1,431.00	1,472.00	1,921.00	2,582.00	3,000.00	5,455.00	7,583.00	11,424.00



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	--	----	--------	----	----	----	----	----	-----	-----

ME9101-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB030M	VB030M	VB060M	VB110M	VB110M	VB190M	VB350M	EA575
24V AC/DC	US\$	1,242.00	1,310.00	1,395.00	1,767.00	2,597.00	2,696.00	3,521.00	4,853.00	7,812.00
12V AC/DC, 100-240 VAC	US\$	1,287.00	1,355.00	1,440.00	1,813.00	2,661.00	2,760.00	3,590.00	4,920.00	7,812.00

ME9101-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	1,993.00	2,061.00	2,146.00	2,498.00	3,377.00	3,476.00	4,398.00	5,689.00	-
100-240 VAC	US\$	2,075.00	2,143.00	2,228.00	2,580.00	3,443.00	3,542.00	4,513.00	5,817.00	-

ME9101-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	1,891.00	1,959.00	2,044.00	2,469.00	3,313.00	3,412.00	4,330.00	5,583.00	8,833.00
12V AC/DC, 100-240 VAC	US\$	1,988.00	2,056.00	2,141.00	2,570.00	3,395.00	3,494.00	4,419.00	5,676.00	8,833.00

ME9101-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	2,124.00	2,192.00	2,277.00	2,623.00	3,400.00	3,499.00	4,492.00	5,796.00	-
100-240 VAC	US\$	2,186.00	2,254.00	2,339.00	2,775.00	3,608.00	3,707.00	4,752.00	6,077.00	-
Weight (Lbs)		18.54	21.37	21.85	33.32	47.63	54.02	84.84	105.83	187.20



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	--	----	--------	----	----	----	----	----	-----	-----

ME9301-00* With UL approved standard on/off metal Valbia electric actuator.

ACT.		VB030M	VB060M	VB060M	VB060M	VB110M	VB190M	VB270M	EA450	EA575
24V AC/DC	US\$	1,451.00	1,609.00	1,650.00	1,940.00	2,933.00	3,400.00	4,884.00	7,458.00	10,284.00
12V AC/DC, 100-240 VAC	US\$	1,496.00	1,655.00	1,696.00	1,986.00	2,997.00	3,469.00	4,931.00	7,458.00	10,284.00

ME9301-01* With fail-safe battery back-up metal Valbia electric actuator.

24V AC/DC	US\$	2,202.00	2,340.00	2,381.00	2,671.00	3,713.00	4,277.00	5,630.00	-	-
100-240 VAC	US\$	2,284.00	2,422.00	2,463.00	2,753.00	3,779.00	4,392.00	5,746.00	-	-

ME9301-02* With 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	2,100.00	2,311.00	2,352.00	2,642.00	3,649.00	4,209.00	5,601.00	8,479.00	11,305.00
12V AC/DC, 100-240 VAC	US\$	2,197.00	2,412.00	2,453.00	2,743.00	3,731.00	4,298.00	5,690.00	8,479.00	11,305.00

ME9301-04* With fail-safe battery back-Up and 0-10VDC or 4-20mA positioning metal Valbia electric actuator.

24V AC/DC	US\$	2,333.00	2,465.00	2,506.00	2,796.00	3,736.00	4,371.00	5,730.00	-	-
100-240 VAC	US\$	2,395.00	2,617.00	2,658.00	2,948.00	3,944.00	4,631.00	5,931.00	-	-
Weight (Lbs)		21.63	27.15	29.57	37.07	52.04	68.79	99.87	161.99	210.35



SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	--	----	--------	----	----	----	----	----	-----	-----

EXME9101-00* With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX035	EAX045	EAX080	EAX130	EAX360	EAX360	-
24V AC/DC, 110V AC, 220V AC	US\$	2,235.00	2,303.00	2,388.00	2,895.00	5,199.00	5,647.00	6,939.00	8,349.00	-

EXME9101-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$	3,085.00	3,153.00	3,238.00	3,747.00	6,049.00	6,499.00	7,790.00	9,200.00	-
Weight (Lbs)		15.65	16.98	18.96	30.03	53.18	59.57	110.23	129.02	-

SIZE		2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
------	--	----	--------	----	----	----	----	----	-----	-----

EXME9301-00* With CSA approved explosion proof on/off metal electric actuator.

ACT.		EAX035	EAX035	EAX045	EAX045	EAX080	EAX130	EAX360	EAX450	-
24V AC/DC, 110V AC, 220V AC	US\$	2,444.00	2,517.00	2,558.00	3,068.00	5,535.00	6,302.00	8,083.00	10,151.00	-

EXME9301-02* With 0-10VDC or 4-20 mA positioning CSA approved explosion proof metal electric actuator.

24V AC/DC, 110V AC, 220V AC	US\$	3,294.00	3,367.00	3,408.00	3,920.00	6,385.00	7,154.00	8,934.00	11,002.00	-
Weight (Lbs)		18.74	21.66	24.08	33.78	57.59	74.34	123.06	161.08	-

* VOLTAGE SUFFIX

1 = 12V AC/DC	2 = 24V AC/DC	3 = 100-240V AC
---------------	---------------	-----------------

NSF

N501S direct mount, Lug style, EPDM seats, stainless steel disc, butterfly valve tandem assembly with 125# cast iron tee.

T6



DAN501S-T*

EXAMPLE
PART NO.

MODEL	ARR. #	SIZE
DAN501S	T1	3

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA125V	DA140V	DA180V
Linkage	BFVLINK-2	BFVLINK-2-1/2	BFVLINK-3	BFVLINK-4	BFVLINK-5	BFVLINK-6	BFVLINK-7	BFVLINK-10	BFVLINK-12
Est.Wgt. (Lbs)	48.18	59.02	71.85	116.93	151.24	189.21	277.44	442.73	640.32
US\$	1,293.00	1,460.00	1,497.00	2,008.00	2,627.00	2,492.00	3,375.00	5,081.00	6,809.00

* See "TEE FLOW ARRANGEMENTS" below.

T2



SRN501S-T*

EXAMPLE
PART NO.

MODEL	ARR. #	SIZE
SRN501S	T1	3

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.	SR85V	SR100V	SR115V	SR125V	SR160V	SR160V	SR200V	SR230V	SR270V
Linkage	BFVLINK-2	BFVLINK-2-1/2	BFVLINK-3	BFVLINK-4	BFVLINK-5	BFVLINK-6	BFVLINK-7	BFVLINK-10	BFVLINK-12
Est.Wgt. (Lbs)	55.10	70.79	90.96	139.37	204.16	234.74	374.88	563.33	797.45
US\$	1,433.00	1,707.00	1,820.00	2,383.00	3,612.00	3,358.00	4,974.00	7,958.00	10,000.00

* See "TEE FLOW ARRANGEMENTS" below.

T5

EXAMPLE
PART NO.

MODEL	ARR. #	VOLTAGE	SIZE
MEN501S	T1	003	3

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With UL approved standard on/off metal Valbia electric actuator.									
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	EA450
24V AC/DC	US\$	1,635.00	1,887.00	1,850.00	2,736.00	3,317.00	3,063.00	4,173.00	6,435.00 *
12V AC/DC, 100-240VAC	US\$	1,680.00	1,933.00	1,896.00	2,800.00	3,386.00	3,132.00	4,240.00	7,605.00 *

* Available only in 100-240VAC.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With fail-safe battery back-up metal Valbia electric actuator.									
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	-
24V AC/DC	US\$	2,386.00	2,618.00	2,581.00	3,516.00	4,194.00	3,940.00	5,009.00	C/F
100-240 VAC	US\$	2,468.00	2,700.00	2,663.00	3,582.00	4,309.00	4,055.00	5,137.00	C/F

With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	EA450
24V AC/DC	US\$	2,284.00	2,589.00	2,552.00	3,452.00	4,126.00	3,872.00	4,903.00	7,456.00 *
12V AC/DC, 100-240VAC	US\$	2,381.00	2,690.00	2,653.00	3,534.00	4,215.00	3,961.00	4,996.00	7,456.00 *

* Available only in 100-240VAC.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning Valbia electric actuator.									
ACT.		VB030M	VB060M	VB060M	VB110M	VB190M	VB190M	VB350M	-
24V AC/DC	US\$	2,517.00	2,743.00	2,706.00	3,539.00	4,288.00	4,034.00	5,116.00	C/F
100-240 VAC	US\$	2,579.00	2,895.00	2,858.00	3,747.00	4,548.00	4,294.00	5,397.00	C/F
Est.Wgt. (Lbs)		51.82	65.26	75.62	127.03	157.82	188.40	274.53	451.80

* See "TEE FLOW ARRANGEMENTS" below.


* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC


TEE FLOW ARRANGEMENTS



NEW

Valpres 700076V36 - 700076V6 - 700076V9, 2-way, direct mount, stainless steel, V-port ball valve.

With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.




SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
PP700076V36DA	30-60°	US\$	1,080.00	1,092.00	1,122.00	1,195.00	1,223.00	1,322.00	1,867.00	2,000.00
PP700076V6DA	60°	US\$	1,080.00	1,092.00	1,122.00	1,195.00	1,223.00	1,322.00	1,867.00	2,000.00
PP700076V9DA	90°	US\$	1,080.00	1,092.00	1,122.00	1,195.00	1,223.00	1,322.00	1,867.00	2,000.00
ACT.			DA52V	DA52V	DA52V	DA52V	DA52V	DA52V	DA75V	DA75V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			6.30	6.53	6.97	7.84	9.26	12.06	25.61	32.05

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
PP700076V36SR	30-60°	US\$	1,090.00	1,102.00	1,132.00	1,205.00	1,267.00	1,366.00	2,040.00	2,173.00
PP700076V6SR	60°	US\$	1,090.00	1,102.00	1,132.00	1,205.00	1,267.00	1,366.00	2,040.00	2,173.00
PP700076V9SR	90°	US\$	1,090.00	1,102.00	1,132.00	1,205.00	1,267.00	1,366.00	2,040.00	2,173.00
ACT.			SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR100V	SR100V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			6.70	6.93	7.37	8.24	11.13	13.93	34.91	41.35

With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.




SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
EP700076V36DA	30-60°	US\$	1,191.00	1,203.00	1,233.00	1,306.00	1,334.00	1,433.00	1,978.00	2,111.00
EP700076V6DA	60°	US\$	1,191.00	1,203.00	1,233.00	1,306.00	1,334.00	1,433.00	1,978.00	2,111.00
EP700076V9DA	90°	US\$	1,191.00	1,203.00	1,233.00	1,306.00	1,334.00	1,433.00	1,978.00	2,111.00
ACT.			DA52V	DA52V	DA52V	DA52V	DA52V	DA52V	DA75V	DA75V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			6.30	6.53	6.97	7.84	9.26	12.06	25.61	32.05

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.


SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
EP700076V36SR	30-60°	US\$	1,201.00	1,213.00	1,243.00	1,316.00	1,378.00	1,477.00	1,923.00	2,056.00
EP700076V6SR	60°	US\$	1,201.00	1,213.00	1,243.00	1,316.00	1,378.00	1,477.00	1,923.00	2,056.00
EP700076V9SR	90°	US\$	1,201.00	1,213.00	1,243.00	1,316.00	1,378.00	1,477.00	1,923.00	2,056.00
ACT.			SR52V	SR52V	SR52V	SR52V	SR63V	SR63V	SR63V	SR63V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			6.70	6.93	7.37	8.24	11.13	13.93	34.91	41.35

Valpres 700076V36 - 700076V6 - 700076V9, 2-way, direct mount, stainless steel, V-port ball valve.

NEW

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E700076V36-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
24V AC/DC	US\$	1,049.00	1,061.00	1,091.00	1,164.00	1,192.00	1,291.00	1,794.00	1,927.00
100-240 VAC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
8E700076V6-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
24V AC/DC	US\$	1,049.00	1,061.00	1,091.00	1,164.00	1,192.00	1,291.00	1,794.00	1,927.00
100-240 VAC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
8E700076V9-02* With 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
24V AC/DC	US\$	1,049.00	1,061.00	1,091.00	1,164.00	1,192.00	1,291.00	1,794.00	1,927.00
100-240 VAC	US\$	1,141.00	1,153.00	1,183.00	1,256.00	1,284.00	1,383.00	1,884.00	2,017.00
Weight (Lbs)		5.78	6.01	6.45	7.32	8.74	11.54	23.66	33.62

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
8E700076V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	1,226.00	1,238.00	1,268.00	1,341.00	1,369.00	1,468.00	2,001.00	2,134.00
100-240 VAC	US\$	1,301.00	1,313.00	1,343.00	1,416.00	1,444.00	1,543.00	2,061.00	2,194.00
8E700076V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	1,226.00	1,238.00	1,268.00	1,341.00	1,369.00	1,468.00	2,001.00	2,134.00
100-240 VAC	US\$	1,301.00	1,313.00	1,343.00	1,416.00	1,444.00	1,543.00	2,061.00	2,194.00
8E700076V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning plastic Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
24V AC/DC	US\$	1,226.00	1,238.00	1,268.00	1,341.00	1,369.00	1,468.00	2,001.00	2,134.00
100-240 VAC	US\$	1,301.00	1,313.00	1,343.00	1,416.00	1,444.00	1,543.00	2,061.00	2,194.00
Weight (Lbs)		5.78	6.01	6.45	7.32	8.74	11.54	23.66	33.62




SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E700076V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
24V AC/DC	US\$	1,363.00	1,375.00	1,405.00	1,478.00	1,506.00	1,605.00	2,189.00	2,322.00
100-240 VAC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
M8E700076V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
24V AC/DC	US\$	1,363.00	1,375.00	1,405.00	1,478.00	1,506.00	1,605.00	2,189.00	2,322.00
100-240 VAC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
M8E700076V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030	VB030	VB030	VB030	VB030	VB030	VB060	VB060
12VDC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
24V AC/DC	US\$	1,363.00	1,375.00	1,405.00	1,478.00	1,506.00	1,605.00	2,189.00	2,322.00
100-240 VAC	US\$	1,460.00	1,472.00	1,502.00	1,575.00	1,603.00	1,702.00	2,290.00	2,423.00
Weight (Lbs)		8.03	8.26	8.70	9.57	10.99	13.79	26.28	41.52

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
M8E700076V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,596.00	1,608.00	1,638.00	1,711.00	1,739.00	1,838.00	2,343.00	2,476.00
100-240 VAC	US\$	1,658.00	1,670.00	1,700.00	1,773.00	1,801.00	1,900.00	2,495.00	2,628.00
M8E700076V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,596.00	1,608.00	1,638.00	1,711.00	1,739.00	1,838.00	2,343.00	2,476.00
100-240 VAC	US\$	1,658.00	1,670.00	1,700.00	1,773.00	1,801.00	1,900.00	2,495.00	2,628.00
M8E700076V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M
24V AC/DC	US\$	1,596.00	1,608.00	1,638.00	1,711.00	1,739.00	1,838.00	2,343.00	2,476.00
100-240 VAC	US\$	1,658.00	1,670.00	1,700.00	1,773.00	1,801.00	1,900.00	2,495.00	2,628.00
Weight (Lbs)		8.03	8.26	8.70	9.57	10.99	13.79	26.28	41.52

Valpres 710190V (NPT) 710061V (SW), 2-way, 3-piece stainless steel, 1000 WOG 250 WSP, full port V-Ball valve.

With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.





SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1" 1/4	1 1/2"	2"	3"	4"
PP710190V36DA (NPT) PP710061V36DA (SW)	30-60°	US\$	1,057.00	1,160.00	1,203.00	1,253.00	1,348.00	1,494.00	2,218.00	3,085.00
PP710190V6DA (NPT) PP710061V6DA (SW)	60°	US\$	1,057.00	1,160.00	1,203.00	1,253.00	1,348.00	1,494.00	2,218.00	3,085.00
PP710190V9DA (NPT) PP710061V9DA (SW)	90°	US\$	1,057.00	1,160.00	1,203.00	1,253.00	1,348.00	1,494.00	2,218.00	3,085.00
ACT.			DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V
Bracket			RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3004
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			6.56	8.39	9.99	10.93	14.37	19.26	44.15	63.01

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1" 1/4	1 1/2"	2"	3"	4"
PP710190V36SR (NPT) PP710061V36SR (SW)	30-60°	US\$	1,131.00	1,204.00	1,268.00	1,318.00	1,467.00	1,667.00	2,601.00	3,376.00
PP710190V6SR (NPT) PP710061V6SR (SW)	60°	US\$	1,131.00	1,204.00	1,268.00	1,318.00	1,467.00	1,667.00	2,601.00	3,376.00
PP710190V9SR (NPT) PP710061V9SR (SW)	90°	US\$	1,131.00	1,204.00	1,268.00	1,318.00	1,467.00	1,667.00	2,601.00	3,376.00
ACT.			SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V
Bracket			RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3005
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			8.35	10.26	11.86	12.80	21.29	28.56	66.59	81.93


With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.



SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1" 1/4	1 1/2"	2"	3"	4"
EP710190V36DA (NPT) EP710061V36DA (SW)	30-60°	US\$	1,168.00	1,271.00	1,314.00	1,364.00	1,459.00	1,604.00	2,328.00	3,195.00
EP710190V6DA (NPT) EP710061V6DA (SW)	60°	US\$	1,168.00	1,271.00	1,314.00	1,364.00	1,459.00	1,604.00	2,328.00	3,195.00
EP710190V9DA (NPT) EP710061V9DA (SW)	90°	US\$	1,168.00	1,271.00	1,314.00	1,364.00	1,459.00	1,604.00	2,328.00	3,195.00
ACT.			DA32V	DA52V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V
Bracket			RI3789	RI3781	RI3030	RI3030	RI3031	RI3034	RI3003	RI3004
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			6.56	8.39	9.99	10.93	14.37	19.26	44.15	63.01

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1" 1/4	1 1/2"	2"	3"	4"
EP710190V36SR (NPT) EP710061V36SR (SW)	30-60°	US\$	1,242.00	1,315.00	1,379.00	1,429.00	1,577.00	1,777.00	2,711.00	3,486.00
EP710190V6SR (NPT) EP710061V6SR (SW)	60°	US\$	1,242.00	1,315.00	1,379.00	1,429.00	1,577.00	1,777.00	2,711.00	3,486.00
EP710190V9SR (NPT) EP710061V9SR (SW)	90°	US\$	1,242.00	1,315.00	1,379.00	1,429.00	1,577.00	1,777.00	2,711.00	3,486.00
ACT.			SR52V	SR63V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V
Bracket			RI3790	RI3783	RI3033	RI3033	RI3034	RI3034	RI3010	RI3005
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			8.35	10.26	11.86	12.80	21.29	28.56	66.59	81.93




SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	3"	4"
M8E710190V36-02* (NPT) - M8E710061V36-02* (SW) With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
12VDC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
24V AC/DC	US\$	1,404.00	1,443.00	1,486.00	1,536.00	1,744.00	1,837.00	2,960.00	3,882.00
100-240 VAC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
M8E710190V6-02* (NPT) - M8E710061V6-02* (SW) With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
12VDC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
24V AC/DC	US\$	1,404.00	1,443.00	1,486.00	1,536.00	1,744.00	1,837.00	2,960.00	3,882.00
100-240 VAC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
M8E710190V9-02* (NPT) - M8E710061V9-02* (SW) With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
12VDC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
24V AC/DC	US\$	1,404.00	1,443.00	1,486.00	1,536.00	1,744.00	1,837.00	2,960.00	3,882.00
100-240 VAC	US\$	1,501.00	1,540.00	1,583.00	1,633.00	1,845.00	1,938.00	3,042.00	3,971.00
Bracket		RI3790	RI3781	RI3030	RI3030	RI3031	RI3031	RI3003	RI3004
Weight (Lbs)		9.68	10.12	11.72	12.66	17.51	19.93	51.15	66.49

SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	3"	4"
M8E710190V36-04* (NPT) - M8E710061V36-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M
24V AC/DC	US\$	1,637.00	1,676.00	1,719.00	1,769.00	1,898.00	1,991.00	3,047.00	4,044.00
100-240 VAC	US\$	1,699.00	1,738.00	1,781.00	1,831.00	2,050.00	2,143.00	3,255.00	4,304.00
M8E710190V6-04* (NPT) - M8E710061V6-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,637.00	1,676.00	1,719.00	1,769.00	1,898.00	1,991.00	3,047.00	4,044.00
100-240 VAC	US\$	1,699.00	1,738.00	1,781.00	1,831.00	2,050.00	2,143.00	3,255.00	4,304.00
M8E710190V9-04* (NPT) - M8E710061V9-04* (SW) With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,637.00	1,676.00	1,719.00	1,769.00	1,898.00	1,991.00	3,047.00	4,044.00
100-240 VAC	US\$	1,699.00	1,738.00	1,781.00	1,831.00	2,050.00	2,143.00	3,255.00	4,304.00
Bracket		RI3790	RI3781	RI3030	RI3030	RI3031	RI3031	RI3003	RI3004
Weight (Lbs)		9.68	10.12	11.72	12.66	17.51	19.93	51.15	66.49

For carbon steel version of this valve, please consult factory.

Valpres 723102V36 - 723102V6 - 723102V9, 2-way, direct mount, stainless steel, ANSI 150 Flanged, V-port ball valve.

NEW




With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PP723102V36DA	30-60°	US\$	1,300.00	1,420.00	1,500.00	1,655.00	2,143.00	2,379.00	3,076.00
PP723102V6DA	60°	US\$	1,300.00	1,420.00	1,500.00	1,655.00	2,143.00	2,379.00	3,076.00
PP723102V9DA	90°	US\$	1,300.00	1,420.00	1,500.00	1,655.00	2,143.00	2,379.00	3,076.00
ACT,			DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.91	13.34	15.49	21.58	30.84	40.10	57.77

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PP723102V36SR	30-60°	US\$	1,349.00	1,469.00	1,603.00	1,725.00	2,254.00	2,552.00	3,379.00
PP723102V6SR	60°	US\$	1,349.00	1,469.00	1,603.00	1,725.00	2,254.00	2,552.00	3,379.00
PP723102V9SR	90°	US\$	1,349.00	1,469.00	1,603.00	1,725.00	2,254.00	2,552.00	3,379.00
ACT,			SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			12.78	15.21	20.54	25.39	37.76	49.40	74.46




With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EP723102V36DA	30-60°	US\$	1,411.00	1,531.00	1,611.00	1,766.00	2,254.00	2,489.00	3,186.00
EP723102V6DA	60°	US\$	1,411.00	1,531.00	1,611.00	1,766.00	2,254.00	2,489.00	3,186.00
EP723102V9DA	90°	US\$	1,411.00	1,531.00	1,611.00	1,766.00	2,254.00	2,489.00	3,186.00
ACT,			DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			10.91	13.34	15.49	21.58	30.84	40.10	57.77

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EP723102V36SR	30-60°	US\$	1,460.00	1,580.00	1,713.00	1,835.00	2,364.00	2,662.00	3,489.00
EP723102V6SR	60°	US\$	1,460.00	1,580.00	1,713.00	1,835.00	2,364.00	2,662.00	3,489.00
EP723102V9SR	90°	US\$	1,460.00	1,580.00	1,713.00	1,835.00	2,364.00	2,662.00	3,489.00
ACT,			SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.78	15.21	20.54	25.39	37.76	49.40	74.46




SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E723102V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT,		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
12VDC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
24V AC/DC	US\$	1,583.00	1,703.00	1,783.00	1,905.00	2,531.00	2,732.00	3,818.00
100-240 VAC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
M8E723102V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
24V AC/DC	US\$	1,583.00	1,703.00	1,783.00	1,905.00	2,531.00	2,732.00	3,818.00
100-240 VAC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
M8E723102V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
24V AC/DC	US\$	1,583.00	1,703.00	1,783.00	1,905.00	2,531.00	2,732.00	3,818.00
100-240 VAC	US\$	1,680.00	1,800.00	1,880.00	2,002.00	2,632.00	2,833.00	3,900.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E723102V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT,		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M
24V AC/DC	US\$	1,816.00	1,936.00	2,016.00	2,138.00	2,685.00	2,886.00	3,905.00
100-240 VAC	US\$	1,878.00	1,998.00	2,078.00	2,200.00	2,837.00	3,038.00	4,113.00
M8E723102V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,816.00	1,936.00	2,016.00	2,138.00	2,685.00	2,886.00	3,905.00
100-240 VAC	US\$	1,878.00	1,998.00	2,078.00	2,200.00	2,837.00	3,038.00	4,113.00
M8E723102V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,816.00	1,936.00	2,016.00	2,138.00	2,685.00	2,886.00	3,905.00
100-240 VAC	US\$	1,878.00	1,998.00	2,078.00	2,200.00	2,837.00	3,038.00	4,113.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

Valpres 724102V36 - 724102V6 - 724102V9, 2-way, direct mount, carbon steel, ANSI 150 flanged, V-port ball valve.

NEW




With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PP724102V36DA	30-60°	US\$	1,226.00	1,303.00	1,343.00	1,445.00	1,835.00	1,945.00	2,446.00
PP724102V6DA	60°	US\$	1,226.00	1,303.00	1,343.00	1,445.00	1,835.00	1,945.00	2,446.00
PP724102V9DA	90°	US\$	1,226.00	1,303.00	1,343.00	1,445.00	1,835.00	1,945.00	2,446.00
ACT,			DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.91	13.34	15.49	21.58	30.84	40.10	57.77

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PP724102V36SR	30-60°	US\$	1,275.00	1,352.00	1,446.00	1,515.00	1,946.00	2,118.00	2,749.00
PP724102V6SR	60°	US\$	1,275.00	1,352.00	1,446.00	1,515.00	1,946.00	2,118.00	2,749.00
PP724102V9SR	90°	US\$	1,275.00	1,352.00	1,446.00	1,515.00	1,946.00	2,118.00	2,749.00
ACT,			SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			12.78	15.21	20.54	25.39	37.76	49.40	74.46




With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EP724102V36DA	30-60°	US\$	1,337.00	1,414.00	1,454.00	1,556.00	1,946.00	2,055.00	2,556.00
EP724102V6DA	60°	US\$	1,337.00	1,414.00	1,454.00	1,556.00	1,946.00	2,055.00	2,556.00
EP724102V9DA	90°	US\$	1,337.00	1,414.00	1,454.00	1,556.00	1,946.00	2,055.00	2,556.00
ACT,			DA52V	DA52V	DA52V	DA63V	DA63V	DA75V	DA85V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.78	15.21	20.54	25.39	37.76	49.40	74.46

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EP724102V36SR	30-60°	US\$	1,386.00	1,463.00	1,556.00	1,625.00	2,056.00	2,228.00	2,859.00
EP724102V6SR	60°	US\$	1,386.00	1,463.00	1,556.00	1,625.00	2,056.00	2,228.00	2,859.00
EP724102V9SR	90°	US\$	1,386.00	1,463.00	1,556.00	1,625.00	2,056.00	2,228.00	2,859.00
ACT,			SR63V	SR63V	SR75V	SR75V	SR85V	SR100V	SR115V
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.78	15.21	20.54	25.39	37.76	49.40	74.46




SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E724102V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT,	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	
12VDC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
24V AC/DC	US\$	1,509.00	1,586.00	1,626.00	1,695.00	2,223.00	2,298.00	3,188.00
100-240 VAC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
M8E724102V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
24V AC/DC	US\$	1,509.00	1,586.00	1,626.00	1,695.00	2,223.00	2,298.00	3,188.00
100-240 VAC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
M8E724102V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
24V AC/DC	US\$	1,509.00	1,586.00	1,626.00	1,695.00	2,223.00	2,298.00	3,188.00
100-240 VAC	US\$	1,606.00	1,683.00	1,723.00	1,792.00	2,324.00	2,399.00	3,270.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

SIZE		1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
M8E724102V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT,	VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	
24V AC/DC	US\$	1,742.00	1,819.00	1,859.00	1,928.00	2,377.00	2,452.00	3,275.00
100-240 VAC	US\$	1,804.00	1,881.00	1,921.00	1,990.00	2,529.00	2,604.00	3,483.00
M8E724102V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,742.00	1,819.00	1,859.00	1,928.00	2,377.00	2,452.00	3,275.00
100-240 VAC	US\$	1,804.00	1,881.00	1,921.00	1,990.00	2,529.00	2,604.00	3,483.00
M8E724102V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,742.00	1,819.00	1,859.00	1,928.00	2,377.00	2,452.00	3,275.00
100-240 VAC	US\$	1,804.00	1,881.00	1,921.00	1,990.00	2,529.00	2,604.00	3,483.00
Weight (Lbs)		12.64	15.07	17.22	22.07	33.93	40.77	64.77

Valpres 720370V36 - 720370V6 - 720370V9, 2-way, stainless steel, ANSI 150 flanged, Wafer, V-port ball valve.

With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.



SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP720370V36DA	30-60°	US\$	1,234.00	1,274.00	1,300.00	1,466.00	1,644.00	2,296.00	2,989.00	6,542.00
PP720370V6DA	60°	US\$	1,234.00	1,274.00	1,300.00	1,466.00	1,644.00	2,296.00	2,989.00	6,542.00
PP720370V9DA	90°	US\$	1,234.00	1,274.00	1,300.00	1,466.00	1,644.00	2,296.00	2,989.00	6,542.00
ACT.			DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA125V
Bracket			RI3012	RI3013	RI3001	RI3002	RI3009	RI3003	RI3004	RI3006
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.43	11.53	14.52	19.03	29.35	39.91	62.29	129.54

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.



SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP720370V36SR	30-60°	US\$	1,246.00	1,317.00	1,365.00	1,585.00	1,817.00	2,679.00	3,280.00	7,326.00
PP720370V6SR	60°	US\$	1,246.00	1,317.00	1,365.00	1,585.00	1,817.00	2,679.00	3,280.00	7,326.00
PP720370V9SR	90°	US\$	1,246.00	1,317.00	1,365.00	1,585.00	1,817.00	2,679.00	3,280.00	7,326.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR85V	SR125V	SR125V	SR160V
Bracket			RI3780	RI3014	RI3007	RI3009	RI3009	RI3010	RI3005	RI3039
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			10.83	13.40	16.39	25.95	38.65	62.35	81.21	170.77

With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP720370V36DA	30-60°	US\$	1,345.00	1,385.00	1,411.00	1,577.00	1,754.00	2,406.00	3,099.00	6,652.00
EP720370V6DA	60°	US\$	1,345.00	1,385.00	1,411.00	1,577.00	1,754.00	2,406.00	3,099.00	6,652.00
EP720370V9DA	90°	US\$	1,345.00	1,385.00	1,411.00	1,577.00	1,754.00	2,406.00	3,099.00	6,652.00
ACT.			DA32V	DA52V	DA52V	DA63V	DA75V	DA85V	DA100V	DA125V
Bracket			RI3012	RI3013	RI3001	RI3002	RI3009	RI3003	RI3004	RI3006
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			10.43	11.53	14.52	19.03	29.35	39.91	62.29	129.54

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP720370V36SR	30-60°	US\$	1,357.00	1,428.00	1,476.00	1,695.00	1,927.00	2,789.00	3,390.00	7,436.00
EP720370V6SR	60°	US\$	1,357.00	1,428.00	1,476.00	1,695.00	1,927.00	2,789.00	3,390.00	7,436.00
EP720370V9SR	90°	US\$	1,357.00	1,428.00	1,476.00	1,695.00	1,927.00	2,789.00	3,390.00	7,436.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR85V	SR125V	SR125V	SR160V
Bracket			RI3780	RI3014	RI3007	RI3009	RI3009	RI3010	RI3005	RI3039
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			10.83	13.40	16.39	25.95	38.65	62.35	81.21	170.77




SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
M8E720370V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
12VDC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
24V AC/DC	US\$	1,519.00	1,557.00	1,583.00	1,862.00	1,987.00	3,038.00	3,786.00	7,368.00
100-240 VAC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
M8E720370V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
12VDC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
24V AC/DC	US\$	1,519.00	1,557.00	1,583.00	1,862.00	1,987.00	3,038.00	3,786.00	7,368.00
100-240 VAC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
M8E720370V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
12VDC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
24V AC/DC	US\$	1,519.00	1,557.00	1,583.00	1,862.00	1,987.00	3,038.00	3,786.00	7,368.00
100-240 VAC	US\$	1,616.00	1,654.00	1,680.00	1,963.00	2,088.00	3,120.00	3,875.00	7,461.00
Bracket		RI3780	RI3013	RI3001	RI3002	RI3002	RI3003	RI3004	RI3006
Weight (Lbs)		12.16	13.26	16.25	22.17	30.02	46.91	65.77	123.53

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
M8E720370V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,752.00	1,790.00	1,816.00	2,016.00	2,141.00	3,125.00	3,948.00	7,581.00
100-240 VAC	US\$	1,814.00	1,852.00	1,878.00	2,168.00	2,293.00	3,333.00	4,208.00	7,862.00
M8E720370V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,752.00	1,790.00	1,816.00	2,016.00	2,141.00	3,125.00	3,948.00	7,581.00
100-240 VAC	US\$	1,814.00	1,852.00	1,878.00	2,168.00	2,293.00	3,333.00	4,208.00	7,862.00
M8E720370V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
24V AC/DC	US\$	1,752.00	1,790.00	1,816.00	2,016.00	2,141.00	3,125.00	3,948.00	7,581.00
100-240 VAC	US\$	1,814.00	1,852.00	1,878.00	2,168.00	2,293.00	3,333.00	4,208.00	7,862.00
Bracket		RI3780	RI3013	RI3001	RI3002	RI3002	RI3003	RI3004	RI3006
Weight (Lbs)		12.16	13.26	16.25	22.17	30.02	46.91	65.77	123.53

Valpres 760021V36 - 760021V6 - 760021V9, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.

With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.



30-60°



60°



90°




SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP760021V36DA	30-60°	US\$	1,321.00	1,359.00	1,410.00	1,660.00	1,929.00	2,766.00	3,507.00	7,433.00
PP760021V6DA	60°	US\$	1,321.00	1,359.00	1,410.00	1,660.00	1,929.00	2,766.00	3,507.00	7,433.00
PP760021V9DA	90°	US\$	1,321.00	1,359.00	1,410.00	1,660.00	1,929.00	2,766.00	3,507.00	7,433.00
ACT.			DA32V	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			11.28	12.93	17.72	24.41	41.03	59.31	83.22	211.94

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP760021V36SR	30-60°	US\$	1,332.00	1,364.00	1,459.00	1,778.00	2,102.00	3,148.00	3,799.00	8,420.00
PP760021V6SR	60°	US\$	1,332.00	1,364.00	1,459.00	1,778.00	2,102.00	3,148.00	3,799.00	8,420.00
PP760021V9SR	90°	US\$	1,332.00	1,364.00	1,459.00	1,778.00	2,102.00	3,148.00	3,799.00	8,420.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V
Bracket			RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			11.68	14.80	19.59	31.33	50.33	81.75	102.14	263.97

With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.



30-60°



60°



90°



SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP760021V36DA	30-60°	US\$	1,432.00	1,470.00	1,521.00	1,771.00	2,039.00	2,876.00	3,617.00	7,543.00
EP760021V6DA	60°	US\$	1,432.00	1,470.00	1,521.00	1,771.00	2,039.00	2,876.00	3,617.00	7,543.00
EP760021V9DA	90°	US\$	1,432.00	1,470.00	1,521.00	1,771.00	2,039.00	2,876.00	3,617.00	7,543.00
ACT.			DA32V	DA32V	DA52V	DA63V	DA75V	DA85V	DA100V	DA140V
Bracket			RI3518	RI3519	RI3520	RI3521	RI3522	RI3523	RI3552	RI3553
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			11.28	12.93	17.72	24.41	41.03	59.31	83.22	211.94

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP760021V36SR	30-60°	US\$	1,443.00	1,475.00	1,570.00	1,888.00	2,212.00	3,258.00	3,909.00	8,068.00
EP760021V6SR	60°	US\$	1,443.00	1,475.00	1,570.00	1,888.00	2,212.00	3,258.00	3,909.00	8,068.00
EP760021V9SR	90°	US\$	1,443.00	1,475.00	1,570.00	1,888.00	2,212.00	3,258.00	3,909.00	8,068.00
ACT.			SR52V	SR63V	SR63V	SR85V	SR100V	SR125V	SR125V	SR180V
Bracket			RI3519	RI3829	RI3525	RI3526	RI3522	RI3528	RI3528	RI3555
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			11.68	14.80	19.59	31.33	50.33	81.75	102.14	241.05



30-60°



60°



90°




SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
M8E760021V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
12VDC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
24V AC/DC	US\$	1,605.00	1,642.00	1,693.00	2,056.00	2,289.00	3,508.00	4,281.00	8,012.00
100-240 VAC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
M8E760021V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
12VDC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
24V AC/DC	US\$	1,605.00	1,642.00	1,693.00	2,056.00	2,289.00	3,508.00	4,281.00	8,012.00
100-240 VAC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
M8E760021V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
12VDC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
24V AC/DC	US\$	1,605.00	1,642.00	1,693.00	2,056.00	2,289.00	3,508.00	4,281.00	8,012.00
100-240 VAC	US\$	1,702.00	1,739.00	1,790.00	2,157.00	2,390.00	3,590.00	4,370.00	8,105.00
Bracket		RI3519	RI3519	RI3520	RI3521	RI4039	RI3523	RI3522	RI3553
Weight (Lbs)		12.51	13.66	16.95	27.05	35.70	70.31	89.70	192.81

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
M8E760021V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,838.00	1,875.00	1,926.00	2,210.00	2,443.00	3,595.00	4,443.00	8,225.00
100-240 VAC	US\$	1,900.00	1,937.00	1,988.00	2,362.00	2,595.00	3,803.00	4,703.00	8,506.00
M8E760021V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,838.00	1,875.00	1,926.00	2,210.00	2,443.00	3,595.00	4,443.00	8,225.00
100-240 VAC	US\$	1,900.00	1,937.00	1,988.00	2,362.00	2,595.00	3,803.00	4,703.00	8,506.00
M8E760021V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.									
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB350M
24V AC/DC	US\$	1,838.00	1,875.00	1,926.00	2,210.00	2,443.00	3,595.00	4,443.00	8,225.00
100-240 VAC	US\$	1,900.00	1,937.00	1,988.00	2,362.00	2,595.00	3,803.00	4,703.00	8,506.00
Bracket		RI3519	RI3519	RI3520	RI3521	RI4039	RI3523	RI3522	RI3553
Weight (Lbs)		12.51	13.66	16.95	27.05	35.70	70.31	89.70	192.81

For carbon steel version of this valve, please consult factory.

Valpres 760195V36 - 760195V6 - 760195V9, 2-way, stainless steel, ANSI 300 flanged, V-port ball valve.

With double acting Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.




SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP760195V36DA (NPT)	30-60°	US\$	1,361.00	1,406.00	1,577.00	1,865.00	2,023.00	3,112.00	4,086.00	9,685.00
PP760195V6DA (NPT)	60°	US\$	1,361.00	1,406.00	1,577.00	1,865.00	2,023.00	3,112.00	4,086.00	9,685.00
PP760195V9DA (NPT)	90°	US\$	1,361.00	1,406.00	1,577.00	1,865.00	2,023.00	3,112.00	4,086.00	9,685.00
ACT.			DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Bracket			RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			11.64	15.97	19.72	33.27	42.15	78.73	112.97	273.00

With spring return Valbia pneumatic actuator and pneumatic PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
PP760195V36SR	30-60°	US\$	1,366.00	1,524.00	1,696.00	2,037.00	2,320.00	3,404.00	4,963.00	13,506.00
PP760195V6SR	60°	US\$	1,366.00	1,524.00	1,696.00	2,037.00	2,320.00	3,404.00	4,963.00	13,506.00
PP760195V9SR	90°	US\$	1,366.00	1,524.00	1,696.00	2,037.00	2,320.00	3,404.00	4,963.00	13,506.00
ACT.			SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270
Bracket			RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
Positioner			PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B	PNP-B
Weight (Lbs)			14.01	22.89	27.14	44.57	58.79	93.65	159.50	430.13


With double acting Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.



SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP760195V36DA	30-60°	US\$	1,472.00	1,517.00	1,688.00	1,975.00	2,133.00	3,222.00	4,196.00	9,795.00
EP760195V6DA	60°	US\$	1,472.00	1,517.00	1,688.00	1,975.00	2,133.00	3,222.00	4,196.00	9,795.00
EP760195V9DA	90°	US\$	1,472.00	1,517.00	1,688.00	1,975.00	2,133.00	3,222.00	4,196.00	9,795.00
ACT.			DA52V	DA63V	DA63V	DA75V	DA85V	DA100V	DA115V	DA180V
Bracket			RI3519	RI3829	RI3563	RI3526	RI3522	RI3552	RI3565	RI3555
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			12.14	16.47	22.22	35.27	38.15	75.73	113.97	273.50

With spring return Valbia pneumatic actuator and electro-pneumatic ENP-B 4-20 mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"	6"
EP760195V36SR	30-60°	US\$	1,477.00	1,634.00	1,806.00	2,147.00	2,430.00	3,514.00	5,073.00	13,616.00
EP760195V6SR	60°	US\$	1,477.00	1,634.00	1,806.00	2,147.00	2,430.00	3,514.00	5,073.00	13,616.00
EP760195V9SR	90°	US\$	1,477.00	1,634.00	1,806.00	2,147.00	2,430.00	3,514.00	5,073.00	13,616.00
ACT.			SR63V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR270
Bracket			RI3829	RI3571	RI3573	RI4117	RI3527	RI3528	RI3997	RI3753
Positioner			ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B	ENP-B
Weight (Lbs)			14.01	22.89	27.14	44.57	58.79	93.65	159.50	430.13



SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E760195V36-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M
12VDC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
24V AC/DC	US\$	1,644.00	1,703.00	1,830.00	2,209.00	2,352.00	3,909.00	4,891.00
100-240 VAC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
M8E760195V6-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
24V AC/DC	US\$	1,644.00	1,703.00	1,830.00	2,209.00	2,352.00	3,909.00	4,891.00
100-240 VAC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
M8E760195V9-02* With 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
12VDC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
24V AC/DC	US\$	1,644.00	1,703.00	1,830.00	2,209.00	2,352.00	3,909.00	4,891.00
100-240 VAC	US\$	1,741.00	1,800.00	1,927.00	2,310.00	2,453.00	3,998.00	4,980.00
Bracket		RI3519	RI3519	RI4116	RI3521	RI4039	RI3552	RI3565
Weight (Lbs)		13.37	16.51	20.26	33.94	40.35	82.21	111.26

SIZE		1/2"	3/4"	1"	1 1/2"	2"	3"	4"
M8E760195V36-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
ACT.		VB030M	VB030M	VB030M	VB060M	VB060M	VB190M	VB270M
24V AC/DC	US\$	1,877.00	1,936.00	2,063.00	2,363.00	2,506.00	4,071.00	5,020.00
100-240 VAC	US\$	1,939.00	1,998.00	2,125.00	2,515.00	2,658.00	4,331.00	5,221.00
M8E760195V6-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,877.00	1,936.00	2,063.00	2,363.00	2,506.00	4,071.00	5,020.00
100-240 VAC	US\$	1,939.00	1,998.00	2,125.00	2,515.00	2,658.00	4,331.00	5,221.00
M8E760195V9-04* With fail-safe battery backup and with 0-10VDC or 4-20 mA positioning metal Valbia electric actuator.								
24V AC/DC	US\$	1,877.00	1,936.00	2,063.00	2,363.00	2,506.00	4,071.00	5,020.00
100-240 VAC	US\$	1,939.00	1,998.00	2,125.00	2,515.00	2,658.00	4,331.00	5,221.00
Bracket		RI3519	RI3519	RI4116	RI4617	RU4039	RI3552	RI3565
Weight (Lbs)		13.37	16.51	20.26	33.94	40.35	82.21	111.26

For carbon steel version of this valve, please consult factory.

VF300-VF600-VF900 direct mount, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.



30°



60°



90°



With double acting Valbia pneumatic actuator and PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PPVF300DA	30°	US\$	1,141.00	1,184.00	1,285.00	1,391.00	1,548.00	1,783.00	2,559.00	2,780.00	3,353.00
PPVF600DA	60°	US\$	1,141.00	1,184.00	1,285.00	1,391.00	1,548.00	1,783.00	2,559.00	2,780.00	3,353.00
PPVF900DA	90°	US\$	1,141.00	1,184.00	1,285.00	1,391.00	1,548.00	1,783.00	2,559.00	2,780.00	3,353.00
ACT.			DA52V	DA52V	DA63V	DA63V	DA63V	DA75V	DA75V	DA100V	DA115V
Weight (Lbs)			9.52	10.52	13.61	16.01	22.58	28.48	40.02	56.22	79.66

With spring return Valbia actuator and PNP-B 3-15 psi positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
PPVF300SR	30°	US\$	1,190.00	1,290.00	1,402.00	1,508.00	1,721.00	2,116.00	3,195.00	3,788.00	4,231.00
PPVF600SR	60°	US\$	1,190.00	1,290.00	1,402.00	1,508.00	1,721.00	2,116.00	3,195.00	3,788.00	4,231.00
PPVF900SR	90°	US\$	1,190.00	1,290.00	1,402.00	1,508.00	1,721.00	2,116.00	3,195.00	3,788.00	4,231.00
ACT.			SR63V	SR75V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR160V
Weight (Lbs)			11.39	15.57	20.58	22.98	31.88	47.64	76.01	109.19	125.19



30°



60°



90°



With double acting Valbia pneumatic actuator and ENP-B 4-20mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EPVF300DA	30°	US\$	1,252.00	1,295.00	1,396.00	1,502.00	1,658.00	1,893.00	2,669.00	2,890.00	3,463.00
EPVF600DA	60°	US\$	1,252.00	1,295.00	1,396.00	1,502.00	1,658.00	1,893.00	2,669.00	2,890.00	3,463.00
EPVF900DA	90°	US\$	1,252.00	1,295.00	1,396.00	1,502.00	1,658.00	1,893.00	2,669.00	2,890.00	3,463.00
ACT.			DA52V	DA52V	DA63V	DA63V	DA75V	DA75V	DA100V	DA100V	DA115V
Weight (Lbs)			9.52	10.52	13.61	16.01	22.58	28.48	40.02	56.22	79.66

With spring return Valbia actuator and ENP-B 4-20mA positioner.

SIZE	V-BALL ANGLE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
EPVF300SR	30°	US\$	1,301.00	1,400.00	1,512.00	1,618.00	1,831.00	2,226.00	3,305.00	3,898.00	4,341.00
EPVF600SR	60°	US\$	1,301.00	1,400.00	1,512.00	1,618.00	1,831.00	2,226.00	3,305.00	3,898.00	4,341.00
EPVF900SR	90°	US\$	1,301.00	1,400.00	1,512.00	1,618.00	1,831.00	2,226.00	3,305.00	3,898.00	4,341.00
ACT.			SR63V	SR75V	SR85V	SR85V	SR100V	SR115V	SR125V	SR160V	SR160V
Weight (Lbs)			11.39	15.57	20.58	22.98	31.88	47.64	76.01	109.19	125.19



30°



60°



90°



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4
VF300 with plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270
12VDC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
24V AC/DC	US\$	1,110.00	1,153.00	1,224.00	1,330.00	1,497.00	1,732.00	2,463.00	2,769.00	3,312.00
100-240 VAC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
VF600 with plastic Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
12VDC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
24V AC/DC	US\$	1,110.00	1,153.00	1,224.00	1,330.00	1,497.00	1,732.00	2,463.00	2,769.00	3,312.00
100-240 VAC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
VF900 with plastic Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
12VDC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
24V AC/DC	US\$	1,110.00	1,153.00	1,224.00	1,330.00	1,497.00	1,732.00	2,463.00	2,769.00	3,312.00
100-240 VAC	US\$	1,202.00	1,245.00	1,316.00	1,422.00	1,587.00	1,822.00	2,551.00	2,888.00	3,407.00
Weight (Lbs)		9.00	10.00	11.90	14.30	20.58	26.48	35.60	51.80	70.28



30°



60°



90°



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4
VF300 with metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
12VDC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
24V AC/DC	US\$	1,424.00	1,467.00	1,538.00	1,644.00	1,892.00	2,127.00	3,214.00	3,577.00	4,158.00
100-240 VAC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
VF600 with metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
12VDC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
24V AC/DC	US\$	1,424.00	1,467.00	1,538.00	1,644.00	1,892.00	2,127.00	3,214.00	3,577.00	4,158.00
100-240 VAC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
VF900 with metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
12VDC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
24V AC/DC	US\$	1,424.00	1,467.00	1,538.00	1,644.00	1,892.00	2,127.00	3,214.00	3,577.00	4,158.00
100-240 VAC	US\$	1,521.00	1,564.00	1,635.00	1,741.00	1,993.00	2,228.00	3,296.00	3,666.00	4,247.00
Weight (Lbs)		11.25	12.25	14.15	16.55	23.20	29.10	43.50	59.70	77.95

VF300-VF600-VF900 direct mount, 2-way, stainless steel, ANSI 150 flanged, V-port ball valve.



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4
EVF300-04* VF300 with battery backup and plastic Valbia electric actuator.										
ACT.		VB030	VB030	VB030	VB030	VB060	VB060	VB110	VB190	VB270
24V AC/DC	US\$	1,287.00	1,330.00	1,401.00	1,507.00	1,704.00	1,939.00	2,754.00	3,066.00	3,614.00
100-240 VAC	US\$	1,362.00	1,405.00	1,476.00	1,582.00	1,764.00	1,999.00	2,841.00	3,144.00	3,694.00
EVF600-04* VF600 with battery backup and plastic Valbia electric actuator.										
24V AC/DC	US\$	1,287.00	1,330.00	1,401.00	1,507.00	1,704.00	1,939.00	2,754.00	3,066.00	3,614.00
100-240 VAC	US\$	1,362.00	1,405.00	1,476.00	1,582.00	1,764.00	1,999.00	2,841.00	3,144.00	3,694.00
EVF900-04* VF900 with battery backup and plastic Valbia electric actuator.										
24V AC/DC	US\$	1,287.00	1,330.00	1,401.00	1,507.00	1,704.00	1,939.00	2,754.00	3,066.00	3,614.00
100-240 VAC	US\$	1,362.00	1,405.00	1,476.00	1,582.00	1,764.00	1,999.00	2,841.00	3,144.00	3,694.00
Weight (Lbs)		9.00	10.00	11.90	14.30	20.58	26.48	35.60	51.80	70.28



SIZE		1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4
MEVF300-04* VF300 with battery backup metal Valbia electric actuator.										
ACT.		VB030M	VB030M	VB030M	VB030M	VB060M	VB060M	VB110M	VB190M	VB270M
24V AC/DC	US\$	1,657.00	1,700.00	1,771.00	1,877.00	2,046.00	2,281.00	3,301.00	3,739.00	4,287.00
100-240 VAC	US\$	1,719.00	1,762.00	1,833.00	1,939.00	2,198.00	2,433.00	3,509.00	3,999.00	4,488.00
MEVF600-04* VF600 with battery backup metal Valbia electric actuator.										
24V AC/DC	US\$	1,657.00	1,700.00	1,771.00	1,877.00	2,046.00	2,281.00	3,301.00	3,739.00	4,287.00
100-240 VAC	US\$	1,719.00	1,762.00	1,833.00	1,939.00	2,198.00	2,433.00	3,509.00	3,999.00	4,488.00
MEVF900-04* VF900 with battery backup metal Valbia electric actuator.										
24V AC/DC	US\$	1,657.00	1,700.00	1,771.00	1,877.00	2,046.00	2,281.00	3,301.00	3,739.00	4,287.00
100-240 VAC	US\$	1,719.00	1,762.00	1,833.00	1,939.00	2,198.00	2,433.00	3,509.00	3,999.00	4,488.00
Weight (Lbs)		11.25	12.25	14.15	16.55	23.20	29.10	43.50	59.70	77.95

* VOLTAGE SUFFIX

1 = 12V AC/DC

2 = 24V AC/DC

3 = 100-240V AC



600LL-*LS2


2-way 600LL with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	2.81	2.81	3.13	3.44	4.82	5.50	7.48	10.16
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-1 1/2"-LS2	MK700LL-2"-LS2
US\$	390.00	390.00	395.00	432.00	470.00	509.00	560.00	603.00

700LL-*LS2

2-way 700LL with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	2.81	2.81	3.13	3.44	4.82	5.50	7.48	10.16
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-1 1/2"-LS2	MK700LL-2"-LS2
US\$	392.00	392.00	398.00	436.00	474.00	514.00	574.00	622.00



630LL-*LS2

2-way 630LL with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Est.Wgt. (Lbs)	3.70	3.70	3.90	4.10	5.30	8.80	9.30	12.60	23.80	31.30	90.30
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-17X17	MLSB-17X17	MLSB-22X22	MLSB-22X22
US\$	416.00	416.00	423.00	486.00	517.00	613.00	670.00	1,076.00	1,526.00	1,980.00	3,262.00

730LL-*LS2

2-way 730LL with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Est.Wgt. (Lbs)	3.70	3.70	3.90	4.10	5.30	8.80	9.30	12.60	23.80	31.30	90.30
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-17X17	MLSB-17X17	MLSB-22X22	MLSB-22X22
US\$	426.00	426.00	435.00	509.00	550.00	660.00	728.00	1,203.00	1,698.00	2,313.00	3,964.00



600LL-*LS2-EX*

2-way 600LL with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	4.11	4.11	4.43	4.74	6.12	6.80	8.78	11.46
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-1 1/2"-LS2	MK700LL-2"-LS2
LS2-B-EXM (US\$)	540.00	540.00	545.00	582.00	620.00	659.00	710.00	753.00
LS2-B-EXN (US\$)	739.00	739.00	744.00	781.00	819.00	858.00	909.00	952.00

700LL-*LS2-EX*

2-way 700LL with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	4.11	4.11	4.43	4.74	6.12	6.80	8.78	11.46
Bracket Kit	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-1/2"-LS2	MK700LL-3/4"-LS2	MK700LL-1"-LS2	MK700LL-1 1/4"-LS2	MK700LL-1 1/2"-LS2	MK700LL-2"-LS2
LS2-B-EXM (US\$)	542.00	542.00	548.00	586.00	624.00	664.00	724.00	772.00
LS2-B-EXN (US\$)	739.00	739.00	744.00	781.00	819.00	858.00	909.00	952.00



630LL-*LS2-EX*

2-way 630LL with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Est.Wgt. (Lbs)	5.00	5.00	5.20	5.40	6.60	10.10	10.60	13.90	25.10	32.60	91.60
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-17X17	MLSB-17X17	MLSB-22X22	MLSB-22X22
LS2-B-EXM (US\$)	566.00	566.00	573.00	636.00	667.00	763.00	820.00	1,226.00	1,676.00	2,130.00	3,412.00
LS2-B-EXN (US\$)	765.00	765.00	772.00	835.00	866.00	962.00	1,019.00	1,425.00	1,875.00	2,329.00	3,611.00

730LL-*LS2-EX*

2-way 730LL with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
Est.Wgt. (Lbs)	5.00	5.00	5.20	5.40	6.60	10.10	10.60	13.90	25.10	32.60	91.60
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-17X17	MLSB-17X17	MLSB-22X22	MLSB-22X22
LS2-B-EXM (US\$)	576.00	576.00	585.00	659.00	700.00	810.00	878.00	1,353.00	1,848.00	2,463.00	4,114.00
LS2-B-EXN (US\$)	775.00	775.00	784.00	858.00	899.00	1,009.00	1,077.00	1,552.00	2,047.00	2,662.00	4,313.00

NEW**955N*-LS2**

955N with mounted LS2-B limit switch.

SIZE	1/2"	3/4"	1"	1-1/4"	1 1/2"	2"	2 1/2"	3"
Est.Wgt. (Lbs)	3.75	4.20	5.65	7.10	10.25	14.40	26.05	26.03
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14	MLSB-17X17
US\$	448.00	470.00	550.00	613.00	733.00	894.00	1,315.00	1,670.00

965N*-LS2

965N with mounted LS2-B limit switch.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Est.Wgt. (Lbs)	3.75	4.20	5.65	7.10	10.25	14.40	26.05	26.03
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14	MLSB-17X17
US\$	448.00	470.00	550.00	613.00	733.00	894.00	1,315.00	1,670.00

**956N*-LS2**

956N with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	3.75	3.75	4.20	5.55	7.20	9.90	14.60	27.20
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14
US\$	447.00	448.00	468.00	544.00	610.00	752.00	901.00	1,259.00

966N*-LS2

966N with mounted LS2-B limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	3.75	3.75	4.20	5.55	7.20	9.90	14.60	27.20
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14
US\$	447.00	448.00	468.00	544.00	610.00	752.00	901.00	1,259.00

**955N*-LS2-EX***

955N with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Est.Wgt. (Lbs)	5.05	5.50	6.95	8.40	11.55	15.70	27.35	27.33
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14	MLSB-17X17
LS2-EXM (US\$)	598.00	620.00	700.00	763.00	883.00	1,044.00	1,465.00	1,820.00
LS2-EXN (US\$)	797.00	819.00	899.00	962.00	1,082.00	1,243.00	1,664.00	2,019.00

965N*-LS2-EX*

965N with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"
Est.Wgt. (Lbs)	5.05	5.50	6.95	8.40	11.55	15.70	27.35	27.33
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14	MLSB-17X17
LS2-EXM (US\$)	598.00	620.00	700.00	763.00	883.00	1,044.00	1,465.00	1,820.00
LS2-EXN (US\$)	797.00	819.00	899.00	962.00	1,082.00	1,243.00	1,664.00	2,019.00

**956N*-LS2-EX***

956N with mounted LS2-EXM or LS2-EXN explosion proof limit switch.

SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	5.05	5.05	5.50	6.85	8.50	11.20	15.90	28.50
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14
LS2-EXM (US\$)	597.00	598.00	618.00	694.00	760.00	902.00	1,051.00	1,409.00
LS2-EXN (US\$)	796.00	797.00	817.00	893.00	959.00	1,101.00	1,250.00	1,608.00

966N*-LS2-EX*

966N with mounted LS2-EXM or LS2-EXN explosion proof limit switch.


SIZE	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"
Est.Wgt. (Lbs)	5.05	5.05	5.50	6.85	8.50	11.20	15.90	28.50
Bracket Kit	MLSB-9X9	MLSB-9X9	MLSB-9X9	MLSB-11X11	MLSB-11X11	MLSB-14X14	MLSB-14X14	MLSB-14X14
LS2-EXM (US\$)	597.00	598.00	618.00	694.00	760.00	902.00	1,051.00	1,409.00
LS2-EXN (US\$)	796.00	797.00	817.00	893.00	959.00	1,101.00	1,250.00	1,608.00

NEW**N500S*-LS2****N500S** with mounted LS2-B limit switch.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	9.60	10.30	11.90	13.20	16.60	21.20	23.00	37.70	52.90	82.10
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$	617.00	618.00	657.00	667.00	722.00	761.00	797.00	960.00	1,301.00	1,652.00

N500S*-LS2-EX***N500S** with mounted LS2-B-EX Explosion Proof limit switch.

SIZE	1 1/2"	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	10.90	11.60	13.20	14.50	17.90	22.50	24.30	39.00	54.20	83.40
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$ EXN	767.00	768.00	807.00	817.00	872.00	911.00	947.00	1,110.00	1,451.00	1,802.00
US\$ EXN	966.00	967.00	1,006.00	1,016.00	1,071.00	1,110.00	1,146.00	1,309.00	1,650.00	2,001.00

**N500N*-LS2****N500N** with mounted LS2-B limit switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	10.30	11.90	13.20	16.60	21.20	23.00	37.70	52.90	82.10
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$	618.00	657.00	667.00	722.00	761.00	797.00	960.00	1,255.00	1,520.00

N500N*-LS2-EX***N500N** with mounted LS2-B-EX Explosion Proof limit switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	11.60	13.20	14.50	17.90	22.50	24.30	39.00	54.20	83.40
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$ EXN	768.00	807.00	817.00	872.00	911.00	947.00	1,110.00	1,405.00	1,670.00
US\$ EXN	967.00	1,006.00	1,016.00	1,071.00	1,110.00	1,146.00	1,309.00	1,604.00	1,869.00

**N501S*-LS2****N501S** with mounted LS2-B limit switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	13.20	14.10	15.20	25.60	29.80	37.10	48.70	69.70	98.80
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$	630.00	672.00	683.00	752.00	794.00	842.00	1,008.00	1,429.00	1,762.00

N501S*-LS2-EX***N501S** with mounted LS2-B-EX Explosion Proof limit switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	14.50	15.40	16.50	26.90	31.10	38.40	50.00	71.00	100.10
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$ EXN	780.00	822.00	833.00	902.00	944.00	992.00	1,158.00	1,579.00	1,912.00
US\$ EXN	979.00	1,021.00	1,032.00	1,101.00	1,143.00	1,191.00	1,357.00	1,778.00	2,111.00

**N501N*-LS2****N501N** with mounted LS2-B Limit Switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	13.20	14.10	15.20	25.60	29.80	37.10	48.70	69.70	98.80
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$	630.00	672.00	683.00	752.00	794.00	842.00	1,008.00	1,342.00	1,630.00

N501N*-LS2-EX***N501N** with mounted LS2-B-EX Explosion Proof limit switch.

SIZE	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Est.Wgt. (Lbs)	14.50	15.40	16.50	26.90	31.10	38.40	50.00	71.00	100.10
Bracket Kit	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-1-1/2	MK-BFVLS2-4	MK-BFVLS2-5	MK-BFVLS2-5	MK-BFVLS2-8	MK-BFVLS2-10	MK-BFVLS2-10
US\$ EXN	780.00	822.00	833.00	902.00	944.00	992.00	1,158.00	1,492.00	1,780.00
US\$ EXN	979.00	1,021.00	1,032.00	1,101.00	1,143.00	1,191.00	1,357.00	1,691.00	1,979.00

HOW TO ORDER

MODEL VT	-	VERSION 1	-	LEFT END CONNECTION D	x	RIGHT END CONNECTION D
		1=standard timer 5.0A AC/277 AC		D=din connection		D=din connection
		2=standard timer 5.0A DC/125 DC		C=conduit connection		C=conduit connection
		C120=chrono version digital timer switch/100-240V AC		PG11=PG11 connection		PG11=PG11 connection
		C12=chrono version digital timer switch/12V DC		NPT=threaded connection		NPT=threaded connection
		C24=chrono version digital timer switch/24V DC				
		P120=pulse version digital timer switch/100-240V AC				
		P12=pulse version digital timer switch/12V DC				
		P24=pulse version digital timer switch/24V DC				
		SRB120=valve timer with smart relay/10-240VAC				
		SRB24=valve timer with smart relay/24V DC				



SERIES

VT-1 - VT-2
5.0A 5.0A
AC/277V AC DC/125V DC



Valve timer.

- Multi-functional timer (8 or 18 functions).
- Universal voltage 25-265V AC/DC.
- Wide time range: 0.1 seconds ~ 999 hours.
- 3 digit LCD display for preset time and run time.
- DIN rail mounted.
- 17.5 mm width.
- Customized connections including NPT, PG11, conduit and DIN.

ENCLOSURE FEATURES AND SPECIFICATIONS

	Protection level	IP65-nema Type 4x
	Enclosure material	Polycarbonate
	Door material	Polycarbonate
	Material temperature range	-40°C to 120°C (-40°F to 248°F)
	Included accessories	35 mm DIN rail

ENCLOSURE DIMENSIONS

	A	B	C	D
	1.42	1.81	3.70	5.12

BREAKER-SINGLE POLE

	MODEL	VT-*1	VT-*2
	Rated current	5.0A AC	5.0A DC
	Rated voltage	277V AC	125V DC

SPECIFICATIONS


Supply voltage	24-265V AC/DC (50/60hz)
Power consumption	10 VA Max.
Cycle timing range	0.1 seconds ~ 999 hours
Reset time	200ms. Max.
Repeat accuracy	+ -0.5%
Output contact rating	8A @ 240V AC/24V DC resistive
Electrical life	10,000 switching cycles
Mechanical life	2,000,000 switching cycles
AC-15 rating	Rated voltage (ue): 125/240V, rating current (Ie): 3/1/5a
DC-13 rating	Rated voltage (ue): 125/250V, rating current (Ie): 2/0.22/0.1a
Operating temperature	-10°C ~ +55°C (+14°F ~ 131°F)
Storage temperature	-20°C ~ +65°C (-4°F ~ 149°F)
Terminal wire size	0.3-2.5 mm ² (22-14 AWG)

MODEL	DESCRIPTION	SUFFIX	US\$
VT-1	Valve Timer - 5.0A AC / 277V AC	VT1	438.00
VT-2	Valve Timer - 5.0A DC / 125V DC	VT2	438.00


TIMER FEATURES

OUTPUT CONTACTS	1 C/O
NO. OF TIMER FUNCTIONS	8
FUNCTIONS [SETTING MODE]	1. ON delay [a] 2. Cyclic OFF/ON [b] 3. Cyclic ON/OFF [c] 4. Signal ON/OFF [d] 5. Signal OFF/ON delay [e] 6. Interval [f] 7. Signal OFF/ON [g] 8. One shot output [h]

CONNECTION DIAGRAM



DISPLAY FUNCTIONS



Example
package with mounted valve timer





SERIES

VT-C - VT-P

CHRONO VERSION PULSE VERSION




Valve timer with digital timer switch and clock.

- 25 ON/OFF programs (16 ON programs for pulse version).
- LCD display for time and program information.
- Various supply voltages.
- Settable daylight savings time.
- Lockable keypad.
- Simple manual override.
- 12/24 hour time format.
- DIN rail mount.

ENCLOSURE FEATURES AND SPECIFICATIONS

 	Protection level	IP65-nema type 4x
	Enclosure material	Polycarbonate
	Door material	Polycarbonate
	Material temperature range	-40°C to 120°C (-40°F to 248°F)
	Included accessories	35 mm DIN rail

ENCLOSURE DIMENSIONS

	A	B	C	D
	1.42	1.81	3.70	5.12

BREAKER-SINGLE POLE

 	MODEL	VT-*120	VT-*12	VT-*24
	Rated current	4.0A AC	4.0A DC	4.0A DC
	Rated voltage	100-240V AC	12V DC	24V DC

FUNCTIONAL

Display	3 Line text LCD
Clock resolution	1 minute
Clock mode	12h (AM/PM) or 24h
Clock accuracy	+/- 2s above operating temperature
LED indicator	ON: relay activated. OFF: relay deactivated

OUTPUT

Output configuration	1 x SPDT
Output contact rating	16A (NO), 5A (NC) @ 240VAC/24VDC (resistive) 6A @ 250VAC, $\cos\phi = 0.6$ (inductive)
Electrical life	30,000 switching cycles
AC-15 rating	250VAC / 6.0A, $\cos\phi = 0.6$, 185°F
DC-13 rating	Rated voltage (Ue): 24VDC, rated Current (Ie): 2.0A

MATERIAL


Operating temperature	14°F-31°F
Storage temperature	14°F-140°F
Protection enclosure	IP40 (enclosure), IP20 terminals
Housing	UL94-V0
Terminal wire size	24-12AWG
Weight	0.24 lbs.

TIMER FEATURES


Power consumption	4 VA Max.	4 VA Max.
Programs	25 ON/OFF programs	16 pulse programs
Minimum switching time	1 min.	1 s
Programmable pulse duration	-	1-59 s

OPERATING MODES	CHRONO VERSION	PULSE VERSION
AUTO	Program ON	Program OFF
ON AUTO	Instant ON until next auto event	Instant ON until next auto event
AUTO OFF	Instant OFF until next auto event	Instant OFF until next auto event
ON	Continuous ON	Continuous ON
OFF	Continuous OFF	Continuous OFF

CONNECTION DIAGRAM



DISPLAY FUNCTIONS



MODEL	DESCRIPTION	SUFFIX	US\$
VT-C120	Chrono Version - 4.0A AC / 110-240V AC	VTC120	525.00
VT-C12	Chrono Version - 4.0A DC / 12V DC	VTC12	525.00
VT-C24	Chrono Version - 4.0A DC / 24V DC	VTC24	525.00
VT-P120	Pulse Version - 4.0A AC / 110-240V AC	VTP120	C/F
VT-P12	Pulse Version - 4.0A DC / 12V DC	VTP12	C/F
VT-P24	Pulse Version - 4.0A DC / 24V DC	VTP24	C/F



SERIES VT-SRB120

110-240V AC

VT-SRB24

12-24V DC

Valve timer with smart relay.

- Supports up to 48 I/Os (32 digital inputs and 16 digital outputs).
- DST feature available.
- Backlit LCD Screen for display and modification of pre-selected parameters of functional blocks, viewing I/O status and programming on the device.
- PC software for programming, online and offline simulation, documentation and printing.
- Designed for use in automation for commercial and Industrial sectors.
- Modbus communication.
- 250 lines of ladder programming.
- 16 soft text messages, time switches, compare counters, timers, counters and 12 analog functions.



ENCLOSURE FEATURES AND SPECIFICATIONS

 	Protection level	IP65-nema type 4x
	Enclosure material	Polycarbonate
	Door material	Polycarbonate
	Material temp. range	-40°C to 120°C (-40°F to 248°F)
	Included accessories	35 mm DIN rail

ENCLOSURE DIMENSIONS

	A	B	C	D
	5.67	1.81	7.17	7.09

FUNCTION BLOCKS

Timers	16 (ON delay, interval, cyclic ON-OFF, OFF delay)
Counters	16 (Up/down, retentive selectable)
Time switches	16 (weekly/daily)
Compare counters	16
Analog functions	12 (DC model)
Soft text messages	16 (priority driven)
Auxiliary relays	32

TECHNICAL SPECIFICATIONS


I/O Extensions (max.)		3
Utilization category	AC-15	Rated voltage (Ue): 120/240V
		Rated current (Ie): 3.0/1.5 A
	DC-13	Rated voltage (Ue): 24/125/250 V
		Rated current (Ie): 2.0/0.22/0.1 A
Power reserve (for clock only)		150h @ -10°C to +55°C
Operating temperature		-10°C to +55°C
Storage temperature		-25°C to +70°C
Humidity (non condensing)		95% (Rh)
Enclosure		Flame retardant UL 94-V0
Mounting		Base/DIN rail
Degree of protection		IP20 for terminals, IP40 for enclosure

STANDARDS AND CERTIFICATIONS


UL 508
IEC 61000-3-2
IEC 61000-4-2 ~ 11



CONNECTION DIAGRAM



AC Base Module



DC Base Module

CAT. NO	VT-SRB120	VT-SRB24
Supply voltage (-20% to +10%)	110-240 VAC (50/60 Hz)	12-24 VDC
Power consumption	5W	5W
Max. supply current	36 mA	360 mA
Digital inputs	8	6
Digital Input range	(0-40 VAC) OFF, (80-265 VAC) ON	(0-4 VDC) OFF, (8-26, 4 VDC) ON
Analog inputs	N/A	2 (can be used as digital inputs)
Analog input range	N/A	0 to 10 VDC
Digital relay output	4 NO (8A@240V AC, 5A@30V DC)	4 NO (8A@240V AC, 5A@30V DC)
Weight	0.5 lbs.	0.5 lbs.

MODEL	DESCRIPTION	SUFFIX	US\$
VT-SRB120	8 x Input, 4 x Output, 110-240 VAC supply voltage	SRB120	655.00
VT-SRB24	8 x Input, 4 x Output, 12-24 VDC supply voltage	SRB24	655.00



SERIES LCB-1
LOCAL CONTROL BOX


- 24V AC/DC & 100-240VAC.
- 1/2" NPT conduit or PG11 connections.
- Red light = closed.
- Green light = open.
- Local control for VB030(M) through VB350(M) On/Off actuators only.
- When in AUTO mode, actuator accepts command from the control system.
- When in MANUAL mode, the position must be selected via the LCB-1.
- Power to the actuator can be shut off when using MANUAL mode via "OFF" position.
- Each component is UL approved, however, the assembly is not UL approved.

ENCLOSURE SPECIFICATIONS

Protection Level	IP65 - NEMA Type 4x
Enclosure Material	Polycarbonate
Material Temperature Range	-40°C to 120°C (-40°F to 248°F)
Included Accessories	35mm DIN rail




DIMENSIONS



A	B	C
7.13	4.38	4.53

CONNECTION DIAGRAM




MODEL	DESCRIPTION	SUFFIX	US\$
LCB-1	Local Control Box for VB030(M) - VB350(M) On/Off	LCB	501.00



SERIES PNP-B

3-15 PSI PNEUMATIC-PNEUMATIC POSITIONER

- It is compatible with most of controllers.
- Response time is very fast and accurate.
- Split range 3 ~ 9 psi or 9 ~ 15 psi can be set by simple adjustment.
- Low air consumption.
- Simple direct/reverse action change.
- Simple zero and span adjustment.
- Orifices can be installed in the field to minimize the hunting occurrence and optimize operating conditions.
- It has IP66, type 4X (FM) ingress protection grade.
- Epoxy polyester powder coating resists the corrosion process.
- Maintenance of the positioner is easy because of modularized inner structure.



A	B	C	D	E	F	G	H
6.55	6.99	3.18	4.21	0.79	1.18	1.12	0.79

ITEM TYPE	SINGLE	DOUBLE
Input signal	3-15 psi	
Supply pressure	20-100 psi	
Stroke	0-90°	
Air connection	PT (NPT) 1/4"	
Gauge connection	PT (NPT) 1/8"	
Ingress protection	IP66	
Operating temperature (standard type)	-4°F to 158°F	
Linearity	±2%F.S.	
Hysteresis	±1%F.S.	
Sensitivity	±0.5%F.S.	
Repeatability	±0.5%F.S.	
Air consumption	2.5 LPM (sup=0.14 MPa)	
Flow capacity	80 LPM (sup=0.14 MPa)	
Material	Aluminum diecasting	
Weight	3.10 lbs.	


MODEL	DESCRIPTION	SUFFIX	US\$
PNP-B	3-15 psi positioner	PNP	702.00



SERIES **MON-40N-S1N-SF**

3-15 PSI PNEUMATIC-PNEUMATIC POSITIONER

- Easy maintenance.
- Precise calibration with simple span and zero adjustments.
- Split range 3 ~ 9 psi or 9 ~ 15 psi can be set by simple adjustment.
- Simple conversion to direct acting or reverse acting.
- 1/2 split range available.
- Rugged aluminum housing with corrosion-resistant coating.
- Vibration resistant design.
- Stainless steel gauges standard.
- Restricted pilot valve orifice kit for small actuators included.



A	B	C	D	E	F	G	H	I	J	K	L	M	N
4.39	1.42	0.94	0.20	0.41	1.73	1.73	1.42	1.14	1.98	1.63	1.65	2.33	2.41

O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
6.62	0.43	2.68	4.80	1.70	4.92	5.16	3.94	3.46	1.10	1.46	0.90	2.56	1.00

ITEM TYPE	SINGLE	DOUBLE
Input signal	3-15 psi	
Supply pressure	Max. 7.0 bar-100 psi	
Standard stroke	60-100°	
Pneumatic connections	PT (RC) 1/4" or NPT 1/4"	
Ambient temperature	-4°F ~ 158°F	
Pressure gauge	Stainless steel	
Output characteristics	Linear	
Linearity	Within±1%F.S	Within±1.5%F.S
Sensitivity	Within±0.5% F.S	
Hysteresis	Within±1% F.S	
Repeatability	Within±0.5% F.S	
Air consumption	1.32 GPM (sup. 20 psi)	
Flow capacity	21.13 GPM (sup. 20 psi)	
Body material	Aluminum die cast	
Weight	5.51 lbs.	


MODEL	DESCRIPTION	SUFFIX	US\$
MON-40N-S1N-SF	3-15 psi positioner	40N	924.00
MON-BKT-FS-1206	SS bracket kit 52-100 M6	-	116.00
MON-BKT-FS-1306	SS bracket kit 115-330 M6	-	137.00



SERIES ENP-B

4-20 mA ELECTRO-PNEUMATIC POSITIONER

- It is compatible with most of controllers.
- Response time is very fast and accurate.
- Split range 4-12 mA or 13-20 mA can be set by simple adjustment.
- Low air consumption.
- Simple direct/reverse action change.
- Simple zero and span adjustment.
- Orifices can be installed in the field to minimize the hunting occurrence and optimize operating conditions.
- It has IP66, type 4X (FM) ingress protection grade.
- Epoxy polyester powder coating resists the corrosion process.
- Maintenance of the positioner is easy because of modularized inner structure.



A	B	C	D	E	F	G	H	I	J	K	L	M
0.91	1.06	1.28	1.77	6.65	5.21	1.77	1.71	1.04	1.30	3.16	6.20	5.21

ITEM TYPE	SINGLE	DOUBLE
Input signal	4-20 mA DC	
Impedance	250 +/- Ω	
Supply pressure	20-100 psi	
Stroke	0-90°	
Air connection	PT (NPT) 1/4"	
Gauge connection	PT (NPT) 1/8"	
Conduit entry	PF(G) 1/2"	
Protection grade	IP66	
Explosion proof	Ex. dmb IIB T5 (ATEX)	
Operating temperature	-4°F to 158°F	
Linearity	±1.0%F.S.	±2.0%F.S.
Hysteresis	±1% F.S.	
Sensitivity	±2.0%F.S.	±0.5%F.S.
Repeatability	±0.5%F.S.	
Air consumption	2.5 LPM (sup = 0.14 MPa)	
Flow capacity	80 LPM (sup = 0.14 MPa)	
Material	Aluminum diecasting	
Weight	3.10 lbs.	


MODEL	DESCRIPTION	SUFFIX	US\$
ENP-B	4-20 mA positioner	ENP	812.00



SERIES **MON-41N-E1N-SF**

4-20 mA ELECTRO-PNEUMATIC POSITIONER

- Easy maintenance.
- Precise calibration with simple span and zero adjustments.
- Split range 4-12 mA or 13-20 mA can be set by simple adjustment.
- 1/2" split range available.
- Rugged aluminum housing with corrosion-resistant coating.
- Vibration resistant design.
- Stainless steel gauges standard.
- Restricted pilot valve orifice kit for small actuators included.
- Certified for ATEX Eex md IIB T5 (05 ATEX 1076X) by NEMKO in conformance with EN 50014:1997, EN 50018:2000 and EN 50028:1987.
- Certified for EMC (K1046/E04) in conformance with EN 61000-6-2:2001 and EN 61000-6-4:2001 by RWTUV.
- Certified for Ex md IIB T6 (99-1075-Q1), Ex md IIC T6 (2000-1057-Q1), and Ex ia IIB T6 (2000-1056-Q1) by Kosha.



A	B	C	D	E	F	G	H	I	J	K	L
4.39	1.94	0.94	0.20	0.41	1.73	1.63	1.14	1.97	1.63	2.33	2.41

M	N	O	P	Q	R	S	T	U	V	W	X
6.62	0.43	2.68	4.92	5.12	3.94	3.46	1.10	1.43	0.90	2.56	1.00

ITEM TYPE	SINGLE	DOUBLE
Input signal	4-20 mA DC	
Input resistance	235+/-15 Ω	
Supply pressure	100 psi	
Stroke	60-100°	
Pneumatic connections	PT (NPT) 1/4"	
Electrical connections	PT (NPT) 1/8"	
Protection class	Ex. dmb IIB T5 (ATEX)	
Ambient temperature	T5: -4°F - 131°F - T6: -4°F to 158°F	
Pressure gauge	Stainless steel	
Output characteristics	Linear	
Linearity	±1.0%F.S.	±1.5%F.S.
Sensitivity	±0.5%F.S.	
Hysteresis	±1%F.S.	
Repeatability	±0.5%F.S.	
Air consumption	1.32 GPM (sup. 20 psi)	
Flow capacity	21.13 GPM (sup. 20 psi)	
Material	Aluminum die cast	
Weight	5.51 lbs.	


MODEL	DESCRIPTION	SUFFIX	US\$
MON-41N-E1N-SF	4-20mA E/P positioner with gauges	41N	1,504.00
MON-BKT-FS-1206	SS bracket kit 52-100 M6	-	116.00
MON-BKT-FS-1306	SS bracket kit 115-330 M6	-	137.00



SERIES ENP-B-F

4-20 mA ELECTRO-PNEUMATIC POSITIONER W/FEEDBACK

- It is compatible with most of controllers.
- 4-20 mA analog feedback control.
- Response time is very fast and accurate.
- Split range 4-12 mA or 13-20 mA can be set by simple adjustment.
- Low air consumption.
- Simple direct/reverse action change.
- Simple zero and span adjustment.
- Orifices can be installed in the field to minimize the hunting occurrence and optimize operating conditions.
- It has IP66, type 4X (FM) ingress protection grade.
- Epoxy polyester powder coating resists the corrosion process.
- Maintenance of the positioner is easy because of modularized inner structure.



A	B	C	D	E	F	G	H	I	J	K	L	M	N
0.91	1.06	1.28	1.77	8.83	5.21	1.77	1.71	1.04	1.30	1.46	3.16	6.20	5.21

ITEM TYPE	SINGLE	DOUBLE
Input signal	4-20 mA DC	
Impedance	250 +/- Ω	
Supply pressure	20-100 psi	
Stroke	0-90°	
Air connection	PT (NPT) 1/4"	
Gauge connection	PT (NPT) 1/8"	
Conduit entry	PF(G) 1/2"	
Protection grade	IP66	
Explosion proof	Ex. dmb IIB T5 (ATEX)	
Operating temperature	-4°F to 158°F	
Linearity	±1.0%F.S.	±2.0%F.S.
Hysteresis	±1%F.S.	
Sensitivity	± 2.0%F.S.	±0.5%F.S.
Repeatability	±0.5%F.S.	
Air consumption	2.5 LPM (sup=0.14 MPa)	
Flow capacity	80 LPM (sup=0.14 MPa)	
Material	Aluminum diecasting	
Weight	3.10 lbs.	


MODEL	DESCRIPTION	SUFFIX	US\$
ENP-B-F	4-20 mA positioner w/ feedback	ENPBF	1,624.00



SERIES **MON-41N-E1T-SF**

4-20 mA ELECTRO-PNEUMATIC POSITIONER W/FEEDBACK

- Rugged aluminum housing.
- Reduced bleed pilot valve.
- No spool valves.
- Unique magnetic 4-20 mA I/P.
- Precise calibration.
- Precision zero-hysteresis coupling system.
- Stainless steel gauges standard.
- 4-20 mA feedback.
- Each positioner performance tested.



A	B	C	D	E	F	G	H	I	J	K	L
4.39	2.41	0.94	0.20	0.41	1.73	1.14	1.97	1.61	1.65	2.33	2.41

M	N	O	P	Q	R	S	T	U	V	W	X
8.36	0.43	6.62	2.68	4.80	4.92	4.51	3.46	1.10	1.43	0.90	2.56

ITEM TYPE	SINGLE	DOUBLE
Input signal	4-20 mA DC	
Input resistance	235 $\pm$ 15 Ω	
Supply pressure	100 psi	
Stroke	60-100°	
Pneumatic connections	PT (NPT) 1/4"	
Electrical connections	PT (NPT) 1/8"	
Protection class	Ex. dmb IIB T5 (ATEX)	
Ambient temperature	T5: -4°F - 131°F - T6: -4°F to 158°F	
Pressure gauge	Stainless steel	
Output characteristics	Linear	
Linearity	$\pm 1.0\%$ F.S.	$\pm 1.5\%$ F.S.
Sensitivity	$\pm 0.5\%$ F.S.	
Hysteresis	$\pm 1\%$ F.S.	
Repeatability	$\pm 0.5\%$ F.S.	
Air consumption	1.32 GPM (sup. 20 psi)	
Flow capacity	21.13 GPM (sup. 20 psi)	
Material	Aluminum die cast	
Weight	7.28 lbs.	

MODEL	DESCRIPTION	SUFFIX	US\$
MON-41N-E1T-SF	4-20mA E/P positioner with gauges and feedback	41T	2,714.00
MON-BKT-FS-1206	SS bracket kit 52-100 M6	-	116.00
MON-BKT-FS-1306	SS bracket kit 115-330 M6	-	137.00




SERIES YT-3300

SMART POSITIONER

- Auto calibration.
- LCD display.
- Partial stroke test (PST).
- PID control.
- Auto/manual switch.
- Front panel push buttons for configuration.
- Remote mounting option.

OPTIONS

- Feedback signal.
- HART communication.



A	B	C	D	E	F	G	H	I	J
3.67	7.75	9.45	4.15	0.08	1.18	1.04	2.11	0.39	4.24

ITEM TYPE	SPECIFICATION
Input signal	4-20 mA DC
Supply pressure	0.14-0.7 MPa (1.4-7 bar)
Stroke	0-90°
Impedance	Max. 500 Ω @ 20 mA DC
Air connection	NPT 1/4"
Gauge connection	NPT 1/8"
Conduit	G (PF, NPT) 1/2", M20
Operating temperature	-22°F to 185°F
Linearity	$\pm 0.5\%$ F.S.
Hysteresis	$\pm 0.5\%$ F.S.
Sensitivity	$\pm 0.2\%$ F.S.
Repeatability	$\pm 0.3\%$ F.S.
Air consumption	Below 2 LPM
Flow capacity	70 LPM
Output characteristics	Linear, EQ%, quick open user set (18 Point)
Material	Aluminum die cast
Ingress protection	IP66
Weight	4.4 lbs.

MODEL	DESCRIPTION	SUFFIX	US\$
YT-3300RDA5500S	Basic positioner for double acting actuators	5500S	1,741.00
YT-3300RDA5501S	Basic positioner with feedback for double acting actuators	5501S	1,956.00
YT-3300RDA5520S	Hart positioner for double acting actuators	5520S	1,992.00
YT-3300RDA5521S	Hart positioner with feedback for double acting actuators	5521S	2,214.00
YT-3300RSA5500S	Basic positioner for spring return actuators	5500S	1,661.00
YT-3300RSA5501S	Basic positioner with feedback for spring return actuators	5501S	1,882.00
YT-3300RSA5520S	Hart positioner for spring return actuators	5520S	1,919.00
YT-3300RSA5521S	Hart positioner with feedback for spring return actuators	5521S	2,140.00




SERIES YT-3400

EX-PROOF SMART POSITIONER

- Explosion-proof/flame-proof housing.
- Auto calibration.
- LCD display.
- Partial stroke test (PST).
- PID control.
- Auto/manual switch.
- Front panel push buttons for configuration.

OPTIONS

- Feedback signal.
- Hart communication.



A	B	C	D	E	F
4.47	8.28	9.78	2.06	4.98	6.03

ITEM TYPE	SPECIFICATION
Input signal	4-20 mA DC
Supply pressure	0.14-0.7 MPa (1.4-7 bar)
Stroke	0-90°
Impedance	Max. 450 Ω @ 20 mA DC
Air connection	NPT 1/4"
Gauge connection	NPT 1/8"
Conduit	G (PF, NPT) 1/2", M20
Operating temperature	-40°F-176°F (T5) -40°F-158°F (T6)
Linearity	$\pm 0.5\%$ F.S.
Hysteresis	$\pm 0.5\%$ F.S.
Sensitivity	$\pm 0.2\%$ F.S.
Repeatability	$\pm 0.3\%$ F.S.
Air consumption	Below 2 LPM
Flow capacity	70 LPM
Output characteristics	Linear, EQ%, quick open user set (18 Point)
Material	Aluminum die cast
Ingress protection	IP66
Weight	7.5 lbs.


MODEL	DESCRIPTION	SUFFIX	US\$
YT3400-RDA5500S	Ex-proof positioner for double acting actuators	X5500S	2,177.00
YT3400-RDA5501S	Ex-proof positioner with feedback for double acting actuators	X5501S	2,327.00
YT3400-RDA5520S	Ex-proof hart positioner with for double acting actuators	X5520S	2,435.00
YT3400-RDA5521S	Ex-proof hart positioner with feedback for double acting actuators	X5521S	2,656.00
YT3400-RSA5500S	Ex-proof positioner for spring return actuators	X5500S	2,103.00
YT3400-RSA5501S	Ex-proof positioner with feedback for spring return actuators	X5501S	2,324.00
YT3400-RSA5520S	Ex-proof hart positioner for spring return actuators	X5520S	2,361.00
YT3400-RSA5521S	Ex-proof hart positioner with feedback for spring return actuators	X5521S	2,582.00



SERIES 03900000171

IP65 LIMIT SWITCH

- IP65 conforming to CE.
- Compact limit switch box for industrial, water treatment and light duty applications.
- Adjustable namur mounting pad.
- (2) single pole double throw (SPDT) limit switches.
- Switch contact rating: 5A @ 100-240V AC; 3A @ 24V DC.
- Temperature range: -15°C (5°F) to 80°C (176°F).
- Cable entry: M20 x 1.5" (ISO to NPT adapters available).



A	B	C	D	E	F	G	H	I	J	K	L	M	N
2.63	4.63	1.88	0.88	0.13	0.75	1.13	2.25	1.13	1.13	5.13	3.50	3.75	4.63

APPROVALS

ATEX, EAC, CCOE:

Ex II 2GD Ex ia IIC T4/T5/T6
Ex ia IIIB T 44°C - T108°C Db IP6*
Ta: -20°C ≤ Ta ≤ 80°C

SIL CERTIFICATE

Up to SIL 2 certified TÜV
TEMPERATURE:
-20 to +80°C (-4° to +176°F)
standard temperature range

PROTECTION RATING

IP65,
IP67 (on request)
Nema 4 4X (on request)




MODEL	DESCRIPTION	SUFFIX	US\$
03900000149	IP65 mechanical SPDT limit switch for models 52 thru 270	LS	132.00




SERIES LS2-B
IP67 LIMIT SWITCH

- Die-cast aluminum body w/O-ring sealed.
- Sealed with buna-N - O-ring.
- Dichromate conversion w/ polyester powder coating.
- Double cable entry with two 1/2" NPT.
- Namur shaft ISO bracket.
- IP67, Nema 4, 4x, CSA approved.
- 2 SPDT 5A 125-250VAC, 3A 24VDC.



A	B	C	D	E	F	G	H	I	J	K
3.66	0.67	0.39	5.12	3.15	0.16	1.18	0.79	1.18	3.46	4.41



N POS	PART NAME	MATERIAL	N POS
1	COVER	ALUMINUM DIE CAST	1
2	BODY	ALUMINUM DIE CAST	1
3	SHAFT	STAINLESS STEEL	1
4	INDICATOR COVER	POLYCARBONATE	1
5	INDICATOR	ABS	1
6	LIMIT SWITCH	MECHANICAL	2
7	TERMINAL STRIP	POLYCARBONATE, TIN PLATED BRASS, SS	8-14
8	CAM	POLYCARBONATE	2
9	SPRING	STAINLESS STEEL	1
10	COVER BOLTS	STAINLESS STEEL	4
11	SHAFT O-RING	NBR	2
12	HOUSING O-RING	NBR	1
13	INDICATOR O-RING	NBR	1
14	BUSHING	BRONZE	1
15	EARTH LUG	STAINLESS STEEL	1
16	E-RING	STAINLESS STEEL	2


MODEL	DESCRIPTION	SUFFIX	US\$
LS2-B	2 SPDT 16A UL, CSA	LS2	147.00
LS2-CLEAR	Clear cover	-	10.00
LS2-3W-LP	L-port	-	10.00
LS2-3W-TP	T-port	-	10.00



SERIES LS2-B-EXM

MECHANICAL EXPLOSION PROOF LIMIT SWITCH

- Two (2) SPDT silver-plated mechanical contact switches.
- Twin shaft design.
- Metallic self lubricating bushings.
- Aluminum enclosure with thick protective powder coating.
- Two (2) 1/2" NPT cable entries standard; three (3) entries or metric optional.
- Multiple indicator options.
- Easy wiring through the terminal PCB board.
- IP66/67 protection-nema 4/4x on request.
- Temperature: -4°C to 176°F.



A	B	C	D	E	F	G	H	I	J
3.38	2.69	2.69	1.69	1.50	2.19	1.00	0.31	0.50	0.19
K	L	M	N	O	P	Q	R	S	T
1.56	1.25	1.31	1.25	0.38	0.19	0.32	1.00	1.32	0.25

APPROVALS

ATEX, IECEx, EAC, CCOE, INMETRO

Ex 11 2GD Ex db IIB T4/T5/T6 Gb (SX series)
Ex 11 2GD Ex db IIB + H2 T4/T5/T6 Gb (SH series)
Ex tb IIC T135/T100/T85°C Db
Ta: -20°C ≤ Ta ≤ 105°C/75°C/60°C

UL

Class I division 1 groups C,D division 2 groups C, D
Class II division 1 groups E, F, G division 2 groups, F, G

SIL CERTIFICATE

Up to SIL 3 certified TÜV




MODEL	DESCRIPTION	SUFFIX	US\$
LS2-B-EXM	2-SPDT 5A 120VAC mechanical UL Explosion proof	LS2EXM	297.00
LS2-EX-3W-LP	L-port	-	35.00
LS2-EX-3W-TP	T-port	-	35.00



SERIES LS2-B-EXN

NON-CONTACT EXPLOSION PROOF LIMIT SWITCH

- Two (2) SPDT silver-plated mechanical contact switches.
- Twin shaft design.
- Metallic self lubricating bushings.
- Aluminum enclosure with thick protective powder coating.
- Two (2) 1/2" NPT cable entries standard; Three (3) entries or metric optional.
- Multiple indicator options.
- Easy wiring through the terminal PCB board.
- IP66/67 protection-nema 4/4x on request.
- Temperature: -4°C to 176°F.



A	B	C	D	E	F	G	H	I	J
3.38	2.69	2.69	1.69	1.50	2.19	1.00	0.31	0.50	0.19
K	L	M	N	O	P	Q	R	S	T
1.56	1.25	1.31	1.25	0.38	0.19	0.32	1.00	1.32	0.25

APPROVALS

ATEX, IECEx, EAC, CCOE, INMETRO

Ex 11 2GD Ex db IIB T4/T5/T6 Gb (SX series)
Ex 11 2GD Ex db IIB + H2 T4/T5/T6 Gb (SH series)
Ex tb IIC T135/T100/T85°C Db
Ta: -20°C ≤ Ta ≤ 105°C/75°C/60°C

UL

Class I division 1 groups C,D division 2 groups C, D
Class II division 1 groups E, F, G division 2 groups, F, G

SIL CERTIFICATE

Up to SIL 3 certified TÜV



MODEL	DESCRIPTION	SUFFIX	US\$
LS2-B-EXN	2-SPDT 3A non-contact UL explosion proof	LS2EXN	496.00
LS2-EX-3W-LP	L-port	-	35.00
LS2-EX-3W-TP	T-port	-	35.00





SERIES **MON-FMYB-5120**

MECHANICAL LIMIT SWITCH




- Clear ektar copolyester cover.
- Die cast aluminum enclosure.
- Indicator shaft is secured to the housing unit.
- Flat cover version available.
- Environmentally sealed indicator.
- Minimum life of 1,000,000 cycles.
- Internal switches and terminal block
- Optional thermoplastic quick-mount bracket.
- Indicator is 100% adjustable.
- Nema 4, 4X.
- CSA approval.



ITEM TYPE	SPECIFICATIONS
Nema rating	4, 4X
Housing-cover	Aluminum
Indicator cover	Ektar copolyester
Seals	Buna-N
Fasteners	Stainless steel
Terminal points	8
Operating temperature	-40°F to 175°F
Agency approvals	CSA
Weight	4.25 lbs.


MODEL	DESCRIPTION	SUFFIX	US\$
MON-FMYB-5120	2 SPDT 15A mechanical	FM51	293.00
MON-BKT-NP120	SS bracket kit 52-100	-	52.00
MON-BKT-NP130	SS bracket kit 115-300	-	52.00



SERIES MON-FMYB-5220
NON-CONTACT LIMIT SWITCH



- Clear ektar copolyester cover.
- Die cast aluminum enclosure.
- Indicator shaft is secured to the housing unit.
- Flat cover version available.
- Environmentally sealed indicator.
- Minimum life of 1,000,000 cycles.
- Internal switches and terminal block.
- Optional thermoplastic quick-mount bracket.
- Indicator is 100% adjustable.
- Nema 4, 4X.
- CSA approval.



A	B	C	D	E	F	G	H
5.83	5.27	0.53	3.98	1.13	2.21	0.25	2.25

ITEM TYPE	SPECIFICATIONS
Nema rating	4, 4X, 7, 9
Housing-cover	Aluminum
Indicator cover	Ektar copolyester
Seals	Buna-N
Fasteners	Stainless steel
Terminal points	8
Operating temperature	-40°F to 175°F
Agency approvals	CSA
Weight	4.25 lbs.

MODEL	DESCRIPTION	SUFFIX	US\$
MON-FMYB-5220	2 SPDT 3A non-contact	FM52	560.00
MON-BKT-NP120	SS bracket kit 52-100	-	52.00
MON-BKT-NP130	SS bracket kit 115-300	-	52.00






SERIES **MON-AMYB-5120**

MECHANICAL LIMIT SWITCH



- Clear ektar copolyester cover.
- Die cast aluminum enclosure.
- Indicator shaft is secured to the housing unit.
- Flat cover version available.
- Environmentally sealed indicator.
- Minimum life of 1,000,000 cycles.
- Internal switches and terminal block.
- Optional thermoplastic quick-mount bracket.
- Indicator is 100% adjustable.
- Nema 4, 4X.
- CSA approval.



A	B	C	D	E	F	G	H
6.56	6.00	0.53	3.98	1.13	2.72	0.25	2.25

ITEM TYPE	SPECIFICATIONS
Nema rating	4, 4X, 7, 9
Housing-cover	Aluminum
Indicator cover	Ektar copolyester
Seals	Buna-N
Fasteners	Stainless steel
Terminal points	8
Operating temperature	-40°F to 175°F
Agency approvals	CSA
Weight	4.25 lbs.


MODEL	DESCRIPTION	SUFFIX	US\$
MON-AMYB-5120	2 SPDT 15A mechanical	AM51	381.00
MON-BKT-NP120	SS bracket kit 52-100	-	52.00
MON-BKT-NP130	SS bracket kit 115-300	-	52.00



SERIES MON-AMYB-5220
NON-CONTACT LIMIT SWITCH



- Clear ektar copolyester cover.
- Die cast aluminum enclosure.
- Indicator shaft is secured to the housing unit.
- Flat cover version available.
- Environmentally sealed indicator.
- Minimum life of 1,000,000 cycles.
- Internal switches and terminal block.
- Optional thermoplastic quick-mount bracket.
- Indicator is 100% adjustable.
- Nema 4, 4X.
- CSA approval.



A	B	C	D	E	F	G	H
6.56	6.00	0.53	3.98	1.13	2.72	0.25	2.25

ITEM TYPE	SPECIFICATIONS
Nema rating	4, 4X, 7, 9
Housing-cover	Aluminum
Indicator cover	Ektar copolyester
Seals	BUNA-N
Fasteners	Stainless steel
Terminal points	8
Operating temperature	-40°F to 175°F
Agency approvals	CSA
Weight	4.25 lbs.

MODEL	DESCRIPTION	SUFFIX	US\$
MON-AMYB-5220	2 SPDT 3A non-contact	AM52	661.00
MON-BKT-NP120	SS bracket kit 52-100	-	52.00
MON-BKT-NP130	SS bracket kit 115-300	-	52.00



SERIES NBN4-F25-E8-V1


M12 PNP DUAL NO



- Direct mounting on standard actuators.
- Small construction with sturdy plastic housing of protection class IP67.
- LED for power on.
- M12 male connector.

ACCESSORIES REQUIRED FOR OPERATION INCLUDE:

- BT32 activator for F25 series (see I, J, K.)
- V1-G-2-PVC cable for above 2 meters long.
- OR
- V1-G-10-PVC cable for above 10 meters long.



A	B	C	D	E	F	G	H	I	J	K
0.28	0.51	0.79	1.57	0.43	2.05	1.18	2.05	1.26	1.10	1.57

ITEM TYPE	SPECIFICATIONS
Item category	Inductive proximity
Subcategory	General purpose
Power type	DC
Range	0 to 3.24 mm
Connection type	4PINM12
Output type	NO PNP
Body composition	Non-metallic
Operating voltage range	10~30 VDC
Sensing type	Side
Status indicator	Yes
Short circuit protection	Yes
Rev. polarity protection	Yes
Max. load current	0.2A
Approvals	cULus
Net weight	1.80 oz.
Gross weight	1.80 oz.

MODEL	DESCRIPTION	SUFFIX	US\$
NBN4-F25-E8-V1	M21 PNP dual NO	F25	304.00
BT32	Activator for NBN4-F25-E8-V1	-	61.00
V1-G-2M-PVC	M12 4-pin PVC cable for above 2M long	-	42.00
V1-G-10M-PVC	M12 4-pin PVC cable for above 10M long	-	70.00



SERIES PMI360DV-F130-IU-V15


INDUCTIVE 4-20 mA POSITION TRANSMITTER



- Analog output, load-dependent voltage or current.
- Parameterizable measuring range.

APPLICATION

The inductive angular positioning system PMI360DV-F130-IU-V15 is a measuring system designed for the non-contact detection of the angular position of valve actuators and valves. The system offers flexible, user-friendly parameterization functions and is suitable for the universal detection and feedback of rotary movements around a fixed rotation point in all areas of machine and plant construction.



A	B	C	D	E	F	G	H	I
3.01	1.18	1.63	1.57	1.02	0.39	0.20	0.41	4.33

ITEM TYPE	SPECIFICATIONS
Type	Ultrasonic sensor
Construction style	Barrel/tubular
Sensing range	500mm (19.68 in.)
Voltage	10-30 VDC
Connection type	Connector, 5-pin
Connection size	M12x1
Diameter	30 mm
Sensing position	End
Response type	21 ms
Material	Stainless steel
Enclosure type	IEC IP65
Temperature rating	-13°F to 158°F
Switching frequency	380 kHz

MODEL	DESCRIPTION	SUFFIX	US\$
PMI360DV-F130-IU-V15	Inductive 4-20mA position transmitter	PMI360	648.00
BT-F130-A	Activator for PMI360DV-F130-IU-V15	-	63.00
V15-G-2M-PUR	M12 5-Pin cable for above 2M long	-	48.00




SERIES NMR1-C*

4-WAY CONDUIT CONNECTION

- 4-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR1-C1	110VAC	62 mA	3.5w	C1	84.00
NMR1-C2	24VDC	105 mA	3.5w	C2	84.00
NMR1-C12	12VDC	204 mA	3.5w	C12	84.00
NMR1-C22	220VAC	31 mA	3.5w	C22	84.00
NMR1-C24	24VAC	C/F	3.5w	C24	84.00



A	B	C
2.90	5.23	1.07




SERIES NMR1-D*

4-WAY DIN CONNECTION

- 4-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR1-D1	110VAC	62 mA	3.5w	D1	84.00
NMR1-D2	24VDC	105 mA	3.5w	D2	84.00
NMR1-D12	12VDC	204 mA	3.5w	D12	84.00
NMR1-D22	220VAC	31 mA	3.5w	D22	84.00
NMR1-D24	24VAC	C/F	3.5w	D24	84.00



A	B	C
2.77	5.23	1.07




SERIES NMR3-C*

3-WAY CONDUIT CONNECTION

- 3-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR3-C1	110VAC	62 mA	3.5w	3C1	84.00
NMR3-C2	24VDC	105 mA	3.5w	3C2	84.00
NMR3-C12	12VDC	204 mA	3.5w	3C12	84.00
NMR3-C22	220VAC	31 mA	3.5w	3C22	84.00
NMR3-C24	24VAC	C/F	3.5w	3C24	84.00



A	B	C
2.90	5.23	1.07




SERIES NMR3-D*

3-WAY CONDUIT CONNECTION

- 3-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR3-D1	110VAC	62 mA	3.5w	3D1	84.00
NMR3-D2	24VDC	105 mA	3.5w	3D2	84.00
NMR3-D12	12VDC	204 mA	3.5w	3D12	84.00
NMR3-D22	220VAC	31 mA	3.5w	3D22	84.00
NMR3-D24	24VAC	C/F	3.5w	3D24	84.00



A	B	C
2.77	5.23	1.07




SERIES NMR4-C*

4-WAY CONDUIT CONNECTION

- 4-way single solenoid NAMUR valve.
- Ports 1/2" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR4-C1	110VAC	62 mA	3.5w	4C1	438.00
NMR4-C2	24VDC	105 mA	3.5w	4C2	438.00
NMR4-C12	12VDC	204 mA	3.5w	4C12	438.00
NMR4-C22	220VAC	31 mA	3.5w	4C22	438.00
NMR4-C24	24VAC	C/F	3.5w	4C24	438.00



A	B	C
3.16	7.40	1.18




SERIES NMR4-D*

4-WAY DIN CONNECTION

- 4-way single solenoid NAMUR valve.
- Ports 1/2" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR4-D1	110VAC	62 mA	3.5w	4D1	438.00
NMR4-D2	24VDC	105 mA	3.5w	4D2	438.00
NMR4-D12	12VDC	204 mA	3.5w	4D12	438.00
NMR4-D22	220VAC	31 mA	3.5w	4D22	438.00
NMR4-D24	24VAC	C/F	3.5w	4D24	438.00



A	B	C
3.03	7.05	1.18



SERIES NMR1-EX*

4-WAY EX-PROOF CONNECTION

- 4-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range -20°C to 60°C (normal).

APPROVALS



202633 X




APPROVED

CL.I - Zone 1
Ex m II T4
CL.I - Div. 1&2
CL.II
CL.III
T4

AEx m II
Gr. A, B, C, D
Gr.E, F, G
Ta=-20°C+60°C

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR1-EX1	120 VAC	74 mA	4.6w	EX1	202.00
NMR1-EX2	24 VDC	190 mA	4.6w	EX2	202.00
NMR1-EX12	12 VDC	372 mA	4.6w	EX12	202.00
NMR1-EX22	220 VAC	36 mA	4.6w	EX22	202.00



A	B	C
2.66	5.23	1.07



SERIES NMR3-EX*

3-WAY EX-PROOF CONNECTION

- 3-way single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range -20°C to 60°C (normal).

APPROVALS



202633 X




APPROVED

CL.I - Zone 1
Ex m II T4
CL.I - Div. 1&2
CL.II
CL.III
T4

AEx m II
Gr. A, B, C, D
Gr.E, F, G
Ta=-20°C+60°C

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR3-EX1	120 VAC	74 mA	4.6w	3EX1	202.00
NMR3-EX2	24 VDC	190 mA	4.6w	3EX2	202.00
NMR3-EX12	12 VDC	372 mA	4.6w	3EX12	202.00
NMR3-EX22	220 VAC	36 mA	4.6w	3EX22	202.00



A	B	C
2.66	5.23	1.07




SERIES SSNMR1-*

4-WAY STAINLESS STEEL SOLENOID VALVE

- 4-way single solenoid namur valve.
- Available in din and conduit connections.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
SSNMR1-*1	110VAC	62 mA	3.5w	SSC1	464.00
SSNMR1-*2	24VDC	105 mA	3.5w	SSC2	464.00
SSNMR1-*12	12VDC	204 mA	3.5w	SSC12	464.00
SSNMR1-*22	220VAC	31 mA	3.5w	SSC22	464.00
SSNMR1-*24	24VAC	C/F	3.5w	SSC24	464.00



A	B	C
2.90	5.23	1.07




SERIES SSNMR1-EX*

4-WAY STAINLESS STEEL EX-PROOF SOLENOID VALVE

- 4-way single solenoid namur valve.
- Available in din and conduit connections.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
SSNMR1-EX1	120 VAC	74 mA	4.6w	SSEX1	582.00
SSNMR1-EX2	24 VDC	190 mA	4.6w	SSEX2	582.00
SSNMR1-EX12	12 VDC	372 mA	4.6w	SSEX12	582.00
SSNMR1-EX22	220 VAC	36 mA	4.6w	SSEX22	582.00



A	B	C
2.66	5.23	1.07




SERIES NMR1-ATEX2

24VDC 4-WAY ATEX EXPLOSION PROOF



- 24V DC ATEX 4-way explosion proof single solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range -20°C to 60°C (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR-ATEX2	24 VDC	190 mA	4.6w	AX2	202.00



A	B	C
2.77	5.23	1.07




SERIES NMR1-IS2

24VDC 4-WAY INTRINSICALLY SAFE

- Single solenoid intrinsically safe namur valve.
- Din connection.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range -20°C to 60°C (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
NMR1-IS2	24 VDC	190 mA	4.6w	IS2	202.00



A	B	C
2.77	5.23	1.07




SERIES DNMR-C*

4-WAY CONDUIT CONNECTION

- 4-way double solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).
- Temperature range 0°F to 130°F (with dry media).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
DNMR-C1	110VAC	62 mA	3.5w	DC1	167.00
DNMR-C2	24VDC	105 mA	3.5w	DC2	167.00
DNMR-C12	12VDC	204 mA	3.5w	DC12	167.00
DNMR-C22	220VAC	31 mA	3.5w	DC22	167.00
DNMR-C24	24VAC	C/F	3.5w	DC24	167.00



A	B	C
2.90	7.38	1.07




SERIES DNMR-D*

4-WAY DIN CONNECTION

- 4-way double solenoid namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
DNMR-D1	110VAC	62 mA	3.5w	DD1	167.00
DNMR-D2	24VDC	105 mA	3.5w	DD2	167.00
DNMR-D12	12VDC	204 mA	3.5w	DD12	167.00
DNMR-D22	220VAC	31 mA	3.5w	DD22	167.00
DNMR-D24	24VAC	C/F	3.5w	DD24	167.00



A	B	C
2.77	7.38	1.07




SERIES DNMR-EX*

4-WAY EX-PROOF DOUBLE SOLENOID

- 4-way double solenoid explosion proof namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).
- Temperature range 0°F to 130°F (with dry media).

MODEL	VOLT-AGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
DNMR-EX1	120 VAC	74 mA	4.6w	DEX1	402.00
DNMR-EX2	24 VDC	190 mA	4.6w	DEX2	402.00
DNMR-EX12	12 VDC	372 mA	4.6w	DEX12	402.00
DNMR-EX22	220 VAC	36 mA	4.6w	DEX22	402.00




SERIES DNMR-ATEX*

4-WAY ATEX EX-PROOF DOUBLE SOLENOID

- 4-way double solenoid explosion proof namur valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).
- Temperature range 0°F to 130°F (with dry media).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
DNMR-ATEX2	24 VDC	190 mA	4.6w	DAX2	402.00






SERIES **S4S-C*** **S4S-D*** CONDUIT DIN

NON-NAMUR 4-WAY SOLENOID

- 4-way non-namur single or double solenoid valve.
- Cv=1.68.
- Ports 1/4" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).
- Temperature range 0°F to 130°F (with dry media).

MODEL	VOLTAGE	IN RUSH	POWER CONSUMPTION	SUFFIX	US\$
S4S-*1	120 VAC	62 mA	3.5w	S4SC1	84.00
S4S-*2	24 VDC	105 mA	3.5w	S4SC2	84.00
S4S-*12	12 VDC	204 mA	3.5w	S4SC12	84.00
S4S-*22	220 VAC	31 mA	3.5w	S4SC22	84.00

A	B	C	A	B	C
2.90	5.23	1.07	2.77	5.23	1.07




SERIES **S4M** SOLENOID VALVE MANIFOLDS

- 4-way non-namur solenoid valve.
- Cv=1.68.
- Ports 3/8" NPT.
- Duty cycle 100% continuous.
- Pressure range 20 to 120 PSIG.
- Temperature range 35°F to 130°F (normal).
- Temperature range 0°F to 130°F (with dry media).
- S4M-BP-blank plate for manifold.

MODEL	# OF STATIONS	CONN.	VOLTAGE
S4M	*	D	2
	Min. of 2 Max. of 10	D=Din C=Conduit EX=Ex-proof	1=120V AC 2=24V DC 12=12V DC 24=24V AC 22=220V AC

MODEL	DESCRIPTION	SUFFIX	US\$
S4M*-C1	120 VAC conduit connection	MC1	195.00 *
S4M*-C2	24 VDC conduit connection	MC2	195.00 *
S4M*-D1	120 VAC din connection	MC12	195.00 *
S4M*-D2	24 VDC din connection	MC24	195.00 *
S4M-BP	Solenoid valve manifold blank plate	MBP	4.00

*- number of stations - minimum 2 stations ** per station.




A	B	C	D	E	F	G	H	I	J	K	L	M
3.90	1.57	1.18	0.38	1.89	2.09	0.75*	1.07	0.24	1.02	2.52	2.95	0.18




SERIES BON-AW*
FILTER REGULATOR


- Modular type filter regulator.
- Available in 1/4", 3/8" and 1/2" port sizes.
- Rated filtration (m): 2, 10, 20, 40, 70 or 100.
- Optional embedded pressure gauge.
- Available with built-in backflow mechanism.
- NPT threads.



A	B	C	D
6.09	1.58	1.04	2.08



A	B	C	D
8.00	2.09	1.42	2.34




A	B	C	D
9.50	2.76	1.50	2.99

HOW TO ORDER

MODEL	SIZE	CONN.	PORT SIZE	ACC
AW	30	N	02	E-2Z
	20=1/4		01=1/8"	
	30=1/4, 3/8		02=1/4"	
	40=1/2		03=3/8"	
			04=1/2"	

FLOW RATE CHARTS




MODEL	DESCRIPTION	SUFFIX	US\$
BON-AW20-N02E-2Z	Mini filter regulator 1/4"	AW20	95.00
BON-AW30-N02E-2Z	Filter regulator 1/4"	AW30	124.00
BON-AW30-N03E-2Z	Filter regulator 3/8"	AW303	124.00
BON-AW40-N04E-2Z	Filter regulator 1/2"	AW40	172.00



SERIES **SS-FR-25-1/4**


STAINLESS STEEL 1/4" FILTER REGULATOR

- 1/4" port.
- Autodrain option.
- Low temperature option: down to -61°F (-52 °C).
- High flow capacity: up to 150 scfm.



A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
1.62	1.25	1.78	2.13	2.13	4.40	2.65	2.24	1.38	5.20	3.71	2.75	2.25	0.34	0.64

PRODUCT ATTRIBUTE	ATTRIBUTE VALUE
PORT SIZE	1/4" NPT
OUTPUT RANGE	0-100 psig (0-7 bar)
MAX. SUPPLY PRESSURE	290 psig (20 bar)
MAX. FLOW CAPACITY- 1/4" PORTS	50 scfm (1415 NI/Min)
FILTER	25 micron
AMBIENT TEMPERATURE LIMITS	-20° to 185°F (-29° to 85°C)
CV VALUE 1/4"	1.2
EXHAUST CAPACITY	1.0 scfm (30 NI/Min)
AIR CONSUMPTION	4 scfh (2 NI/Min) maximum
MOUNTING	Pipe, bracket
OPERATING MEDIA	Air, inert gas, sweet natural gas, sour gases
WEIGHT	2.2 lbs (1.0 kg)
BODY MATERIAL	Stainless steel




MODEL	DESCRIPTION	SUFFIX	US\$
SS-FR-25-1/4	Stainless steel filter regulator 1/4" 0-160, 25 micron	SSFR	798.00



SERIES AMG150C-N02C WATER SEPARATOR


- Water separator w/possible modular connection.
- Water removal rate: 99%.
- Max. operating pressure: 1.0MPa.
- Options: fluororubber material, medium air pressure, drain guide, IN-OUT reversal direction, degreasing wash, white vaseline.



ITEM ID	PORT SIZE	A	B	C	D	E	F	G	BRACKET RELATED DIMENSIONS														
									H	I	J	K	T	U	L	M	V	N	O	P	Q	R	S
AMG150	1/4"	6.22	0.39	3.90	2.48	0.79	2.48	0.39	6.81	2.20	0.79	0.20	0.24	0.24	0.47	0.24	0.39	1.38	2.13	2.76	1.02	0.18	0.06

PRODUCT ATTRIBUTE	ATTRIBUTE VALUE
PORT SIZE	1/4" NPT
OUTPUT RANGE	0-100 psig (0-7 bar)
MAX. SUPPLY PRESSURE	290 psig (20 bar)
MAX. FLOW CAPACITY- 1/4" PORTS	50 scfm (1415 NI/Min)
FILTER	25 micron
AMBIENT TEMPERATURE LIMITS	-20° to 185°F (-29° to 85°C)
CV VALUE 1/4"	1.2
EXHAUST CAPACITY	1.0 scfm (30 NI/Min)
AIR CONSUMPTION	4 scfh (2 NI/Min) maximum
MOUNTING	Pipe, bracket
OPERATING MEDIA	Air, inert gas, sweet natural gas, sour gases
WEIGHT	2.2 lbs (1.0 kg)
BODY MATERIAL	Stainless steel

FLOW RATE CHART




MODEL	DESCRIPTION	SUFFIX	US\$
AMG150C-N02C	1/4" water separator	AMG	184.00



SERIES **SCM**

SPEED CONTROL MUFFLER

- Safe and infinite variations of metering air flow at acceptable sound levels on exhaust ports of air valves.
- Speed of an operating cylinder or air tool may be increased or decreased with the adjusting screw, the final position is then locked in place by the lock nut.
- Exhaust air noise is eliminated by the surrounding sleeve of sintered bronze.




ITEM ID	SIZE	A	B	C	SUFFIX	US\$
SCM-1	1/8"	0.56	1.56	0.125	SCM	5.00
SCM-2	1/4"	0.56	1.56	0.250	SCM	6.00
SCM-3	3/8"	0.69	1.63	0.375	SCM	8.00
SCM-4	1/2"	0.88	2.00	0.500	SCM	11.00



SERIES **SBM**

SINTERED BRONZE MUFFLER

- Reduces air exhaust noises to an industry accepted level with minimum flow restriction.
- They protect valves, impact wrenches, screw drivers and other air tools by preventing dirt and other foreign matter from entering the system.
- Non-corrosive.
- Can be cleaned with many common solvents.
- Maximum operating pressure: 250 psig (air).




ITEM ID	SIZE	A	B	C	SUFFIX	US\$
SBM-M	10-32 UNF	0.31	0.69	10-32	SBM	3.00
SBM-1	1/8"	0.44	1.13	0.125	SBM	3.00
SBM-2	1/4"	0.56	1.38	0.250	SBM	4.00
SBM-3	3/8"	0.69	1.50	0.375	SBM	5.00
SBM-4	1/2"	0.88	1.88	0.500	SBM	6.00



SERIES BV

BREATHER VENT

- 1/8" through 1/2" NPT.
- Sintered bronze 40 micron breather vent.
- 150 PSI Max.
- Operating temperature range 35°F -300°F.
- Heavy duty sintered bronze construction.
- Helps prevent contamination.
- Space saving.
- Reduced decibel level of exhausted air.




ITEM ID	SIZE	A	B	C	SUFFIX	US\$
BV-1	1/8"	0.44	0.44	0.125	BV	3.00
BV-2	1/4"	0.56	0.63	0.250	BV	4.00
BV-3	3/8"	0.69	0.75	0.375	BV	4.00
BV-4	1/2"	0.88	0.88	0.500	BV	5.00



SERIES KQ2L

PNEUMATIC PUSH FITTINGS

- New engineered anchor grip seal.
- Easy insertion.
- Quick disconnect.
- Strong hold.




ITEM ID	SIZE	A	B	C	D	E	F	G	H	SUFFIX	US\$
KQ2L07-34S	1/8"	0.70	0.79	0.39	0.61	0.52	0.44	0.44	0.125	KQ	6.00
KQ2L07-35S	1/4"	0.91	0.96	0.39	0.61	0.52	0.44	0.56	0.25	KQ	6.00
KQ2L12-U02A	1/4 UNI	1.01	1.12	0.67	0.85	0.67	0.73	0.67	1/4 UNI	KQ	12.00



SERIES **ASN2-N02**

1/4" METERING VALVE W/SILENCER

- 1/4" metering valve with silencer.
- Superior sound reducing performance.
- Designed to be mounted in valve exhaust port.
- Needle valve built into silencer allows metered exhaust flow.
- Over 20 db noise reduction at maximum flow rate.




A	B	C	SUFFIX	US\$
1.35	0.79	0.69	AS	16.00




SERIES **AS2201F-***

RIGHT ANGLE METER-OUT FLOW CONTROL VALVE

- Built in one-touch fittings minimizes installation time, reduces mounting height and enables a more compact machine design.
- Allows the body to be rotated to facilitate simple installation.
- Maximum operating pressure 1 mpa.
- Designed to meet most applications.



	SIZE	A	B	C	D	SUFFIX	US\$
*N01-07S	1/8"	1.22	0.56	0.50	1.08	AS21	28.00
*N02-07S	1/4"	1.59	0.73	0.67	1.35	AS22	29.00




SERIES 50G

GEAR OPERATORS

- Compact design for a versatile and economic solution.
- Install between standard ansi class 125/150 flanges.
- Iso 5211 square drive shaft for easy automation.
- Conforms to mss-sp-67, mss-sp-25, api-609.
- For use on the following: all rubber lined, high-performance butterfly valves, conventional bracketed and direct mount flanged ball valves.

ITEM ID	RL BVF SIZES	HP BVF SIZES	STD. BV FLANGE	DIR MT BV FLANGE	SUFFIX	US\$
50G-1	1-1/2"-3"	n/a	1/2"-3/4"	1"	50G	111.00
50G-1A	4"	2"-3"	1"-1-1/2"	1-1/2"-2"	50G	111.00
50G-1B	5"-6"	4"	2"	3"	50G	111.00
50G-1C	n/a	5"-6"	n/a	n/a	50G	146.00
50G-2	8"	8"	2-1/2"-4"	4"	50G	147.00
50G-2A	10"	10"	n/a	n/a	50G	147.00
50G-3	12"-14"	n/a	6"-8"	n/a	50G	184.00
50G-3A	n/a	12"	n/a	n/a	50G	513.00



SERIES R455*

3-POSITION INDICATOR

- Plastic three-positioner indicator with snap-in yellow indicator pieces for pneumatic valve assemblies.

ITEM ID	ACTUATOR SIZES	SUFFIX	US\$
R4550	32	R45	8.00
R4551	52-100	R45	9.00
R4552	115-140	R45	11.00
R4553	160-270	R45	12.00




SERIES STEM ADAPTERS

CARBON STEEL SQUARE ADAPTERS

- Adapts different valve stem sizes and shapes to actuator drives, for iso 5211 direct mount valves and actuators.
- Made of carbon steel.
- Larger sizes available, consult factory.

ITEM ID (mm)	SIZE (in.)	SUFFIX	US\$
11x9	0.43 x 0.35	-	5.00
14x11	0.55 x 0.43	-	8.00
17x11	0.67 x 0.43	-	10.00
17x14	0.67 x 0.55	-	9.00
22x17	0.87 x 0.67	-	11.00
27x22	1.06 x 0.87	-	13.00
36x27	1.42 x 1.06	-	21.00



SERIES SS STEM ADAPTERS

STAINLESS STEEL SQUARE ADAPTERS

- Adapts different valve stem sizes and shapes to actuator drives, for ISO 5211 direct mount valves and actuators.
- Made of stainless steel.

ITEM ID (mm)	SIZE (in.)	SUFFIX	US\$
11x9SS	0.43 x 0.35	-	7.00
14x9SS	0.55 X 0.35	-	10.00
14x11SS	0.55 x 0.43	-	9.00
17x14SS	0.67 x 0.55	-	12.00
22x17SS	0.87 x 0.67	-	21.00
27x22SS	1.06 x 0.87	-	32.00
36x27SS	1.42 x 1.06	-	105.00



SERIES MK-ISO*

ISO MOUNTING KIT

- Ideal for steam applications with a need to add space between a direct mount valve and actuator.
- ISO 5211 Compliant upper and lower mounting patterns.
- Includes mounting bracket and coupler.

ITEM ID	PAD SIZE	STEM SIZE	SUFFIX	US\$
MK-ISO-9MM	F03/F05	9 MM	MKISO	113.00
MK-ISO-11MM	F05/F07	11 MM	MKISO	116.00
MK-ISO-14MM	F07/F10	14 MM	MKISO	123.00
MK-ISO-17MM	F10/F12	17 MM	MKISO	170.00
MK-ISO-22MM	F10/F12	22 MM	MKISO	214.00



SERIES MOA

DECLUTCHABLE MANUAL OVERRIDE

- ISO 5211 Compliant upper and lower mounting patterns.
- ISO 5211 Compliant upper male square drive provide direct mount to ISO compliant actuators without adapters.
- Dual position limit stops.
- Roller thrust bearings on worm gear for improved efficiency.

ITEM ID	ACTUATOR SIZES		SUFFIX	US\$
MOA30	TOP PAD	14-F05/F07	MOA	266.00
	BOTTOM PAD	22-F05/07		
	TORQUE	2655 lbs.		
MOA70	TOP PAD	17-F07/F10	MOA	362.00
	BOTTOM PAD	27-F07/F10		
	TORQUE	6195 lbs.		
MOA120	TOP PAD	22-F12/F14	MOA	549.00
	BOTTOM PAD	36-F10/12/14		
	TORQUE	10620 lbs.		



SERIES LOCK

VALVE LOCKOUT DEVICE

- Locking device can be easily installed between valve and actuator without modification.
- Device allows quick visual determination from a distance of whether the quarter-turn valve is locked open or closed by the locking pin.
- Simple installation to iso patterns f05 to f10.
- Stainless steel construction.
- Locking pin tethered with steel cable.
- Pin can be locked in place to prevent removal.

ITEM ID	PAD SIZE	STEM SIZE	SUFFIX	US\$
LOCK-F05/14/SS/SS/DD	F05	14 DD	LOCK	278.00
LOCK-F07/17/SS/SS/DD	F07	17 DD	LOCK	344.00
LOCK-F10/22/SS/SS/DD	F10	22 DD	LOCK	578.00



SERIES FEB

FUGITIVE EMISSIONS BONNET

- Provides an additional sealing chamber for fugitive emissions leakage and detection for the stem of the valve.
- Sniffer port to detect any emission from the bonnet.
- Iso direct mounting pads in top and bottom for easy assembly.
- Addition v-ring packing, thrust washer and O-ring seals the valve.

ITEM ID	PAD SIZE	STEM SIZE	SUFFIX	US\$
FEB-9MM	F03/F05	9 MM	FEB	150.00
FEB-11MM	F05/F07	11 MM	FEB	172.00
FEB-14MM	F07/F10	14 MM	FEB	300.00
FEB-17MM	F10/F12	17 MM	FEB	352.00
FEB-22MM	F10/F12	22 MM	FEB	407.00



SERIES SE-ISO

ISO STEM EXTENSION

- Lockable stem extension can be used in both manual and automated applications.
- The bonnet is a one piece casting.
- The top platform has multiple ISO bolt patterns to provide flexibility for accessories.
- The bottom flange also has an ISO 5211 bolt pattern and has a groove which encapsulates the bonnet seal.
- The bonnet has been designed to allow easy access.
- To both bonnet and stem nuts.

ITEM ID	PAD SIZE	STEM SIZE	SUFFIX	US\$
SE-ISO-F03/F05/9MM	F03/F05	9 MM	SE	82.00
SE-ISO-F05/F07/11MM	F05/F07	11 MM	SE	96.00
SE-ISO-F07/F10/14MM	F07/F10	14 MM	SE	122.00
SE-ISO-F10/F12/17MM	F10/F12	17 MM	SE	172.00

DN6	DN8	DN10	DN15	DN20	DN25	DN32	DN40	DN50	DN65	DN80	DN100	DN150	DN200	DN250	DN300
1/8"	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"	6"	8"	10"	12"

Stainless steel working pressures by class psig

Class temp °F	150	300	400	600	900	1500	2500
-20 to 100	275	720	960	1440	2160	3600	6000
200	235	620	825	1240	1860	3095	5160
300	215	560	745	1120	1680	2795	4660
400	195	515	685	1025	1540	2570	4280
500	170	480	635	955	1435	2390	3980
600	140	450	600	900	1355	2255	3760
650	125	440	590	885	1325	2210	3680
700	110	435	580	870	1305	2170	3620
750	95	425	570	855	1280	2135	3560
800	80	420	565	845	1265	2110	3520
850	65	420	555	935	1255	2090	3480
900	50	415	555	830	1245	2075	3460
950	35	385	515	775	1160	1930	3220
1000	20	365	485	725	1090	1820	3030

Carbon steel working pressures by class psig

Class temp °F	150	300	400	600	900	1500	2500
-20 to 100	285	740	990	1480	2220	3705	6170
200	260	675	900	1350	2025	3375	5625
300	230	655	875	1315	1970	3280	5470
400	200	635	845	1270	1900	3170	5280
500	170	600	800	1200	1795	2995	4990
600	140	550	730	1095	1640	2735	4560
650	125	535	715	1075	1610	2685	4475
700	110	535	710	1065	1600	2665	4440
750	95	505	670	1010	1510	2520	4200

STEAM TEMPERATURE/PRESSURE TABLE

saturated steam temperatures

Inches mercury vacuum	Absolute pressure (P.S.I.A.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)	Gauge pressure (P.S.I.G.)	Temp. (°F)
29.74	0.089	32	0	212	135	358.3	285	417.2	570	483.4
29	0.451	76.5	2	218.5	140	360.8	290	418.7	580	485.2
28	0.942	99.7	4	224.4	145	363.4	295	420.2	590	487
27	1.43	114	6	229.8	-	-	-	-	-	-
26	1.92	124.6	8	234.6	150	365.9	300	421.7	600	488.8
-	-	-	-	-	155	368.3	310	424.6	650	497.4
25	2.42	133.3	10	239	160	370.6	320	427.4	700	505.4
24	2.91	140.3	15	249.7	165	372.9	330	430.3	-	-
23	3.4	146.3	20	258.8	170	375.2	340	433	750	513.1
22	3.89	151.7	-	-	-	-	-	-	800	520.3
21	4.38	156.5	25	266.8	175	377.4	350	435.6	850	527.3
-	-	-	30	274	180	379.5	360	438.2	900	533.9
20	4.87	161	35	280.6	185	381.7	370	440.8	950	540.3
19	5.36	165.2	40	286.7	190	383.7	380	443.3		
18	5.85	168.9	45	292.4	195	385.8	390	445.7	1000	546.4
17	6.35	172.5	-	-	-	-	-	-	-	-
16	6.84	175.8	50	297.7	200	387.8	400	448.1	-	-
-	-	-	55	302.6	205	389.7	410	450.5	-	-
15	7.33	178.9	60	307.3	210	391.7	420	452.8	-	-
14	7.82	181.8	65	311.8	215	393.6	430	455.1	-	-
13	8.31	184.6	70	316	220	395.4	440	457.3	-	-
12	8.8	187.2	-	-	-	-	-	-	-	-
11	9.29	189.7	75	320	225	397.3	450	459.5	-	-
-	-	-	80	323.9	230	399.1	460	461.7	-	-
10	9.78	192.1	85	327.6	235	400.8	470	463.8	-	-
9	10.27	194.4	90	331.1	240	402.6	480	465.9	-	-
8	10.77	196.7	95	334.6	245	404.3	490	468	-	-
7	11.26	198.8	-	-	-	-	-	-	-	-
6	11.75	200.9	100	337.9	250	406	500	470	-	-
-	-	-	105	341.1	255	407.7	510	472	-	-
5	12.24	202.9	110	344.1	260	409.3	520	474	-	-
4	12.73	204.8	115	347.1	265	410.9	530	475.9	-	-
3	13.22	206.7	120	350	270	412.5	540	477.8	-	-
2	13.71	208.5	-	-	-	-	-	-	-	-
1	14.2	210.3	125	352.8	275	414.1	550	479.7	-	-
0	14.696	212	130	355.6	280	415.7	560	481.6	-	-

WARRANTY, LIMITATIONS OF LIABILITY, RETURNS

Bonomi North America, Inc. warrants that its products shipped to its initial purchaser will be free of all defects in material and workmanship for a period of one year from the date of delivery.

Should any failure to conform to this warranty appear before the one year delivery period, and the product[s] are stored, installed, and maintained in accordance with the published Bonomi North America literature recommendations and standard industry practice, Bonomi North America, Inc. will repair or replace the product at its own expense.

The correction of non-conformities in the time period mentioned above shall constitute fulfillment of all Bonomi North America, Inc. liabilities to its initial purchaser. Bonomi North America, Inc. shall not be liable for consequential damages to loss of other equipment or property, loss profits or revenue, except the price of the Bonomi North America goods to which this liability is referred.

The customer is expected to check the received goods upon arrival at its premises. Any evident damage to the product or severe damage to its packaging that could affect the functionality of the received item should be reported immediately and no later than 10 days after delivery, preferably with pictures, to sales@bonominorthamerica.com. This includes reporting any incorrect product and/or incorrect quantities.

The customer must obtain an RMA (return of materials authorization) from the Inside Sales Department prior to returning any items. The request for RMA should include part number, quantity, and customer's purchase order or invoice number with which the product was originally shipped.

The purchase of interim replacement item(s) does not relieve the customer of financial responsibility of the returned items. All returned items will be inspected, tested, and evaluated. The results of this process will always dictate the follow-up action. All returns must come from the initial purchaser and should not ship directly from the contractor or end-user to Bonomi North America.

If a returned product is confirmed defective, with the above mentioned warranty conditions, Bonomi North America, Inc. has a first duty of repairing the product, if possible. Should a repair not be possible then the next option should be a replacement or a credit.

No credit will be issued for returned products that have been clearly misused, installed incorrectly, manipulated, modified, damaged at the customer's premises or during the return shipment. However, if the product can be properly repaired at a reasonable cost, Bonomi North America, Inc. will offer the repair option to the customer.

If the purpose of the RMA is to return items ordered in error or items that were not able to be utilized, then these returns will be subject to a restock fee. The standard restock fee for manually operated valves is 20% while automated packages and items requiring partial/full disassembly and testing when returning will be subject to a 30% restocking fee.

These items must return in new/unused and in resellable condition in order to qualify for credit. Preventing damage to returning merchandise during the shipping process will be the sole responsibility of the customer. It is recommended that new packing materials be used when returning goods as the packing materials used to ship from our business is intended for single use only.

If the returning merchandise comprises all or the majority of the cost of the original PO under which it was ordered and where there was free freight granted, then Bonomi North America, Inc. may ask to recoup some or all of the original freight cost, deducting this amount from the final credit.

Likewise, if the returning merchandise comprises all of a PO that originally shipped via a prepay-and-add method then Bonomi North America, Inc. will deduct this freight amount from the final credit, should the invoice be open at the time of crediting.

Even in the above mentioned cases, the return of non-defective customized products such as assembled packages of valves and actuators and/or of orders supplied more than 2 months before and/or exceeding the value of \$1,500, will be at the discretion of Bonomi North America and, if accepted, may result in significantly higher restocking fees, depending on the amount of labor involved in disassembling, refurbishing, testing, and restocking the individual components.

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There is no text or other markings on the paper.

This image shows a single sheet of white paper with horizontal blue lines, resembling notebook paper. The lines are evenly spaced and run across the width of the page. There is no handwriting or other markings on the paper.



BONOMI NORTH AMERICA, Inc.
750 Imperial Court - Charlotte, NC 28273 – U.S.A.
Phone 704-412-9031 - Fax 704-412-9032
www.bonominorthamerica.com
sales@bonominorthamerica.com



N.216

© BONOMI U.S.A. Inc - 2021 - All rights reserved       are registered trademarks.

To ensure the quality and technical standards at the highest level, the manufacturer reserves the right to alter the specifications without notice.
This documentation supersedes and replaces all previous editions.